## SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/8

## Supagard Glass Cleaner

 Revision
 14

 Revision date
 2016-08-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Supagard Glass Cleaner	
Product code	QAFS329	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);	
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);	
Description	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and mirrors, leaving a sparkling streak free finish.	
1.3. Details of the supplier of the	safety data sheet	
Company	SUPAGARD LIMITED	
Address	19-27 Gavinton Street	
	Muirend Glasgow	
	G44 3EF	
Web	www.supagard.co.uk	
Telephone	0141 633 5933	
Fax	01416377219	
Email	James.Smyth@supagard.com	
Email address of the competent person	James.Smyth@supagard.com	
1.4. Emergency telephone numb	Der	
Emergency telephone number	01416335933	
	8.30am to 5.00pm	
SECTION 2: Hazards identif	ication	
2.1. Classification of the substar	nce or mixture	
2.1.1. Classification -	R10	
1999/45/EC	Symbols:	
Main hazards	Flammable.	
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Eye Irrit. 2: H319;	
2.2. Label elements	r	
Hazard pictograms		

I



## Revision 14

Eye Irrit. P102 - K P103 - R	2: H319 - (	Causes serie reach of chi	e liquid and vapour. ous eye irritation. ldren.			
Flam. Lic Eye Irrit. P102 - K P103 - R	2: H319 - 0	Causes serie reach of chi	ous eye irritation.			
Eye Irrit. P102 - K P103 - R	2: H319 - 0	Causes serie reach of chi	ous eye irritation.			
P102 - K P103 - R	eep out of	reach of chi	•			
P103 - R			ldren.			
1	ead label t	before use.				
DRT not						
DPT not						
FDI IIUL	identified a	is a PBT sub	ostance.			
formation	on ingred	ients				
lex No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
3-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	F; R11 Xi; R36 R67	
3-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
lex No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
3-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%		
3-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	,,	
0 011 00 0	111702	200 000 0		1 1070	,	
					ווות. ב. הטוט,	
	lex No. 3-117-00-0 3-014-00-0 lex No. 3-117-00-0 3-014-00-0	Jex No.         CAS No.           3-117-00-0         67-63-0           3-014-00-0         111-76-2           Jex No.         CAS No.           3-117-00-0         67-63-0           3-014-00-0         111-76-2	3-117-00-0         67-63-0         200-661-7           3-014-00-0         111-76-2         203-905-0           lex No.         CAS No.         EC No.           3-117-00-0         67-63-0         200-661-7           3-014-00-0         111-76-2         203-905-0	Iex No.         CAS No.         EC No.         REACH Registration Number           3-117-00-0         67-63-0         200-661-7         01-2119457558-25           3-014-00-0         111-76-2         203-905-0         01-2119475108-36           Iex No.         CAS No.         EC No.         REACH Registration Number           3-117-00-0         67-63-0         200-661-7         01-2119475108-36           3-117-00-0         67-63-0         200-661-7         01-2119457558-25           3-014-00-0         111-76-2         203-905-0         01-21194575108-36	Iex No.         CAS No.         EC No.         REACH Registration Number         Conc. (%w/w)           3-117-00-0         67-63-0         200-661-7         01-2119457558-25         1 - 10%           3-014-00-0         111-76-2         203-905-0         01-2119475108-36         1 - 10%           Iex No.         CAS No.         EC No.         REACH Registration Number         Conc. (%w/w)           3-117-00-0         67-63-0         200-661-7         01-2119457558-25         1 - 10%           3-117-00-0         67-63-0         200-661-7         01-2119457558-25         1 - 10%           3-014-00-0         111-76-2         203-905-0         01-2119475108-36         1 - 10%	Jex No.         CAS No.         EC No.         REACH Registration Number         Conc. (%w/w)         Classification (%w/w)           3-117-00-0         67-63-0         200-661-7         01-2119457558-25         1 - 10% F; R11 Xi; R36 R67           3-014-00-0         111-76-2         203-905-0         01-2119475108-36         1 - 10% Xn; R20/21/22 Xi; R36/38           Mex No.         CAS No.         EC No.         REACH Registration Number         Conc. (%w/w)         Classification           3-117-00-0         67-63-0         200-661-7         01-2119457558-25         1 - 10% Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

Product Description & Uses	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and	
	mirrors, leaving a sparkling streak free finish.	
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.	
Active Ingredients	Ingredients - Isopropyl Alcohol, Butylene Glycol, Less than 5% Non-ionic Surfactants.	
SECTION 4: First aid measures		

#### SECTION 4: First aid measures

4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation,headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.



	Revision date 2016-08-17
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children. Do Not Freeze. Store at temperatures between 5 °C and 40 °C.
7.3. Specific end use(s)	
	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and mirrors, leaving a sparkling streak free finish.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
8.1.1. Exposure Limit Values	



 Revision
 14

 Revision date
 2016-08-17

#### 8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total  - inhalable dust: WEL 8-hr limit mg/m3 total  -	WEL 15 min limit mg/m3 total  - inhalable dust: WEL 15 min limit mg/m3 total  -
	respirable dust:	respirable dust:

#### DNEL: Derived no-effect level.

2-butoxyethanol	Long-term - inhalation - Systemic 98 m effects	ng/m³
	Long-term - inhalation - Local 663 r	mg/m <sup>3</sup> Long-term - dermal - Systemic 75 mg/kg
	effects	effects
	Long-term - dermal - Local 89 m	ng/kg
	effects	
propan-2-ol	Long-term - inhalation - Systemic 500 r	mg/m³
	effects	
	Long-term - dermal - Systemic 888 r	mg/kg
	effects	

#### Exposure Pattern - General population

2-butoxyethanol	Acute dermal - Local effects 13.4 mg/kg	
	Long-term - inhalation - Systemic 49 mg/m <sup>3</sup> effects	Long-term - inhalation - Local 426 mg/m <sup>3</sup> effects
	Long-term - dermal - Local 44.5 mg/kg effects	
propan-2-ol	Long-term - inhalation - Systemic 89 mg/m <sup>3</sup> effects	
	Long-term - dermal - Systemic 319 mg/kg effects	Long-term - oral - Systemic effects 26 mg/kg

#### 8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection -	Rubber gloves.
Handprotection	
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure	Prevent further leakage or spillage if safe to do so.
controls	



#### Revision 14

Revision date 2016-08-17

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
	Clear/Blue
Odour	Alcoholic
pH	6 - 9
Melting point	No data available
Initial boiling point	No data available
Flash point	40 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.98 - 0.99 g/cm³
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	10 g/l
compounds)	
SECTION 10: Stability and reactivity	

#### 10.1 Reactivity

10.1. Reactivity	
	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous rea	actions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological i	nformation
11.1. Information on toxicologica	al effects



Revision date 2016-08-17

11.1. Information on toxicologica	al effects	
Skin corrosion/irritation	Not anticipated under normal conditions of use. May cause irritation to skin.	
Serious eye damage/irritation	Not anticipated under normal conditions of use.	
Respiratory or skin sensitisation	Not anticipated under normal conditions of use. May cause irritation to respiratory system.	
Repeated or prolonged exposure	Prolonged contact may cause defatting of the skin.	
11.1.2. Mixtures	·	
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	1	
	No data available	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
	No data available	
12.2. Persistence and degradab	ility	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential	·	
	No data is available on this product.	
Partition coefficient		
	Supagard Glass Cleaner     No data available     propan-2-ol     0.05 log P       2-butoxyethanol     0.8 log P	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB		
	No data is available on this product.	
12.6. Other adverse effects		
	No data available.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport information		
Hazard pictograms		

 Revision
 14

 Revision date
 2016-08-17

Hazard pictograms

3

14.1. UN number

	UN1993	
14.2. UN proper shipping name		
	FLAMMABLE LIQUID, N.O.S. (contains Isopropanol)	
14.3. Transport hazard class(es)	)	
ADR/RID	3	
Subsidiary risk	-	
IMDG	3	
Subsidiary risk	-	
ΙΑΤΑ	3	
Subsidiary risk	-	
14.4. Packing group		
Packing group	111	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
ADR/RID		
Hazard ID	30	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-E	
IATA		
Packing Instruction (Cargo)	366	
Maximum quantity	220 L	
Packing Instruction	355	
(Passenger)		
Maximum quantity	60 L	

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.



#### 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

Revision	This document differs from the previous version in the following areas:.	
	1 - Product Use.	
	7 - 7.2. Conditions for safe storage, including any incompatibilities.	
Text of risk phrases in Section	R11 - Highly flammable.	
3		
3	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.	
	R36/38 - Irritating to eyes and skin.	
	R36 - Irritating to eyes.	
	R67 - Vapours may cause drowsiness and dizziness.	
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	STOT SE 3: H336 - May cause drowsiness or dizziness.	
	Acute Tox. 4: H302 - Harmful if swallowed.	
	Acute Tox. 4: H312 - Harmful in contact with skin.	
	Skin Irrit. 2: H315 - Causes skin irritation.	
	Acute Tox. 4: H332 - Harmful if inhaled.	
Maximum content of VOC	10 g/l.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	

