

GLASS CLEANER

IDEAL FOR REMOVING DIRT, GREASE AND FINGER MARKS



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

Glass Cleaner

Revision 9 Revision date 2014-08-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name	Glass Cleaner			
Product code	QAFS329			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Description	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and			
	mirrors, leaving a sparkling streak free finish.			
1.3. Details of the supplier of the	e safety data sheet			
Company	SUPAGARD LIMITED			
Address	19-27 Gavinton Street			
	Muirend			
	Glasgow			
	G44 3EF			
Web	www.supagard.co.uk			
Telephone	0141 633 5933			
Fax	01416377219			
Email	James.Smyth@supagard.com			
Email address of the	James.Smyth@supagard.com			
competent person				
1.4. Emergency telephone numl	ber			
Emergency telephone number	01416335933			
	8.30am to 5.00pm			
SECTION 2: Hazards identifi	ication			
2.1. Classification of the substar	nce or mixture			
2.1.1. Classification -	R10			
1999/45/EC	Symbols:			
Main hazards	Flammable.			
2.2. Label elements				
	No symbol required.			
Risk phrases	R10 - Flammable.			
Safety phrases	S2 - Keep out of the reach of children.			
• •	S25 - Avoid contact with eyes.			
	S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.			
	S39 - Wear eye/face protection.			
2.3. Other hazards				
Other hazards	PBT not identified as a PBT substance.			

3.2. Mixtures

SECTION 3: Composition/information on ingredients

Revision 9 Revision date 2014-08-26

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	F; R11 Xi; R36 R67
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38

Further information			
Product Description & Uses	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and mirrors, leaving a sparkling streak free finish.		
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.		
SECTION 4: First aid measu	res		
4.1. Description of first aid measure	sures		
Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		
4.2. Most important symptoms and effects, both acute and delayed			
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.		
Eye contact	Irritating to eyes.		
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.		
Ingestion	May cause irritation to mucous membranes.		
4.3. Indication of any immediate medical attention and special treatment needed			
	TREAT SYMPTOMATICALLY.		
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.		
General information			
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.		

SECTION 5: Firefighting measures

5.1. Extinguishing media

Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Revision 9 Revision date 2014-08-26

6.1. Personal precautions, protective equipment and emergency procedures						
	Wear suitable protective equipment. Flatignition.	nmable liquid. Avoid sparks, flames, heat and sources of				
6.2. Environmental precautions						
	Advise local authorities if large spills can	not be contained.				
6.3. Methods and material for c	6.3. Methods and material for containment and cleaning up					
	Absorb with inert, absorbent material. So disposal. Avoid sparks, flames, heat and	veep up. Transfer to suitable, labelled containers for sources of ignition.				
6.4. Reference to other sections	3					
	See section 2, 7, 8, 13 for further information	ation.				
SECTION 7: Handling and s	torage					
7.1. Precautions for safe handli						
	Adopt best Manual Handling consideration	ons when handling, carrying and dispensing.				
7.2. Conditions for safe storage	, including any incompatibilities					
		heat and sources of ignition. Avoid storing in direct Sun ep cool. Store in original container. Keep container tightly terial. Keep out of the reach of children.				
7.3. Specific end use(s)		·				
	This powerful cleaner breaks through ev mirrors, leaving a sparkling streak free fi	en the toughest dirt and grime on screens, windows and nish.				
Suitable packaging						
	Plastic containers.					
SECTION 8: Exposure contr	ols/personal protection					
8.1. Control parameters						
	Occupational exposure controls.					
8.1.1. Exposure Limit Values						
Ethylene glycol monobutyl ether (2-Butoxyethanol)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: -				
(,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: -				
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3 : 999				
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3 : 1250				

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

Eye / face protection Skin protection -Handprotection Respiratory protection Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.



Revision 9 Revision date 2014-08-26

8.2. Exposure controls

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Liquid Colour Clear/Blue Odour Alcoholic рΗ 8 - 10 Melting point No data available **Boiling point** No data available 38 °C Flash point **Evaporation rate** No data available Flammability limits No data available Vapour Flammability No data available Vapour pressure No data available No data available Vapour density Relative density No data available

Partition coefficient
Autoignition temperature

nperature No data available

Viscosity < 50 centipoise

Explosive Oxidising Solubility

No data available No data available Soluble in water

No data available

9.2. Other information

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content
VOC (Volatile organic

No data available

Water solubility

Soluble.

SECTION 10: Stability and reactivity

compounds)

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products



Revision 9 Revision date 2014-08-26

	Novición date 2011 de 20	
10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.	
SECTION 11: Toxicological	information	
11.1. Information on toxicologic	al effects	
Skin corrosion/irritation	Not anticipated under normal conditions of use. May cause irritation to skin.	
Serious eye damage/irritation	Not anticipated under normal conditions of use.	
Respiratory or skin sensitisation	Not anticipated under normal conditions of use. May cause irritation to respiratory system.	
Repeated or prolonged exposure	Prolonged contact may cause defatting of the skin.	
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information	·	
	No data available.	
11.1.4. Toxicological Informatio	n	
	No data available	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
	No data available	
12.2. Persistence and degradal		
,	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
12.4. Mobility in soil	· ·	
	No data is available on this product.	
12.5. Results of PBT and vPvB	assessment	
	No data is available on this product.	
12.6. Other adverse effects	· · · · · · · · · · · · · · · · · · ·	
	No data available.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods	3	
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport info	rmation	



Hazard pictograms

Revision 9 Revision date 2014-08-26

Hazard pictograms 14.1. UN number UN1993 14.2. UN proper shipping name FLAMMABLE LIQUID, N.O.S. 14.3. Transport hazard class(es) ADR/RID 3 Subsidiary risk **IMDG** 3 Subsidiary risk **IATA** 3 Subsidiary risk 14.4. Packing group Packing group 14.5. Environmental hazards No **Environmental hazards** Marine pollutant No ADR/RID Hazard ID 30 **Tunnel Category** (D/E) **IMDG EmS Code** F-E S-E **IATA** Packing Instruction (Cargo) 366 Maximum quantity 220 L **Packing Instruction** 355 (Passenger) Maximum quantity 60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation.

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment



Revision Revision date 2014-08-26

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

This document differs from the previous version in the following areas:. Revision 1 - Description. 3 - Product Description & Uses. 7 - 7.3. Specific end use(s). 9 - 9.1. Information on basic physical and chemical properties (PH). 9 - 9.1. Information on basic physical and chemical properties (Melting point). 9 - 9.1. Information on basic physical and chemical properties (Flash point). 9 - 9.1. Information on basic physical and chemical properties (Flammability limits). 9 - 9.1. Information on basic physical and chemical properties (Oxidising). 9 - 9.1. Information on basic physical and chemical properties (Relative density). 9 - 9.1. Information on basic physical and chemical properties (Viscosity). 9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit). 9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit). 9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature). 9 - 9.1. Information on basic physical and chemical properties (Soluble in). 9 - 9.1. Information on basic physical and chemical properties (Miscible in). 9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)). 9 - 9.1. Information on basic physical and chemical properties (Odour threshold). 9 - 9.2. Other information (VOC (Volatile organic compounds)). 9 - 9.2. Other information (SADT). 9 - 9.2. Other information (Specific gravity). 9 - 9.2. Other information (Bulk Density). 9 - 9.2. Other information (Softening point). 9 - 9.2. Other information (Pour point). 9 - 9.2. Other information (Sublimation Point). 9 - 9.2. Other information (Electrical Resistance). 9 - 9.2. Other information (Total Solids). 9 - 9.2. Other information (Redox Potential). 11 - 11.1.4. Toxicological Information. 12 - 12.1. Toxicity. Text of risk phrases in Section R11 - Highly flammable. 3 R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R36/38 - Irritating to eyes and skin. R36 - Irritating to eyes. R67 - Vapours may cause drowsiness and dizziness. Maximum content of VOC 10 g/l.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.