# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

## ALLOY WHEEL CLEANER

Revision 41 Revision date 2015-09-16

#### 1.1. Product identifier

Product name ALLOY WHEEL CLEANER
Product code QAFS008

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

| Froduct Use | [SU21] Consumer uses: Private households (= general public = consumers); | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); | [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; | This new non-acidic formula removes brake dust, road film and grime. It cleans to a bright finish

and does not eat away the surfaces like standard acidic wheel cleaners.

# 1.3. Details of the supplier of the safety data sheet

Company SUPAGARD LIMITED

Address 19-27 Gavinton Street

Muirend Glasgow G44 3EF

 Web
 www.supagard.co.uk

 Telephone
 0141 633 5933

 Fax
 01416377219

Email James.Smyth@supagard.com
Email address of the James.Smyth@supagard.com
competent person

#### 1.4. Emergency telephone number

Emergency telephone number 01416335933 8.30am to 5.00pm

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification 
1999/45/EC

Main hazards

2.1.2. Classification - EC

1272/2008

Xi; R38-41

Symbols: Xi: Irritant.

Irritating to skin. Risk of serious damage to eyes.

Skin Corr. 1B: H314; Aquatic Chronic 4: H413;

#### 2.2. Label elements

Revision 41 Revision date 2015-09-16

### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.
Precautionary Statement: Prevention	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands and other contacted skin thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention. P310 -Immediately call a POISON CENTER/doctor/. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P321 - Specific treatment (see % on this label). P363 - Wash contaminated clothing before reuse.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste contractor.

## 2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C9-11 Alcohol ethoxylate		68439-46-3			1 - 10%	Xn; R22 Xi; R41	
41% Hydroxyethylethylenediaminetriacet ic Acid, Trisodium Salt		139-89-9	205-381-9		1 - 10%	Xn; R22 Xi; R41	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
Cocamidopropyl Betain					10 - 20%	Xi; R41 R52/53	
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	C; R34 Xi; R37	
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

Revision 41
Revision date 2015-09-16

#### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C9-11 Alcohol ethoxylate		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
41% Hydroxyethylethylenediaminetriacet ic Acid, Trisodium Salt		139-89-9	205-381-9		1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
Cocamidopropyl Betain					10 - 20%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;	
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335;	

┏.	 inform	-41

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients - 5 - 15% Amphoteric Surfactants, 5 - 15% Non-ionic Surfactants, Acid NTA, Acid EDTA, Sodium Metasilicate Pentahydrate.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.	
Eye contact	auses burns. Risk of serious damage to eyes.	
Skin contact	Causes burns.	
Ingestion	Causes burns.	

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

#### **General information**

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.



Revision 41 Revision date 2015-09-16

Wear suitable respiratory equipment when necessary.			Treviere date 2010 00
In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires Use extinguishing measures that are appropriate to local circumstances and the surrounding environment environment.  SECTION 6: Accidental release measures 3.1. Personal precautions, protective equipment and emergency procedures  Wear suitable protective equipment. 3.2. Environmental precautions  Advise local authorities if large spills cannot be contained.  3.3. Methods and material for containment and cleaning up  For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage 7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  WEL 8-tr limit mg/m3: 2  WEL 15 min limit pg/m3: 2  WEL 15 min limit pg/m3 total inhabite dust  WEL 15 min limit mg/m3 total - linhabite dust  WEL 15 min limit mg/m3 total - linhabite dust  WEL 15 min limit mg/m3 total - linhabite dust  WEL 15 min limit mg/m3 total - linhabite dust	5.3. Advice for firefighters		
In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  SECTION 6: Accidental release measures 3.1. Personal precautions, protective equipment and emergency procedures  Wear suitable protective equipment. 3.2. Environmental precautions  Advise local authorities if large spills cannot be contained. 3.3. Methods and material for containment and cleaning up  For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage 7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  3.3. Specific end use(s)  No data is available on this product.  SUItable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection 3.1. Control parameters  Occupational exposure controls.  WEL 8-hr limit ppm: WEL 8-hr limit ppm: WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3: 12  WEL 8-hr limit mg/m3 total inhabite dust inhabite dust  WEL 15 min limit ppm: WEL 15 min limit pmg/m3 total inhabite dust  WEL 15 min limit ppm total - Inhabite dust  WEL 15 min limit ppm total - Inhabite dust  WEL 15 min limit ppm total - Inhabite dust  WEL 15 min limit ppm total - Inhabite dust  WEL 15 min limit ppm total - Inhabite dust		Wear suitable respiratory equipment when	necessary.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  SECTION 6: Accidental release measures  3.1. Personal precautions, protective equipment and emergency procedures  Wear suitable protective equipment.  3.2. Environmental precautions  Advise local authorities if large spills cannot be contained.  3.3. Methods and material for containment and cleaning up  For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage  7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  sedium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total - inhalable dust: with alable dust.  WEL 6-hr limit mg/m3 total - inhalable dust.  WEL 15 min limit mg/m3 total - inhalable dust.  WEL 15 min limit mg/m3 total - inhalable dust.	Further information		
Wear suitable protective equipment.		Use extinguishing measures that are appr	
Wear suitable protective equipment.   3.2. Environmental precautions	SECTION 6: Accidental re	lease measures	
Advise local authorities if large spills cannot be contained.  3.3. Methods and material for containment and cleaning up  For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage  7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  WEL 8-hr limit ppm: WEL 8-hr limit ppm: WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhala	6.1. Personal precautions, pro	stective equipment and emergency procedures	
Advise local authorities if large spills cannot be contained.  3.3. Methods and material for containment and cleaning up  For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage  7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  WEL 8-hr limit ppm: WEL 8-hr limit mg/m3: 2  WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15		Wear suitable protective equipment.	
For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage  7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for sefe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -	6.2. Environmental precaution	s	
For large spills Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage  7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Sultable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  sodium hydroxide  WEL 8-hr limit ppm: WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total inhalable dust:  WEL 9-hr limit mg/m3 total -  WEL 15 min limit mg/m3 total -		Advise local authorities if large spills cann	ot be contained.
containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water.  3.4. Reference to other sections  See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage  7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total - Inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - Inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - WEL 8-hr limit mg/m3 total - WEL 8	6.3. Methods and material for	containment and cleaning up	
See section 2, 7, 8, 13 for further information.  SECTION 7: Handling and storage 7.1. Precautions for safe handling  Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container. 7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection 3.1. Control parameters  Occupational exposure controls. 3.1.1. Exposure Limit Values  sedium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 2  WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust:		containers for disposal. Clean spillage are	
Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 2  WEL 15 min limit ppm: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: well mg/m3 total - inhalable dus	6.4. Reference to other section	ns	
Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: 2  WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -		See section 2, 7, 8, 13 for further informat	ion.
Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total -	SECTION 7: Handling and	storage	
Handling considerations when handling, carrying and dispensing.  7.2. Conditions for safe storage, including any incompatibilities  Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -	7.1. Precautions for safe hand	lling	
Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3 total -		The state of the s	
original container.  7.3. Specific end use(s)  No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - inhalable dust: WEL	7.2. Conditions for safe storage	je, including any incompatibilities	
No data is available on this product.  Suitable packaging  Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -		The state of the s	ightly closed. Keep out of the reach of children. Store in
Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit ppm: - WEL 15 min limit mg/m3: 2 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -	7.3. Specific end use(s)		
Plastic containers.  SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 15 min limit mg/m3: 2 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -		No data is available on this product.	
SECTION 8: Exposure controls/personal protection  3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: - WEL 8-hr limit ppm: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -	Suitable packaging	·	
3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: -  WEL 15 min limit ppm: -  WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total -  inhalable dust:  WEL 8-hr limit mg/m3 total -  WEL 15 min limit mg/m3 total -		Plastic containers.	
3.1. Control parameters  Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: -  WEL 15 min limit ppm: -  WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total -  inhalable dust:  WEL 8-hr limit mg/m3 total -  WEL 15 min limit mg/m3 total -	SECTION 8: Exposure cor	ntrols/personal protection	
Occupational exposure controls.  3.1.1. Exposure Limit Values  Sodium hydroxide  WEL 8-hr limit ppm: -  WEL 15 min limit ppm: -  WEL 15 min limit mg/m3: -  WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total -  inhalable dust:  WEL 8-hr limit mg/m3 total -  WEL 15 min limit mg/m3 total -  WEL 15 min limit mg/m3 total -  WEL 15 min limit mg/m3 total -	-		
3.1.1. Exposure Limit Values  WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 15 min limit ppm: - WEL 15 min limit mg/m3: 2 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3 total -	<u> </u>		
Sodium hydroxide  WEL 8-hr limit ppm: -  WEL 15 min limit ppm: -  WEL 15 min limit ppm: -  WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total -  inhalable dust:  WEL 8-hr limit mg/m3 total -  WEL 15 min limit mg/m3 total -  WEL 15 min limit mg/m3 total -		Occupational exposure controls.	
WEL 15 min limit ppm: - WEL 15 min limit mg/m3: 2  WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust:  WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -	8.1.1. Exposure Limit Values	•	
WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - WEL 15 min limit mg/m3 total -	sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
inhalable dust: inhalable dust:  WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -		WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -		-	
leadiable dat.		respirable dust:	respirable dust:
	8.2. Exposure controls		
3.2. Exposure controls			







Powered by ChemSoft EH&S



Revision 41 Revision date 2015-09-16

8.2. Exposure controls

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

Skin protection - Handprotection

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Ammoniacal
Odour threshold	No data available
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1.1 - 1.115 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

### SECTION 10: Stability and reactivity

## 10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.	
10.2. Chemical stability		
	Stable under normal conditions. No particular stability concerns.	
40.2 Describility of homorous reserving		

#### 10.3. Possibility of hazardous reactions

Revision 41
Revision date 2015-09-16

	Revision date 2015-09-1
10.3. Possibility of hazardous re	actions
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	·
	No incompatible groups noted.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces
	irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological i	nformation
11.1. Information on toxicologica	al effects
Skin corrosion/irritation	Causes burns.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Not anticipated under normal conditions of use. Causes burns.
Repeated or prolonged exposure	Causes burns. Prolonged contact may cause defatting of the skin. Danger of serious damage to health by prolonged exposure.
11.1.2. Mixtures	·
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
<u>_</u>	No data available
SECTION 40: Feelesisel infe	
SECTION 12: Ecological info	rmauon
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	ALLOY WHEEL CLEANER No data available Cocamidopropyl Betain No data available
	sodium hydroxide No data available
12.4. Mobility in soil	
12. II Widding III doi:	No data is available on this product.
12.5. Results of PBT and vPvB a	
12.0. Nesults of FDT alla VFVD	
12.6. Other adverse affects	No data is available on this product.
12.6. Other adverse effects	No data available
	No data available.
SECTION 13: Disposal cons	iderations



Revision 41 Revision date 2015-09-16

13 4	1 \//	aeta	treat	mant	meth	nde
1.3.	I. VV	asie	ireai	meni	meir	เดเร

10:1: VVaoto doadilont illotticac	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

## **SECTION 14: Transport information**

## Hazard pictograms



#### 14.1. UN number

UN1760

### 14.2. UN proper shipping name

CORROSIVE LIQUID, N.O.S. (contains Trisodium Nitrilotriacetate)

#### 14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

#### 14.4. Packing group

Packing group	Ш
---------------	---

#### 14.5. Environmental hazards

Environmental hazards	
Marine pollutant	No

### ADR/RID

Hazard ID	80
Tunnel Category	(E)

#### **IMDG**

	l
FmS Code	l F-A S-F

#### **IATA**

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Revision 41
Revision date 2015-09-16

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available

#### SECTION 16: Other information

Other information	
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36 - Irritating to eyes. R37 - Irritating to respiratory system. R40 - Limited evidence of a carcinogenic effect. R41 - Risk of serious damage to eyes. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed.  Eye Dam. 1: H318 - Causes serious eye damage.  Eye Irrit. 2: H319 - Causes serious eye irritation.  Carc. 2: H351 - Suspected of causing cancer .  Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.  Met. Corr. 1: H290 - May be corrosive to metals.  Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  STOT SE 3: H335 - May cause respiratory irritation.

#### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

