

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

Supagard Wheel Cleaner

Revision 7
Revision date 2017-08-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Supagard Wheel Cleaner
Product code	QAFS776

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	No data is available on this product.

1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.co.uk
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

1.4. Emergency telephone number


Emergency telephone number	01416335933 8.30am to 5.00pm
----------------------------	---------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R36 Symbols: Xi: Irritant.
Main hazards	Irritating to eyes.
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

2.2. Label elements

Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands and other contacted skin thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste contractor.

2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.
----------------------	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Xn; R22 Xi; R41	
Sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Xi; R36	
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	C; R34 Xi; R37	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
Sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;	
Tetrapotassium pyrophosphate		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;	
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;	
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;	

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients - 3.8% Phosphates by weight, 5 - 15% Anionic Surfactants, Less than 5% Non-ionic surfactants, Sodium Metasilicate Pentahydrate, CI 42090.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

4.1. Description of first aid measures

Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures**5.1. Extinguishing media**

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

	Wear suitable protective equipment.
--	-------------------------------------

6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

6.3. Methods and material for containment and cleaning up

	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
--	--

6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

SECTION 7: Handling and storage

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
--	---

7.3. Specific end use(s)

	No data is available on this product.
--	---------------------------------------

Suitable packaging

	Plastic containers.
--	---------------------

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m ³ : 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m ³ : 101.2
	WEL 8-hr limit mg/m ³ total inhalable dust: -	WEL 15 min limit mg/m ³ total inhalable dust: -
	WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 15 min limit mg/m ³ total respirable dust: -

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic effects	1091 mg/m ³	Acute dermal - Systemic effects	89 mg/kg	
	Acute inhalation - Local effects	246 mg/m ³		Long-term - dermal - Systemic effects	125 mg/kg
	Long-term - inhalation - Systemic effects	98 mg/m ³			
Sodium Metasilicate Pentahydrate	Long-term - inhalation - Systemic effects	6.22 mg/m ³			
	Long-term - dermal - Systemic effects	1.49 mg/kg			

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects	426 mg/m ³	Acute oral - Systemic effects	26.7 mg/kg	
	Acute dermal - Systemic effects	89 mg/kg		Long-term - inhalation - Local effects	147 mg/m ³
	Long-term - inhalation - Systemic effects	59 mg/m ³		Long-term - oral - Systemic effects	6.3 mg/kg
Sodium Metasilicate Pentahydrate	Long-term - dermal - Systemic effects	75 mg/kg			
	Long-term - inhalation - Systemic effects	1.55 mg/m ³	Long-term - dermal - Systemic effects	0.74 mg/kg	
			Long-term - oral - Systemic effects	0.74 mg/kg	


8.2. Exposure controls

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

8.2. Exposure controls

	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
pH	13
Melting point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.068 - 1.075 g/cm ³
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

10.1. Reactivity	
	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous reactions	
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	
	No incompatible groups noted.
10.6. Hazardous decomposition products	
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin Corrosion 1A.
Serious eye damage/irritation	Corrosivity to eyes is assumed.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological information	
12.1. Toxicity	
	No data available
12.2. Persistence and degradability	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Supagard Wheel Cleaner No data available
	2-butoxyethanol 0.8 log P

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1760

14.2. UN proper shipping name

CORROSIVE LIQUID, N.O.S. (Contains Sodium Metasilicate Pentahydrate)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group III

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

No additional special precautions.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID 80

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09

ADR/RID

Tunnel Category	(E)
-----------------	-----

IMDG

EmS Code	F-A S-B
----------	---------

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

15.2. Chemical safety assessment

	No information available.
--	---------------------------

SECTION 16: Other information

Other information

Text of risk phrases in Section 3	<p>R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.</p> <p>R22 - Harmful if swallowed.</p> <p>R34 - Causes burns.</p> <p>R36/38 - Irritating to eyes and skin.</p> <p>R36 - Irritating to eyes.</p> <p>R37 - Irritating to respiratory system.</p> <p>R41 - Risk of serious damage to eyes.</p>
Text of Hazard Statements in Section 3	<p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Acute Tox. 4: H312 - Harmful in contact with skin.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Acute Tox. 4: H332 - Harmful if inhaled.</p> <p>Met. Corr. 1: H290 - May be corrosive to metals.</p> <p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>STOT SE 3: H335 - May cause respiratory irritation.</p>

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--

Supagard Wheel Cleaner

Revision 7

Revision date 2017-08-09
