Supagard

Glasgow

Date	printed 25.11.2015, Revision 11.06.20	5 Version 05. Supersec	des version: 04 Page 1 / 8
		stance/mixture and of the company/undertaking	
.1	Product identifier		
		Clay Bar	
.2	Relevant identified uses of the s	substance or mixture and uses advised against	
.2.1	Relevant uses		
		See product information.	
.2.2	2 Uses advised against		
		None known.	
.3	Details of the supplier of the sa	fety data sheet	
	Company	Supagard 19-29 Gavinton Street G44 3EF Phone 0141 633 3005 Fax 0141 637 7219 Homepage www.supagard.co.uk E-mail James.Smyth@supagard.com	
	Address enquiries to		
	Technical information	James.Smyth@supagard.com	
	Safety Data Sheet	James.Smyth@supagard.com	
.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (english)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance	or mixture	
		No classification.	
2.2	Label elements		
	Hazard pictograms		
	Hazard statements	none	
2.3	Other hazards		
	Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hazards	none	
		on on ingredients	

Range [%]	Substance
70 - <100	Limestone
	CAS: 1317-65-3, EINECS/ELINCS: 215-279-6
10 - 20	Castor oil, oxidized
	CAS: 68187-84-8, EINECS/ELINCS: 269-128-4

Comment on component parts

No dangerous components.

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

Supagard

Glasgow

Date printed 25.11.2015, Revision 11.06.2015

Version 05. Supersedes version: 04

Page 2 / 8

1.1	Description of first aid measures	
	General information	none
	Inhalation	In the event of symptoms seek medical treatment.
	Skin contact	Consult a doctor if skin irritation persists.
	Eye contact	In case of contact with eyes rinse thoroughly with water. In the event of symptoms seek medical treatment.
	Ingestion	Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.
4.2 Most important symptoms and effects, both acute and delayed		ffects, both acute and delayed
		None known.
4.3 Indication of any immediate medical attention and special treatment needed		-
		Treat symptomatically.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam. Dry powder. Water spray jet. Carbon dioxide.
	Extinguishing media that must not be used	Full water jet.
5.2 Special hazards arising from the substance or mixture		substance or mixture
		Risk of formation of toxic pyrolysis products.
E 2	Advice for firefighters	
5.3	Advice for firefighters	Lies self contained breathing apparetus
		Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance within the least regulations.
		the local regulations.
SEC	TION 6: Accidental release measu	ires
6.1	Personal precautions, protective	equipment and emergency procedures No special measures necessary.
6 2	Environmental precautions	
6.2	Environmental precautions	Do not discharge into the drains/surface waters/groundwater.
	Methods and material for contain	nment and cleaning up
6.3		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.3		Dispose of absorbed material in accordance within the regulations.
	Reference to other sections	
	Reference to other sections	See SECTION 8+13
6.4	Reference to other sections TION 7: Handling and storage	
6.4 SEC	TION 7: Handling and storage	
6.3 6.4 <u>SEC</u> 7.1		

Supagard	
Glasgow	

Date printed 25.11.2015, Revision 11.06.2015 Version 05. Supersedes version: 04	Page 3 / 8
---	------------

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

;	Substance	
I	Limestone	
(CAS: 1317-65-3, EINECS/ELINCS: 215-279-6	
Π	Long-term exposure: 10 mg/m ³ , inhalable dust; respirable dust: 4 mg/m ³	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Not required under normal conditions.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. 0,4mm Butyl rubber, >120 min (EN 374).
Skin protection	Not required under normal conditions.
Other	Avoid contact with eyes.
Respiratory protection	Not required under normal conditions.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Supagard

Glasgow

Date printed 25.11.2015, Revision 11.06.2015

Version 05. Supersedes version: 04

Page 4 / 8

SEC	SECTION 9: Physical and chemical properties		
9.1	l chemical properties		
	Form	solid	
	Color	green	
	Odor	odourless	
	Odour threshold	not determined	
	pH-value	not applicable	
	pH-value [1%]	not applicable	
	Boiling point [°C]	not determined	
	Flash point [°C]	>94	
	Flammability (solid, gas) [°C]	not applicable	
	Lower explosion limit	not applicable	
	Upper explosion limit	not applicable	
	Oxidizing properties	no	
	Vapour pressure/gas pressure [kPa]	not determined	
	Density [g/ml]	2,4	
	Bulk density [kg/m³]	not applicable	
	Solubility in water	insoluble	
	Partition coefficient [n-octanol/water]	not determined	
	Viscosity	not applicable	
	Relative vapour density determined in air	not applicable	
	Evaporation speed	not applicable	
	Melting point [°C]	not determined	
	Autoignition temperature [°C]	not determined	
	Decomposition temperature [°C]	not determined	
9.2	Other information		

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not applicable

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Supagard

Glasgow

Date printed 25.11.2015, Revision 11.06.2015

Version 05. Supersedes version: 04

Page 5/8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

[Substance
[Limestone, CAS: 1317-65-3
[LD50, oral, Rat: > 2000 mg/kg.

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

No classification on the basis of the calculation procedure of the preparation directive.

SECTION 12: Ecological information

12.1 Toxicity

Substance	
Limestone, CAS: 1317-65-3	
LC50, (96h), Oncorhynchus mykiss: > 10000 mg/l.	
EC50, (48h), Daphnia magna: > 1000 mg/l.	
EC50, (72h), Desmodesmus subspicatus: > 200 mg/l.	

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

None known.

Supagard

Glasgow

Date printed 25.11.2015, Revision 11.06.2015

Version 05. Supersedes version: 04

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	liaison with the waste-disposal operator.		
	Product		
		For recycling, consult manufacturer.	
	Waste no. (recommended)	060314	
	Contaminated packaging		
		Packaging that cannot be cleaned should be disposed of as for product.	
	Waste no. (recommended)	150102	
SEC	TION 14: Transport information		
14.1	UN number		
	Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	
14.2	UN proper shipping name		
	Transport by land according to ADR/RID	NO DANGEROUS GOODS	
	Inland navigation (ADN)	NO DANGEROUS GOODS	
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"	
		NOT CLASSIFIED AS "DANGEROUS GOODS"	
14.3	Transport hazard class(es)		
	Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	

Supagard Glasgow

Date p	printed 25.11.2015, Revision 11.06.201	5	Version 05. Supersedes version: 04	Page 7 / 8
I	Packing group Transport by land according to ADR/RID	not applicable		
I	Inland navigation (ADN)	not applicable		

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to no ADR/RID

Inland navigation (ADN)

Marine transport in accordance with no IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

no

not applicable

SECTION 15: Regulatory information	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureEEC-REGULATIONS1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

2	Chemical safety assessment	
	- VOC (1999/13/CE)	0%
	- Observe employment restrictions for people	no
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
		75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

15.2 Chemical safety assessment

not applicable

Supagard

Glasgow

Date printed 25.11.2015, Revision 11.06.2015

Version 05. Supersedes version: 04

Page 8 / 8

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position

SECTION 7 been added: The normal safety precautions for handling chemicals must be observed

SECTION 8 been added: Comply with applicable environmental regulations limiting discharge to air, water and soil.



Copyright: Chemiebüro®

