



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

# Glass Cleaner

Revision

16

Revision date 2017-07-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name	Glass Cleaner				
Product code	QAFS329				

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and mirrors, leaving a sparkling streak free finish.

## 1.3. Details of the supplier of the safety data sheet

	(TV)
Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street
	Muirend
	Glasgow
	G44 3EF
Moh	unus supagard as uk

 Web
 www.supagard.co.uk

 Telephone
 0141 633 5933

 Fax
 01416377219

Email James.Smyth@supagard.com
Email address of the James.Smyth@supagard.com
competent person

# 1.4. Emergency telephone number

Emergency telephone number	01416335933
	8.30am to 5.00pr

# SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture


2.1.1. Classification -	R10
1999/45/EC	Symbols:
Main hazards	Flammable.
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Eye Irrit. 2: H319;

## 2.2. Label elements

# Hazard pictograms









Revision 16 Revision date 2017-07-28

			-	W 2 15 2	S. 12 m
2.2.	Label	elements		1	0335

Signal Word	Warning					
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.					
	Eye Irrit. 2: H319 - Causes serious eye irritation.					
Precautionary Statement:	P102 - Keep out of reach of children.					
Prevention	P103 - Read label before use.					
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No					
	smoking.					
	P233 - Keep container tightly closed.					
	P264 - Wash hands and other contacted skin thoroughly after handling.					
Mary state in the second	P280 - Wear protective gloves/protective clothing/eye protection/face protection.					
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact					
Response	lenses, if present and easy to do. Continue rinsing.					
	P337+P313 - If eye irritation persists: Get medical advice/attention.					
	P370+P378 - In case of fire: Use carbon dioxide or foam to extinguish.					
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.					
Storage	8 8					
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste contractor.					
Disposal						

#### 2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	F; R11 Xi; R36 R67	
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;	

## Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients - Isopropyl Alcohol, Butylene Glycol, Less than 5% Non-ionic Surfactants, CI 42090.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

# 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.





Revision 16 Revision date 2017-07-28

0141	273 686 -
4.2. Most important sympton	ms and effects, both acute and delayed
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immed	diate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
Lye contact	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
Seneral information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
	if you feet unwell, seek friedical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising	from the substance or mixture
Marine II and a	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	and the state of t
io. 7 tavioo for mongritoro	Wear autable reprirator aguinment when necessary
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental r	release measures
5.1. Personal precautions, p	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
5.2. Environmental precaution	ons
	Advise local authorities if large spills cannot be contained.
3.3. Methods and material fo	or containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sect	ions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling an	750
<ol><li>1. Precautions for safe har</li></ol>	ndling
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
.2. Conditions for safe stora	age, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun
	Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	No data is available on this product.
	and the distance of the product



Revision

16

Revision date 2017-07-28

Suitable packaging

Plastic containers.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Occupational exposure controls.

## 8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50	WEL 8-hr limit mg/m3: 123 WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500	WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

#### Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic 1091 mg/m³ effects Acute inhalation - Local effects 246 mg/m³	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic 98 mg/m³ effects	Long-term - dermal - Systemic 125 mg/kg effects
propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³	
	effects	
	Long-term - dermal - Systemic 888 mg/kg	
	effects	

## Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic 426 mg/l	m <sup>3</sup>
	Acute dermal - Systemic effects 89 mg/kg	g Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic 59 mg/m effects	Long-term - inhalation - Local 147 mg/m³ effects
	Long-term - dermal - Systemic 75 mg/kg	g Long-term - oral - Systemic effects 6.3 mg/kg
propan-2-ol	Long-term - inhalation - Systemic 89 mg/m effects	3
	Long-term - dermal - Systemic 319 mg/l	kg Long-term - oral - Systemic effects 26 mg/kg

## 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face





16 Revision Revision date 2017-07-28

8.2. Exposure controls

protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Skin protection -Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid

Clear/Blue Colour

Odour Alcoholic

> 6 - 9 pH

No data available Melting point

Initial boiling point No data available

Flash point 40 °C

**Evaporation rate** No data available

Flammability (solid, gas) No data available

Vapour Flammability No data available

Vapour pressure No data available

Vapour density No data available

Relative density No data available

Partition coefficient No data available

No data available Autoignition temperature

> Viscosity < 50 centipoise

**Explosive** properties No data available

No data available Oxidising properties

> Solubility Soluble in water

#### 9.2. Other information

Conductivity No data available

Surface tension No data available

0.98 - 0.99 g/cm3 Specific gravity

> Gas group Not applicable.

Benzene Content | Not applicable.

Lead content Not applicable.

VOC (Volatile organic 10 g/l

compounds)

Water solubility

Soluble.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability



Revision 16 Revision date 2017-07-28

	7141 633 5933 Revision date 2017-07-2
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous r	reactions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
TOTAL CONTINUE TO CAVOID	Avoid apartic flames hast and account of the state of the
10.5. Incompatible materials	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.0. Incompatible materials	
40.0 11 1 1 14	Oxidising agents.
10.6. Hazardous decomposition	
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological	information
11.1. Information on toxicologic	al effects
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye irritation category 2.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
CECTION 40: Englaciant infe	
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Glass Cleaner No data available propan-2-ol 0.05 log P
	2-butoxyethanol 0.8 log P
0.4 M-1994 1 9	
2.4. Mobility in soil	



Revision 16 Revision date 2017-07-28

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

#### General information

Dispose of in compliance with all local and national requirements.

## Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

## SECTION 14: Transport information

### Hazard pictograms



### 14.1. UN number

UN1993

# 14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S. (contains Isopropanol)

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	
IMDG	3
Subsidiary risk	
IATA	3
Subsidiary risk	

## 14.4. Packing group

Packing group

# 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

#### 14.6. Special precautions for user

No additional special precautions.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

## ADR/RID

Hazard ID 30



Revision 16 Revision date 2017-07-28

ADR/RID	
---------	--

**Tunnel Category** (D/E)

#### IMDG

**EmS Code** F-E S-E

## IATA

366 Packing Instruction (Cargo) 220 L Maximum quantity **Packing Instruction** 355 (Passenger) Maximum quantity 60 L

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Regulations of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

#### Other information

Revision	This document differs from the previous version in the following areas:.  1 - Description.
Text of risk phrases in Section	R11 - Highly flammable.
3	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.
	R36/38 - Irritating to eyes and skin.
	R36 - Irritating to eyes.
	R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Acute Tox. 4: H312 - Harmful in contact with skin.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Acute Tox. 4: H332 - Harmful if inhaled.
Maximum content of VOC	10 g/l.

#### -urther information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.