



SAFETY DATA SHEET
according to Regulation (EU) 2015/830

Page 1/8

Supagard Dash and Door Enhancer

Revision 12
Revision date 2019-10-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Supagard Dash and Door Enhancer
Product code	QAFS784

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); ----- [SU21] Consumer uses: Private households (= general public = consumers);
Description	A high active cleansing spray that will quickly clean and finish all vinyl, rubber & plastic interior surfaces.

1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.co.uk
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number	01416335933 8.30am to 5.00pm National Poisons Information Service: For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
--------------------------------------	--

2.2. Label elements

Precautionary Statement: Prevention	P102 - Keep out of reach of children.
-------------------------------------	---------------------------------------

Supagard Dash and Door Enhancer

Revision 12

Revision date 2019-10-21

2.2. Label elements

Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Hazard Statement	No Significant Hazard
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004: Parfum.

2.3. Other hazards

Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.
----------------------	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
methanol	603-001-00-X	67-56-1	200-659-6	01-2119433307-44	0 - 0.5%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H301; STOT SE 1: H370;
ethyl acetate	607-022-00-5	141-78-6	205-500-4		0 - 0.5%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
---------------------------	--

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

Supagard Dash and Door Enhancer

Revision 12

Revision date 2019-10-21

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

6.2. Environmental precautions

Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up

For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

7.3. Specific end use(s)

A high active cleansing spray that will quickly clean and finish all vinyl, rubber & plastic interior surfaces.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Supagard Dash and Door Enhancer

Revision 12
Revision date 2019-10-21

8.1.1. Exposure Limit Values

Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm:	1000	WEL 8-hr limit mg/m ³ :	1920
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m ³ :	-
	WEL 8-hr limit mg/m ³ total inhalable dust:	-	WEL 15 min limit mg/m ³ total inhalable dust:	-
	WEL 8-hr limit mg/m ³ total respirable dust:	-	WEL 15 min limit mg/m ³ total respirable dust:	-

DNEL: Derived no-effect level.


Exposure Pattern - Workers

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects	950 mg/m ³	Long-term - dermal - Systemic effects	343 mg/kg
	Long-term - inhalation - Local effects	1900 mg/m ³		

Exposure Pattern - General population

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects	114 mg/m ³	Long-term - dermal - Systemic effects	206 mg/kg
	Long-term - inhalation - Local effects	950 mg/m ³		
	Long-term - oral - Systemic effects	87 mg/kg		

8.2. Exposure controls

8.2.1. Appropriate engineering controls Eye / face protection Skin protection - Handprotection Respiratory protection 8.2.3. Environmental exposure controls		
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.	
	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.	
	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Rubber gloves.	
	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.	
Prevent further leakage or spillage if safe to do so.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Supagard Dash and Door Enhancer

Revision 12
Revision date 2019-10-21

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Odour	Characteristic
Odour threshold	No data available
pH	8 - 10
Melting point	No data available
Initial boiling point	No data available
Flash point	62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.98 - 0.99 g/cm ³
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met.
-----------------------	---

Supagard Dash and Door Enhancer

Revision 12
Revision date 2019-10-21

11.1. Information on toxicological effects

Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.

11.1.2. Mixtures

	No data available.
--	--------------------

11.1.3. Hazard Information

	No data available.
--	--------------------

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

Partition coefficient

	Supagard Dash and Door Enhancer	No data available	Ethanol: Ethyl Alcohol	-0.35 log P
--	---------------------------------	-------------------	------------------------	-------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

12.6. Other adverse effects

	No data available.
--	--------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

Supagard Dash and Door Enhancer

Revision 12

Revision date 2019-10-21

SECTION 14: Transport information**14.1. UN number**

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Regulations**

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information**Other information****Revision**

This document differs from the previous version in the following areas:.

- 1 - Description.
- 2 - SUPPLEMENTAL HAZARD INFORMATION.
- 3 - Active Ingredients.
- 7 - 7.3. Specific end use(s).
- 11 - 11.1. Information on toxicological effects.

Text of Hazard Statements in Section 3

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
 Eye Irrit. 2: H319 - Causes serious eye irritation.
 Acute Tox. 3: H301 - Toxic if swallowed.
 Acute Tox. 3: H311 - Toxic in contact with skin.
 Acute Tox. 3: H331 - Toxic if inhaled.
 STOT SE 1: H370 - Causes damage to organs .
 EUH066 - Repeated exposure may cause skin dryness or cracking.
 STOT SE 3: H336 - May cause drowsiness or dizziness.

Supagard Dash and Door Enhancer

Revision 12

Revision date 2019-10-21

Other information

Flam. Liq. 3: H226 - Flammable liquid and vapour.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.