

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Glasgow Taxis Hand Gel
Product code	QAFS340

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A carefully formulated hand sanitising gel, especially useful when there is no water available.

1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.co.uk
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number	01416335933 8.30am to 5.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319;
--------------------------------------	---

2.2. Label elements

Hazard pictograms	 
-------------------	---

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

2.2. Label elements

Signal Word	Warning
Hazard Statement	EUH208 - Contains (R)-p-menth-1,8-diene. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Danatured Alcohol, Aqua, Glycerin, Carbomer, Triethanolamine, Parfum, Limonene, Citral (Neral & Geranial), Linalool.

2.3. Other hazards

Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.
----------------------	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycerol (Glycerol, mist)		56-81-5	200-289-5		1 - 10%	
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
7-methyl-3-methylocta-1,6-diene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Octanal		124-13-0	204-683-8	01-2119638274-38	0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
cyclohexane	601-017-00-1	110-82-7	203-806-2		0 - 0.5%	Flam. Liq. 2: H225; Asp. Tox. 1: H304; Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
acrylic acid	607-061-00-8	79-10-7	201-177-9		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Acute 1: H400;

D-Limonene (CAS No. 5989-27-5) - M Factor (Chronic/Acute) = 1.
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene) (CAS No. 80-56-8) - M Factor (Chronic/Acute) = 1.

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
---------------------------	--

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	TREAT SYMPTOMATICALLY. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures**5.1. Extinguishing media**

	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

5.2. Special hazards arising from the substance or mixture

	Flammable liquid and vapour.
--	------------------------------

5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
--	---

6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
--	--

6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
--	---

7.3. Specific end use(s)

	A carefully formulated hand sanitising gel, especially useful when there is no water available.
--	---

Suitable packaging

	Plastic containers.
--	---------------------

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

	Occupational exposure controls.
--	---------------------------------

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 140 WEL 15 min limit mg/m3: 300 WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
cyclohexane	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 300 WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 350 WEL 15 min limit mg/m3: 1050 WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
Glycerol (Glycerol, mist)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects	5.98 mg/m ³	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects	950 mg/m ³	
	Long-term - inhalation - Local effects	1900 mg/m ³	Long-term - dermal - Systemic effects
			343 mg/kg

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects 1.06 mg/m ³	
	Long-term - oral - Systemic effects 0.31 mg/kg	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects 114 mg/m ³	
	Long-term - inhalation - Local effects 950 mg/m ³	Long-term - dermal - Systemic effects 206 mg/kg
	Long-term - oral - Systemic effects 87 mg/kg	

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Not normally required.
Skin protection - Handprotection	Not normally required.
Respiratory protection	Not normally required.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Gel
Colour	Clear
Odour	Alcoholic
Odour threshold	No data available
pH	6.5 - 7.9
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.85 - 0.9 g/cm ³
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50000 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Glasgow Taxis Hand Gel

Revision 27
Revision date 2021-02-17

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	No data available

Water solubility

	soluble.
--	----------

SECTION 10: Stability and reactivity

10.1. Reactivity

	Flammable liquid. Stable under normal conditions.
--	---

10.2. Chemical stability

	Flammable liquid. Stable under normal conditions.
--	---

10.3. Possibility of hazardous reactions

	Oxidising agents. Combustible materials.
--	--

10.4. Conditions to avoid

	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
--	--

10.5. Incompatible materials

	Oxidising agents.
--	-------------------

10.6. Hazardous decomposition products

	No Hazardous decomposition products when stored and handled correctly.
--	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.

11.1.2. Mixtures

	No data available.
--	--------------------

11.1.3. Hazard Information

	No data available.
--	--------------------

11.1.4. Toxicological Information

--	--

Glasgow Taxis Hand Gel

Revision 27
Revision date 2021-02-17

11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Oral Rat LD50: 3500 mg/kg	
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg Inhalation Rat LC50/4 h: 20 mg/l	Dermal Rabbit LD50: >2000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

	No data available
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or freshwater organisms 9.6000 mg/l

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

	The product is not bioaccumulating.
--	-------------------------------------

Partition coefficient

	Glasgow Taxis Hand Gel No data available	Ethanol: Ethyl Alcohol -0.35 log P
--	--	------------------------------------

12.4. Mobility in soil

	This product is soluble in water.
--	-----------------------------------

12.5. Results of PBT and vPvB assessment

	This mixture is not classified as PBT or vPvB according to current EU criteria.
--	---

12.6. Other adverse effects

	No data available.
--	--------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

SECTION 14: Transport information

Hazard pictograms

	
--	---

14.1. UN number

	UN1170
--	--------

14.2. UN proper shipping name

	ETHYL ALCOHOL SOLUTION
--	------------------------

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	III
---------------	-----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

	No additional special precautions.
--	------------------------------------

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	Not applicable.
--	-----------------

ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-D
----------	---------

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

15.2. Chemical safety assessment

	No information available.
--	---------------------------

SECTION 16: Other information

Other information

Glasgow Taxis Hand Gel

Revision 27

Revision date 2021-02-17

Other information

Revision	This document differs from the previous version in the following areas: 12 - 12.1. Toxicity.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008: Flam. Liq. 3: H226 - Flammable liquid and vapour. - Flash Point - 23 degC. Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Acute Tox. 4: H332 - Harmful if inhaled.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--