

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

SUPAGARD DE-ICER SPRAY

Revision 21
Revision date 2020-08-20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	SUPAGARD DE-ICER SPRAY
Product code	QAFS444

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); ----- [SU21] Consumer uses: Private households (= general public = consumers);
Description	De-Icer Spray to melt Ice.

1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number	01416335933 8.30am to 5.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
--------------------------------------	--

2.2. Label elements

Hazard pictograms	 
-------------------	---

SUPAGARD DE-ICER SPRAY

Revision 21

Revision date 2020-08-20

2.2. Label elements

Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Isopropyl Alcohol, Ethylene Glycol, Less than 5% Non-ionic surfactants, CI 42090.

2.3. Other hazards

Other hazards	This mixture is not classified as PBT or vPvB according to current criteria.
---------------	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	70 - 80%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
ethanediol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3	01-2119456816-28	10 - 20%	Acute Tox. 4: H302;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--------------------	--

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	TREAT SYMPTOMATICALLY. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

SUPAGARD DE-ICER SPRAY

Revision 21

Revision date 2020-08-20

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Highly flammable liquid and vapour. Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	Highly flammable liquid and vapour.
--	-------------------------------------

5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment. Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition.
--	---

6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
--	--

6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
--	---

7.3. Specific end use(s)

	De-Icer Spray to melt Ice.
--	----------------------------

Suitable packaging

	Plastic containers.
--	---------------------

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

8.1.1. Exposure Limit Values

SUPAGARD DE-ICER SPRAY

Revision 21
Revision date 2020-08-20

8.1.1. Exposure Limit Values

ethanediol (Ethane-1,2-diol particulate)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
ethanediol (Ethane-1,2-diol vapour)	WEL 8-hr limit ppm: 20 WEL 15 min limit ppm: 40 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 52 WEL 15 min limit mg/m3: 104 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
propan-2-ol	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: 1250 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

DNEL: Derived no-effect level.



Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic effects 500 mg/m ³ Long-term - dermal - Systemic effects 888 mg/kg
-------------	--

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic effects 89 mg/m ³ Long-term - dermal - Systemic effects 319 mg/kg Long-term - oral - Systemic effects 26 mg/kg
-------------	---

8.2. Exposure controls

	 
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Nitrile Gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SUPAGARD DE-ICER SPRAY

Revision 21

Revision date 2020-08-20

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	5.8 - 8.8
Melting point	Not applicable.
Initial boiling point	82 - 83 °C
Flash point	18 °C
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable.
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.845 - 0.87 g/cm ³
Partition coefficient (n-octanol/water)	Not applicable.
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	No data available

Water solubility

soluble.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Highly flammable liquid and vapour. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents. Combustible materials.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SUPAGARD DE-ICER SPRAY

Revision 21

Revision date 2020-08-20

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = 2537.48 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	STOT SE 3: H336 - May cause drowsiness or dizziness.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.

11.1.2. Mixtures

	No data available.
--	--------------------

11.1.3. Hazard Information

	No data available.
--	--------------------

11.1.4. Toxicological Information

propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm Dermal Rabbit LD50: 13900 mg/kg	Oral Rat LD50: 5840 mg/kg
-------------	---	---------------------------

SECTION 12: Ecological information**12.1. Toxicity**

propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l	Fish LC50/96h: 4200.0000 mg/l
-------------	--	-------------------------------

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

	The product is not bioaccumulating.
--	-------------------------------------

Partition coefficient

	SUPAGARD DE-ICER SPRAY Not applicable.	propan-2-ol 0.05 log P
--	--	------------------------

12.4. Mobility in soil

	This product is soluble in water.
--	-----------------------------------

12.5. Results of PBT and vPvB assessment

	This mixture is not classified as PBT or vPvB according to current criteria.
--	--

12.6. Other adverse effects

	No data available.
--	--------------------

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

SUPAGARD DE-ICER SPRAY

Revision 21

Revision date 2020-08-20

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

	UN1219
--	--------

14.2. UN proper shipping name

	ISOPROPYL ALCOHOL
--	-------------------

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	II
---------------	----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

	No additional special precautions.
--	------------------------------------

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	Not applicable.
--	-----------------

ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-D
----------	---------

IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	353

SUPAGARD DE-ICER SPRAY

Revision 21

Revision date 2020-08-20

IATA	
Maximum quantity	5 L
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
15.2. Chemical safety assessment	
	No information available.
SECTION 16: Other information	
Other information	
Revision	<p>This document differs from the previous version in the following areas:.</p> <ol style="list-style-type: none"> 1 - Description. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - Active Ingredients. 5 - 5.1. Extinguishing media. 5 - 5.2. Special hazards arising from the substance or mixture. 5 - 5.3. Advice for firefighters. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 10 - 10.3. Possibility of hazardous reactions. 10 - 10.6. Hazardous decomposition products. 10 - 10.5. Incompatible materials. 11 - Acute toxicity. 12 - 12.4. Mobility in soil. 12 - 12.3. Bioaccumulative potential. 12 - 12.5. Results of PBT and vPvB assessment.
Data sources	<p>Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law.</p> <p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour. - Flash Point - 18 degC.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness. - Calculation Method.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>STOT SE 3: H336 - May cause drowsiness or dizziness.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p>
Further information	
	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>