SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

Supagard Bird & Bug Neutraliser

Revision 15 Revision date 2018-07-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Supagard Bird & Bug Neutraliser	
Product code	QAFS351	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);	
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);	
Description	No data is available on this product.	
1.3. Details of the supplier of the	· · · · · · · · · · · · · · · · · · ·	
Company	SUPAGARD LIMITED	
Address	19-27 Gavinton Street	
	Muirend	
	Glasgow	
	G44 3EF	
Web	www.supagard.co.uk	
Telephone	0141 633 5933	
Fax	01416377219	
Email	James.Smyth@supagard.com	
Email address of the competent person	James.Smyth@supagard.com	
1.4. Emergency telephone numb	per	
Emergency telephone number	01416335933	
	8.30am to 5.00pm	
SECTION 2: Hazards identifi	ication	
2.1. Classification of the substar	ice or mixture	
2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.	
2.2. Label elements		
Precautionary Statement: Prevention	P102 - Keep out of reach of children.	
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
Response	lenses, if present and easy to do. Continue rinsing.	
Hazard Statement	No Significant Hazard	
2.3. Other hazards		

Other hazards

PBT not identified as a PBT substance.

Revision 15
Revision date 2018-07-10

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	0.5 - 1%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

Further	!£	-4!

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients - Less than 5% Non-ionic Surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.

Revision 15 Revision date 2018-07-10

Further information		
-uruler intormation	Lies extinguishing measures that are appear	prints to local circumstances and the currounding
	environment.	priate to local circumstances and the surrounding
SECTION 6: Accidental rele	ase measures	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
	Wear suitable protective equipment.	
6.2. Environmental precautions		
	Advise local authorities if large spills cannot	be contained.
6.3. Methods and material for co	ontainment and cleaning up	
		t material. Sweep up. Transfer to suitable, labelled thoroughly with plenty of water. For small spills:. Flus
6.4. Reference to other sections	3	
	See section 2, 7, 8, 13 for further information	n.
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handling		
	Adopt best Manual Handling considerations	when handling, carrying and dispensing.
7.2. Conditions for safe storage	· · ·	
	1	ntly closed. Keep out of the reach of children. Store in
	original container.	,
7.3. Specific end use(s)		
	No data is available on this product.	
Suitable packaging		
	Plastic containers.	
SECTION 8: Exposure conti	ols/personal protection	
3.1. Control parameters		
	Occupational exposure controls.	
3.1.1. Exposure Limit Values		
2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
Ethanol: Ethyl Alcohol (Ethanol)	respirable dust: WEL 8-hr limit ppm: 1000	respirable dust: WEL 8-hr limit mg/m3: 1920
, , ,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total -
	innalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ONEL: Derived no-effect level.		
Doillog no oncot loven.		

Revision 15
Revision date 2018-07-10

Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic 426 mg/m³	
	effects	
	Acute dermal - Systemic effects 89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic 59 mg/m³	Long-term - inhalation - Local 147 mg/m³
	effects	effects
	Long-term - dermal - Systemic 75 mg/kg	Long-term - oral - Systemic effects 6.3 mg/kg
	effects	

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Skin protection
Handprotection

Respiratory protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 15 Revision date 2018-07-10

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	Not applicable.
Odour threshold	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
рН	8 - 10
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	Not applicable.
Surface tension	No data available
Specific gravity	1 - 1.01 g/cm³
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	< 5 g/l
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity		
	Stable under normal conditions. No specific reactivity hazards associated with this product.	
10.2. Chemical stability		
	Stable under normal conditions. No particular stability concerns.	
10.3. Possibility of hazardous reactions		
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid		
	Protect from frost.	
10.5. Incompatible materials		
	No incompatible groups noted.	
10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.	

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Revision 15 Revision date 2018-07-10

	Revision date 2010-07-10
11.1. Information on toxicologica	al effects
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	•
	No data available.
11.1.4. Toxicological Information	'
11.1.4. Toxicological information	
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	'
TZ.Z. 1 Orolotorioc and dogradas	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	<u>'</u>
	Supagard Bird & Bug Neutraliser No data available Ethanol: Ethyl Alcohol 0.35 log P
	2-butoxyethanol 0.8 log P
	2 buony smaller c.c log l
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	'
	No data is available on this product.
40 C Other adverse effects	1 No data is available on this product.
12.6. Other adverse effects	T
	No data available.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	1
Disposal of packaging	In Not
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

Revision 15
Revision date 2018-07-10

SECTION 14: Transport information 14.1. UN number The product is not classified as dangerous for carriage. 14.2. UN proper shipping name The product is not classified as dangerous for carriage. 14.3. Transport hazard class(es) The product is not classified as dangerous for carriage. 14.4. Packing group The product is not classified as dangerous for carriage. 14.5. Environmental hazards The product is not classified as dangerous for carriage. 14.6. Special precautions for user The product is not classified as dangerous for carriage. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regu	lations	

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 12 - 12.1. Toxicity.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H312 - Harmful in contact with skin.
	Acute Tox. 4: H332 - Harmful if inhaled.
Maximum content of VOC	5 g/l.

Revision 15 Revision date 2018-07-10

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.