according to Regulation (EU) 2020/878

Page 1/9

Arnold Clark Glass Cleaner

20 Revision Revision date 2022-11-09

1.1. Product identifier

Description

Product name	Arnold Clark Glass Cleaner
Product name	i Alliolo Ciark Glass Clearlei

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use

[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);

[SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products); This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and

mirrors, leaving a sparkling streak free finish.

1.3. Details of the supplier of the safety data sheet

Company SUPAGARD LIMITED

Address 19-27 Gavinton Street

> Muirend Glasgow G44 3EF

Web www.supagard.com

0141 633 5933 Telephone Fax 01416377219

Email James.Smyth@supagard.com

Email address of the competent person

James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number

01416335933

8.30am to 5.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Copyright © 2022 ChemSoft. All rights reserved.

Flam. Liq. 3: H226; Eye Irrit. 2: H319;

2.2. Label elements

Revision 20 Revision date 2022-11-09

2.2. Label elements

z.z. Eaber dements				
Hazard pictograms				
Signal Word	Warning			
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.			
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 - Wash hands and other contacted skin thoroughly after handling.			
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.			
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.			
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. Isopropyl Alcohol, Butylene Glycol, Less than 5% Non-ionic Surfactants.			
	Contains - Propan-2-ol, 2-butoxyethanol.			
2.3. Other hazards				
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.			
Further information				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.	
Eye contact	Irritating to eyes.	
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.	

Revision 20 Revision date 2022-11-09

4.2 Most important symptor	ms and effects, both acute and delayed
Ingestion	May cause irritation to mucous membranes.
_	liate medical attention and special treatment needed
4.5. Indication of any immed	
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	Brink 1 to 2 glasses of water. Seek medical attention in initiation of symptoms persist.
Conoral Information	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	
5.1. Extinguishing media	modelice
O. F. Exampaioring modic	Elemental liquid. Her extinguishing magaures that are engrepriets to lead sireumstances and the
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising	from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	·
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full
	turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.
	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental r	release measures
6.1. Personal precautions, p	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precaution	ons
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material fo	or containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sect	ions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling ar	nd storage
7.1. Precautions for safe ha	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe store	age, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun
	Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and

Revision 20 Revision date 2022-11-09

7.3. Specific end use(s)

mirrors, leaving a sparkling streak free finish.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
propan-2-ol	Long-term - inhalation - Systemic	500 mg/m³		
	effects			
	Long-term - dermal - Systemic	888 mg/kg		
	effects			

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic	426 mg/m³		
	effects			
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic	59 mg/m³	Long-term - inhalation - Local	147 mg/m³
	effects		effects	
	Long-term - dermal - Systemic	75 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
	effects			
propan-2-ol	Long-term - inhalation - Systemic	89 mg/m³		
	effects			
	Long-term - dermal - Systemic	319 mg/kg	Long-term - oral - Systemic effects	26 mg/kg
	effects			

8.2. Exposure controls





Revision 20 Revision date 2022-11-09

8.2. Exposure controls

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection
Skin protection Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance
Colour
Odour
PH
6 - 9

Melting point No data available
Initial boiling point No data available

Flash point 40 °C

Evaporation rate No data available

Flammability (solid, gas) No data available

Vapour Flammability No data available

Vapour pressure
No data available
Relative Vapour Density
No data available

Density / Relative Density

No data available

Partition coefficient

No data available

Autoignition temperature No data available

Viscosity < 50 centipoise

Explosive properties No data available

Oxidising properties No data available

Solubility Soluble in water

9.2. Other information

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
Not applicable.
Not applicable.
Not applicable.

Water solubility

Soluble.

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

Powered by

ChemSoft EH&S

Revision 20 Revision date 2022-11-09

	Revision date 2022-11-09
9.2.2. Other safety characterist	ics
	No data is available on this product.
SECTION 10: Stability and	reactivity
10.1. Reactivity	
	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous r	eactions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	n products
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological	information
11.1 Information on hazard class	sses
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (FC) No 1272/2008 (CLP)

11.1 Information on hazard classes				
Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg.			
	Inhalation - Dust/Mist ATE = >20mg/l.			
Skin corrosion/irritation	based on available data the classification criteria are not met.			
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.			
Respiratory or skin sensitisation	based on available data the classification criteria are not met.			
Germ cell mutagenicity	based on available data the classification criteria are not met.			
Carcinogenicity based on available data the classification criteria are not met.				
Reproductive toxicity	based on available data the classification criteria are not met.			
STOT-single exposure	based on available data the classification criteria are not met.			
STOT-repeated exposure	based on available data the classification criteria are not met.			
Aspiration hazard	based on available data the classification criteria are not met.			
Repeated or prolonged exposure	based on available data the classification criteria are not met.			
11.1.2. Mixtures				
	No data available.			
11.1.3. Hazard Information				
	No data available.			
11.1.4. Toxicological Information				

11.1.4. Toxicological information		
2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg	Oral Rat LD50: 1300 mg/kg
	Inhalation Rat LC50/4 h: 11.0 mg/l	
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm	Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg	

Revision 20 Revision date 2022-11-09

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l	Algae EC50/72h: 1840 mg/
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

Arnold Clark Glass Cleaner No data available	propan-2-ol 0.05 log P
2-butoxyethanol 0.8 log P	

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

Revision 20 Revision date 2022-11-09

14.1. UN number UN1993 14.2. UN proper shipping name		
14.2. UN proper shipping name		
FLAMMABLE LIQUID, N.C	.S. (contains Isopropanol)	
14.3. Transport hazard class(es)		
ADR/RID 3		
Subsidiary risk -		
IMDG 3		
Subsidiary risk -		
IATA 3		
Subsidiary risk -		
14.4. Packing group		
Packing group		
14.5. Environmental hazards		
Environmental hazards No		
Marine pollutant No		
14.6. Special precautions for user		
No additional special preca	utions.	
14.7 Maritime Transport in bulk according to IMO instruments	3	
Not applicable.		
ADR/RID		
Hazard ID 30		
Tunnel Category (D/E)		
IMDG		
EmS Code F-E S-E		
IATA		
Packing Instruction (Cargo) 366		
Maximum quantity 220 L		
Packing Instruction 355 (Passenger)		
Maximum quantity 60 L		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 20 Revision date 2022-11-09

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.	
	2 - Other hazards.	
	2 - Further information.	
	2 - SUPPLEMENTAL HAZARD INFORMATION.	
	9 - 9.2.2. Other safety characteristics.	
	9 - 9.2.1. Information with regard to physical hazard classes.	
	11 - Acute toxicity.	
	11 - Repeated or prolonged exposure.	
	11 - 11.2 Information on other hazards.	
	12 - 12.1. Toxicity.	
	12 - 12.6 Endocrine disrupting properties.	
	12 - 12.7. Other adverse effects.	
	15 - Regulations.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008, as retained and amended in UK law.	
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 40 degC.	
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	STOT SE 3: H336 - May cause drowsiness or dizziness.	
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled	
	Skin Irrit. 2: H315 - Causes skin irritation.	

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.