



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

Harry Fairbairn Bird & Bug Remover

Revision 20
Revision date 2022-11-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Harry Fairbairn Bird & Bug Remover
--------------	------------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	A combination of surfactants which neutralise the acid in bird lime.

1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number	01416335933 8.30am to 5.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
--------------------------------------	--

2.2. Label elements

Precautionary Statement: Prevention	P102 - Keep out of reach of children.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Harry Fairbairn Bird & Bug Remover

Revision 20

Revision date 2022-11-10

2.2. Label elements

Hazard Statement	No Significant Hazard
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004: Less than 5% Non-ionic surfactants. Contains - 2,2',2"-Nitrilotriethanol, Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Denatured Ethanol, 2-butoxyethanol.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
----------------------	--

Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2',2"-Nitrilotriethanol		102-71-6	203-049-8	01-2119486482-31	1 - 10%	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
						Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (CAS No. 308062-28-4) - M Factor (Acute) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

Harry Fairbairn Bird & Bug Remover

Revision 20

Revision date 2022-11-10

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

6.2. Environmental precautions

Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up

For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

7.3. Specific end use(s)

A combination of surfactants which neutralise the acid in bird lime.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Harry Fairbairn Bird & Bug Remover

Revision 20
Revision date 2022-11-10

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m ³ total inhalable dust: - WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 8-hr limit mg/m ³ : 123 WEL 15 min limit mg/m ³ : 101.2 WEL 15 min limit mg/m ³ total inhalable dust: - WEL 15 min limit mg/m ³ total respirable dust: -
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: - WEL 8-hr limit mg/m ³ total inhalable dust: - WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 8-hr limit mg/m ³ : 1920 WEL 15 min limit mg/m ³ : - WEL 15 min limit mg/m ³ total inhalable dust: - WEL 15 min limit mg/m ³ total respirable dust: -

DNEL: Derived no-effect level.


Exposure Pattern - Workers

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Systemic effects 5 mg/m ³ Long-term - inhalation - Local effects 5 mg/m ³	Long-term - dermal - Systemic effects 6.3 mg/kg
2-butoxyethanol	Acute inhalation - Systemic effects 1091 mg/m ³ Acute inhalation - Local effects 246 mg/m ³ Long-term - inhalation - Systemic effects 98 mg/m ³	Acute dermal - Systemic effects 89 mg/kg Long-term - dermal - Systemic effects 125 mg/kg
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects 950 mg/m ³ Long-term - inhalation - Local effects 1900 mg/m ³	Long-term - dermal - Systemic effects 343 mg/kg

Exposure Pattern - General population

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Systemic effects 1.25 mg/m ³ Long-term - inhalation - Local effects 1.25 mg/m ³ Long-term - oral - Systemic effects 13 mg/kg	Long-term - dermal - Systemic effects 3.1 mg/kg
2-butoxyethanol	Acute inhalation - Systemic effects 426 mg/m ³ Acute dermal - Systemic effects 89 mg/kg Long-term - inhalation - Systemic effects 59 mg/m ³ Long-term - dermal - Systemic effects 75 mg/kg	Acute oral - Systemic effects 26.7 mg/kg Long-term - inhalation - Local effects 147 mg/m ³ Long-term - oral - Systemic effects 6.3 mg/kg
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects 114 mg/m ³ Long-term - inhalation - Local effects 950 mg/m ³ Long-term - oral - Systemic effects 87 mg/kg	Long-term - dermal - Systemic effects 206 mg/kg

8.2. Exposure controls



Harry Fairbairn Bird & Bug Remover

Revision 20

Revision date 2022-11-10

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
pH	8 - 10
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	Not applicable.
Solubility	Soluble in water

9.2. Other information

Conductivity	Not applicable.
Surface tension	No data available
Specific gravity	1 - 1.01 g/cm ³
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.

9.2.1. Information with regard to physical hazard classes

	No data is available on this product.
--	---------------------------------------

9.2.2. Other safety characteristics

	No data is available on this product.
--	---------------------------------------

SECTION 10: Stability and reactivity

Harry Fairbairn Bird & Bug Remover

Revision 20
Revision date 2022-11-10

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >20 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,2',2"-Nitrioltriethanol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: 6400 mg/kg
2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg Inhalation Rat LC50/4 h: 11.0 mg/l	Oral Rat LD50: 1300 mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Inhalation Rat LC50/4 h: 20 mg/l	Dermal Rabbit LD50: 15800.0 mg/kg

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

Harry Fairbairn Bird & Bug Remover

Revision 20
Revision date 2022-11-10

12.1. Toxicity

2,2',2"-Nitrilotriethanol	Daphnia EC50/48h: 2038.0000 mg/l Fathead minnows LC50/96h: 11800 mg/l	Algae EC50/72h: 512 mg/l
2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater organisms >100.0000 mg/l	Algae EC50/72h: 1840 mg/l LC50 for marine or freshwater organisms >100.0000 mg/l
Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l Green Algae EC50/48h: >100mg/l Rainbow trout LC50/96h: 13000 mg/l NOEC / EC10 for marine or freshwater organisms 9.6000 mg/l	Algae EC50/72h: 275 mg/l Fathead minnows LC50/96h: 14200 mg/l Golden orfe LC50/48h: >100 mg/l

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

	The product is not bioaccumulating.
--	-------------------------------------

Partition coefficient

	Harry Fairbairn Bird & Bug Remover Ethanol: Ethyl Alcohol -0.35 log P	2,2',2"-Nitrilotriethanol -2.3 Log Pow 2-butoxyethanol 0.8 log P
--	--	---

12.4. Mobility in soil

	This product is soluble in water.
--	-----------------------------------

12.5. Results of PBT and vPvB assessment

	This substance/mixture is not classified as PBT or vPvB according to current criteria.
--	--

12.6 Endocrine disrupting properties

	No data is available on this product.
--	---------------------------------------

12.7. Other adverse effects

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

SECTION 14: Transport information

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3. Transport hazard class(es)

--	--

Harry Fairbairn Bird & Bug Remover

Revision 20

Revision date 2022-11-10

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7 Maritime Transport in bulk according to IMO instruments

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p>
--------------------	--

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 5 - 5.2. Special hazards arising from the substance or mixture. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 11 - Acute toxicity. 11 - Repeated or prolonged exposure. 11 - 11.2 Information on other hazards. 12 - 12.1. Toxicity. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.
Text of Hazard Statements in Section 3	<p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p>

Harry Fairbairn Bird & Bug Remover

Revision 20

Revision date 2022-11-10

Other information

	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
--	--

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--