

according to Regulation (EU) 2020/878

Harry Fairbairn Wheel Cleaner

Revision 11

Page 1/10

Revision date 2022-11-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product name	Harry Fairbairn Wheel Cleaner		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);		
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);		
Description	Removes stubborn marks left be brake dust and road grime without damaging coatings, lacquers or tyres.		
1.3. Details of the supplier of the	safety data sheet		
Company	SUPAGARD LIMITED		
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF		
Web	www.supagard.com		
Telephone	0141 633 5933		
Fax	01416377219		
Email	James.Smyth@supagard.com		
Email address of the competent person	James.Smyth@supagard.com		
1.4. Emergency telephone numb	ber		
Emergency telephone number	01416335933		
	8.30am to 5.00pm		
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)		
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org		
SECTION 2: Hazards identification			
2.1. Classification of the substan	ice or mixture		
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314;		
2.2. Label elements			



 Revision
 11

 Revision date
 2022-11-17

2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands and other contacted skin thoroughly after handling.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	3.8% Phosphates by weight, 5 - 15% Anionic Surfactants, Less than 5% Non-ionic surfactants, Sodium Metasilicate Pentahydrate.
	Contains - C9-11 Alcohol, ethoxylated, sodium (xylene and 4-ethylbenzene) sulfonate,
	Tetrapotassium pyrophosphate, 2-butoxyethanol, sodium metasilicate pentahydrate.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol, ethoxylated		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
sodium (xylenes and 4-ethylbenzene) sulfonate			701-037-1	01-2119513350-56	1 - 10%	Eye Irrit. 2: H319;
Tetrapotassium pyrophosphate		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.



Revision date 2022-11-17

4.2. Most important symptoms and effects, both acute and delayed Inhalation May cause irritation to respiratory system. Eye contact Risk of serious damage to eyes. Causes serious eye damage. Skin contact Causes severe burns. Indestion May cause irritation to mucous membranes. 4.3. Indication of any immediate medical attention and special treatment needed Inhalation Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance Skin contact Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. Ingestion Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. General information If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically SECTION 5: Firefighting measures 5.1. Extinguishing media This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. 5.2. Special hazards arising from the substance or mixture Burning produces irritating, toxic and obnoxious fumes. 5.3. Advice for firefighters Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear. Further information In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Wear suitable protective equipment. 6.2. Environmental precautions Advise local authorities if large spills cannot be contained. 6.3. Methods and material for containment and cleaning up For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. 6.4. Reference to other sections See section 2, 7, 8, 13 for further information. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.



7.2. Conditions for safe storage, including any incompatibilities			
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	Removes stubborn marks left be brake dust and road grime without damaging coatings, lacquers or tyres.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure contr	SECTION 8: Exposure controls/personal protection		

8.1. Control parameters

	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

2-butoxyethanol	Acute inhalation - Systemic effects	•	
	Acute inhalation - Local effects	246 mg/m ³	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic effects	98 mg/m³	Long-term - dermal - Systemic 125 mg/kg effects
sodium (xylenes and	Long-term - inhalation - Systemic	26.9 mg/m ³	
4-ethylbenzene) sulfonate	effects		
	Long-term - dermal - Systemic	136.25 mg/kg	
	effects		
Sodium Metasilicate	Long-term - inhalation - Systemic	6.22 mg/m ³	
Pentahydrate	effects		
	Long-term - dermal - Systemic	1.49 mg/kg	
	effects		

Exposure Pattern - General population



 Revision
 11

 Revision date
 2022-11-17

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects	•		
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic effects	•	Long-term - inhalation - Local effects	147 mg/m³
	Long-term - dermal - Systemic effects	75 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
sodium (xylenes and	Long-term - inhalation - Systemic	6.6 mg/m ³		
4-ethylbenzene) sulfonate	effects			
	Long-term - dermal - Systemic effects	68.1 mg/kg	Long-term - dermal - Local effects	0.048 mg/cm ³
	Long-term - oral - Systemic effects	3.8 mg/kg		
Sodium Metasilicate	Long-term - inhalation - Systemic	1.55 mg/m³		
Pentahydrate	effects			
	Long-term - dermal - Systemic effects	0.74 mg/kg	Long-term - oral - Systemic effects	0.74 mg/kg

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
pH	13
Melting point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.068 - 1.075 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous re	actions		
	Strong acids. Strong oxidising agents.		
10.4. Conditions to avoid			
	Protect from frost.		
10.5. Incompatible materials			
	No incompatible groups noted.		
10.6. Hazardous decomposition products			
	No Hazardous decomposition products when stored and handled correctly.		
SECTION 11: Toxicological information			



 Revision
 11

 Revision date
 2022-11-17

11.1 Information on hazard classes

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).	
based on available data the classification criteria are not met.	
Oral ATE = >10,000 mg/kg.	
Dermal ATE = >10,000 mg/kg.	
Inhalation - Dust/Mist ATE = >20 mg/l.	
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - \geq 11.5.	
Causes serious eye damage.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
based on available data the classification criteria are not met.	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg	Oral Rat LD50: 1300 mg/kg
	Inhalation Rat LC50/4 h: 11.0 mg/l	
C9-11 Alcohol, ethoxylated	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50 = >300 - <= 2000 mg/kg:
sodium (xylenes and 4-ethylbenzene) sulfonate	Oral Rat LD50: > 7200 mg/kg	Dermal Rabbit LD50: > 2000 mg/kg
	Inhalation Rat LC50/4 h: >6.41 mg/l	
Sodium Metasilicate Pentahydrate	Dermal Rat LD50: >5,000 mg/kg	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l	Algae EC50/72h: 1840 mg/
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms
sodium (xylenes and	Daphnia EC50/48h: 1000.0000 mg/l	Green algae EC50/96h: 230 mg/l
4-ethylbenzene) sulfonate		
	Rainbow trout LC50/96h: >1000 mg/l	
Sodium Metasilicate	Daphnia EC50/48h: 1700.0000 mg/l	Algae EC50/72h: 207 mg/l
Pentahydrate		
	Brachydanio Rerio LC50/96h: 210 mg/l	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD

Revision 11

Revision date 2022-11-17

12.2. Persistence and degradability		
	guide lines.	
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	Harry Fairbairn Wheel Cleaner No data available 2-butoxyethanol 0.8 log P	
12.4. Mobility in soil		
,	This product is soluble in water.	
12.5. Results of PBT and vPvB		
	This substance/mixture is not classified as PBT or vPvB according to current criteria.	
12.6 Endocrine disrupting prope		
40.7.00	No data is available on this product.	
12.7. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport information		
Hazard pictograms		
14.1. UN number		
	UN1760	
14.2. UN proper shipping name		

	CORROSIVE LIQUID, N.O.S. (Contains Sodium Metasilicate Pentahydrate)
14.3. Transport hazard class(es)	
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
ΙΑΤΑ	8
Subsidiary risk	-
14.4. Packing group	
Packing group	Ш

Copyright © 2022 ChemSoft. All rights reserved.



14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for use	er
	No additional special precautions.
14.7 Maritime Transport in bulk a	according to IMO instruments
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L
SECTION 15: Regulatory info	ormation
15.1. Safety, health and environment	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessme	ent
	No information available.
SECTION 16: Other informat	lion
Other information	
Revision	 This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes.



Other information	
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - \ge 11.5.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

