

according to Regulation (EU) 2020/878

Page 1/10

6 Revision date 2022-11-10

Blue Windscreen Wash Concentrate Revision SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Blue Windscreen Wash Concentrate 1.2. Relevant identified uses of the substance or mixture and uses advised against Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); Description Screenwash for Vehicles. 1.3. Details of the supplier of the safety data sheet SUPAGARD LIMITED Company Address 19-27 Gavinton Street Muirend Glasgow G44 3EF Web www.supagard.com Telephone 0141 633 5933 Fax 01416377219 Email James.Smyth@supagard.com Email address of the James.Smyth@supagard.com competent person 1.4. Emergency telephone number **Emergency telephone number** 01416335933 8.30am to 5.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
2.1.2. Classification - EC 1272/2008	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	
2.2. Label elements		
Hazard pictograms		

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

Scotland) on 111 (for 24 hour health advice)

2.2. Label elements

Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients - 97% w/w Denatured Alcohol, Less than 5% Non-ionic surfactants, Less than 5%
INFORMATION	Anionic Surfactants, CI 42090, Parfum, Linalool, Limonene, Hexyl Cinnamal.
	Contains - 97% w/w Denatured Alcohol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	90 - 100%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.



Revision da	ate 2022-11-10
-------------	----------------

4.3. Indication of any immediate	medical attention and special treatment needed
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Highly flammable liquid and vapour.
5.2. Special hazards arising from	n the substance or mixture
	Highly flammable liquid and vapour. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlin	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	Screenwash for Vehicles.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.



 Revision
 6

 Revision date
 2022-11-10

8.1.1. Exposure Limit Values		
2,6,6-Trimethylbicyclo[3.1.1]hept	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
2-ene (Alpha-Pinene)		C C
,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
2,6-Di-tert-butyl-p-cresol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol Propane-1,2-diol particulates)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol Propane-1,2-diol total vapour	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
and particulates)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers



 Revision
 6

 Revision date
 2022-11-10

Exposure Pattern - Workers			
2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	5.98 mg/m ³	
-2-ene	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³	
	effects		
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects		effects
Monopropylene Glycol	Long-term - inhalation - Systemic	168 mg/m³	
	effects		
	Long-term - inhalation - Local	10 mg/m³	
	effects		

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m ³		
-2-ene	effects			
	Long-term - oral - Systemic	0.31 mg/kg		
	effects			
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			
Monopropylene Glycol	Long-term - inhalation - Systemic	50 mg/m ³		
	effects			
	Long-term - inhalation - Local	10 mg/m³	Long-term - dermal - Systemic	213 mg/m³
	effects		effects	
	Long-term - oral - Systemic	85 mg/m³		
	effects			

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties



 Revision
 6

 Revision date
 2022-11-10

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Alcoholic/Designer Fragranced
Melting point	No data available
Initial boiling point	78 °C
Flash point	16 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	15 %
Lower Explosive Limit	3.5 %
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	7 - 9
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.8 - 0.82 g/cm³
Bulk Density	Not applicable.
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents. Combustible materials.



10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).		
Acute toxicity	based on available data the classification criteria are not met.		
	Oral ATE = >10,000 mg/kg.		
	Dermal ATE = >10,000 mg/kg.		
	Inhalation - Dust/Mist ATE = >10,000 mg/kg.		
Skin corrosion/irritation	based on available data the classification criteria are not met.		
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.		
Respiratory or skin	based on available data the classification criteria are not met.		
sensitisation			
Germ cell mutagenicity	based on available data the classification criteria are not met.		
Carcinogenicity	based on available data the classification criteria are not met.		
Reproductive toxicity	based on available data the classification criteria are not met.		
STOT-single exposure	based on available data the classification criteria are not met.		
STOT-repeated exposure	based on available data the classification criteria are not met.		
Aspiration hazard	based on available data the classification criteria are not met.		
Repeated or prolonged	based on available data the classification criteria are not met.		
exposure			
11.1.2. Mixtures			

11.1.3. Hazard Information

No data available.

No data available.

11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Oral Rat LD50: 3500 mg/kg	
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
Monopropylene Glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: 22000 mg/kg
	Dermal Rabbit LD50: >2000 mg/kg	Inhalation Rat LC50/4 h: 41 mg/l

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	Golden orfe LC50/48h: >100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	
Monopropylene Glycol	Daphnia EC50/48h: 4000.0000 mg/l	Green algae EC50/96h: 19000 mg/l
	Fathead minnows LC50/96h: 55770 mg/l	Rainbow trout LC50/96h: 40613 mg/l
	EC50 for marine or freshwater 13020.0000 mg/l	LC50 for marine or freshwater 15000.0000 mg/l
	organisms	organisms



12.2. Persistence and degradability		
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	Blue Windscreen Wash No data available Ethanol: Ethyl Alcohol -0.35 log P Concentrate Monopropylene Glycol -1.07 log P	
12.4. Mobility in soil		
	This product is soluble in water.	
12.5. Results of PBT and vPvB	assessment	
	This substance/mixture is not classified as PBT or vPvB according to current criteria.	
12.6 Endocrine disrupting prope	rties	
	No data is available on this product.	
12.7. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information	•	
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging	·	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport info	rmation	
Hazard pictograms		
14.1. UN number		
	UN1170	
14.2. UN proper shipping name	-	
	ETHYL ALCOHOL SOLUTION	
14.3. Transport hazard class(es		
ADR/RID	3	
Subsidiary risk		
IMDG Subsidiary risk	3	
Subsidiary risk	3	

-

Subsidiary risk



14.4. Packing group		
Packing group	Ш	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for user		
	No additional special precautions.	
14.7 Maritime Transport in bulk according to IMO instruments		
	Not applicable.	
ADR/RID		
Hazard ID	33	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-D	
ΙΑΤΑ		
Packing Instruction (Cargo)	364	
Maximum quantity	60 L	
Packing Instruction	353	
(Passenger)		
Maximum quantity	5L	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No	informat	ion ou	ailahla
	innormat	ion av	

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.



Other information		
	9 - 9.2.1. Information with regard to physical hazard classes.	
11 - Repeated or prolonged exposure.		
	11 - 11.2 Information on other hazards.	
	12 - 12.1. Toxicity.	
	12 - 12.6 Endocrine disrupting properties.	
	12 - 12.7. Other adverse effects.	
	15 - Regulations.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008, as retained and amended in UK law.	
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour Flash Point - 16 degC.	
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

