according to Regulation (EU) 2020/878

1/9 Page

SUPAGARD BIRD & BUG REMOVER

20 Revision

Revision date 2022-11-10

|--|

1.1. Product identifier

Product name	SUPAGARD BIRD & BUG REMOVER
--------------	-----------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and

cleaning products (including solvent based products);

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description A combination of surfactants which neutralise the acid in bird lime.

1.3. Details of the supplier of the safety data sheet

Company SUPAGARD LIMITED

Address 19-27 Gavinton Street

> Muirend Glasgow G44 3EF

Web www.supagard.com

Telephone 0141 633 5933 Fax 01416377219

Email James.Smyth@supagard.com

Email address of the competent person

James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number

01416335933

8.30am to 5.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC

1272/2008

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2. Label elements

Precautionary Statement:

Prevention

P102 - Keep out of reach of children.

Precautionary Statement: Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

ChemSoft EH&S

Revision 20 Revision date 2022-11-10

2.2. Label elements

Hazard Statement	No Significant Hazard
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	Less than 5% Non-ionic surfactants.
	Contains - 2,2',2"-Nitrilotriethanol, Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Denatured Ethanol, 2-butoxyethanol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2',2"-Nitrilotriethanol		102-71-6	203-049-8	01-2119486482-31	1 - 10%	
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47		Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (CAS No. 308062-28-4) - M Factor (Acute) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

	•
Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

Revision 20 Revision date 2022-11-10

	Revision date 2022-11-10
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	n the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	A combination of surfactants which neutralise the acid in bird lime.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
8.1.1. Exposure Limit Values	

Revision 20 Revision date 2022-11-10

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3 : 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Systemic effects	5 mg/m³		
	Long-term - inhalation - Local	5 mg/m³	Long-term - dermal - Systemic	6.3 mg/kg
	effects		effects	
2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
	effects		effects	

Exposure Pattern - General population

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Systemic 1.25 mg/m³ effects	
	Long-term - inhalation - Local 1.25 mg/m³	Long-term - dermal - Systemic 3.1 mg/kg
	effects Long-term - oral - Systemic 13 mg/kg	effects
2-butoxyethanol	Acute inhalation - Systemic 426 mg/m³ effects	
	Acute dermal - Systemic effects 89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic 59 mg/m³ effects	Long-term - inhalation - Local 147 mg/m³ effects
	Long-term - dermal - Systemic 75 mg/kg effects	Long-term - oral - Systemic effects 6.3 mg/kg
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 114 mg/m³ effects	
	Long-term - inhalation - Local 950 mg/m³ effects	Long-term - dermal - Systemic 206 mg/kg effects
	Long-term - oral - Systemic 87 mg/kg effects	

8.2. Exposure controls





Revision 20 Revision date 2022-11-10

8.2. Exposure controls

controls

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection 8.2.1. Appropriate engineering Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of controls vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. Eye / face protection Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Skin protection -Rubber gloves. Handprotection Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. 8.2.3. Environmental exposure Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
рН	8 - 10
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	Not applicable.
Solubility	Soluble in water

9.2. Other information

Conductivity	Not applicable.
Surface tension	No data available
Specific gravity	1 - 1.01 g/cm³
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

Revision 20 Revision date 2022-11-10

1	0	1	Rea	etiv	vitv

101111 (Oddavity			
	Stable under normal conditions. No specific reactivity hazards associated with this product.		
10.2. Chemical stability			
	Stable under normal conditions. No particular stability concerns.		
10.3. Possibility of hazardous reactions			
	Strong acids. Strong oxidising agents.		
10.4. Conditions to avoid	10.4. Conditions to avoid		
	Protect from frost.		
10.5. Incompatible materials			
	No incompatible groups noted.		
10.6. Hazardous decomposition products			
	No Hazardous decomposition products when stored and handled correctly.		

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg.	
	Inhalation - Dust/Mist ATE = >20 mg/l.	
Skin corrosion/irritation	based on available data the classification criteria are not met.	
Serious eye damage/irritation	based on available data the classification criteria are not met.	
Respiratory or skin	based on available data the classification criteria are not met.	
sensitisation		
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
Repeated or prolonged	based on available data the classification criteria are not met.	
exposure		
11.1.2. Mixtures		
	No data available.	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,2',2"-Nitrilotriethanol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: 6400 mg/kg	
2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg	Oral Rat LD50: 1300 mg/kg	
	Inhalation Rat LC50/4 h: 11.0 mg/l		
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg	
	Inhalation Rat LC50/4 h: 20 mg/l		

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

Revision 20 Revision date 2022-11-10

12.1. Toxicity				
2,2',2"-Nitrilotriethanol	Daphnia EC50/48h:	2038.0000 mg/l	Algae EC50/72h:	512 mg/l
	Fathead minnows LC50/96h:	11800 mg/l		
2-butoxyethanol	Daphnia EC50/48h:	1550.0000 mg/l	Algae EC50/72h:	1840 mg/
	Rainbow trout LC50/96h:	1474 mg/l		
	EC50 for marine or freshwater organisms	•	LC50 for marine or freshwater organisms	>100.0000 mg/l
Ethanol: Ethyl Alcohol	Daphnia EC50/48h:	12340.0000 mg/l	Algae EC50/72h:	275 mg/l
	Green Algae EC50/48h:	>100mg/l	Fathead minnows LC50/96h:	14200 mg/l
	Rainbow trout LC50/96h:	•	Golden orfe LC50/48h:	>100 mg/l
	NOEC / EC10 for marine or freshwater organisms	9.6000 mg/l		
12.2. Persistence and degradab	bility			
	Substance biodegrades at a m	oderate rate and i	nherently biodegradable accordin	g to the OECD
	guide lines.			
12.3. Bioaccumulative potential				
	The product is not bioaccumula	ating		
Partition coefficient	The product is not bloaccumula	auny.		
T diddoir dedinoidit				
	SUPAGARD BIRD & BUG REMOVER		2,2',2"-Nitrilotriethanol	-2.3 Log Pow
	Ethanol: Ethyl Alcohol		2-butoxyethanol	0.8 log P
40.4 Mahilikata adi				
12.4. Mobility in soil	T			
	This product is soluble in wate	r.		
12.5. Results of PBT and vPvB	assessment			
	This substance/mixture is not of	classified as PBT o	or vPvB according to current crite	ria.
12.6 Endocrine disrupting prope	erties			
	No data is available on this pro	oduct.		
12.7. Other adverse effects				
	No data is available on this pro	oduct.		
SECTION 13: Disposal cons	siderations			
13.1. Waste treatment methods				
	Dispose of waste and residues	s in accordance wit	th local authority requirements.	
General information				
	Dispose of in compliance with	all local and natior	nal requirements.	
Disposal of packaging				
	Do NOT reuse empty containe compliance with local and nation		ers can be sent to landfill after cle	aning, if in
SECTION 14: Transport info	ormation			
14.1. UN number				
	The product is not classified as	s dangerous for ca	rriage.	

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

Revision 20 Revision date 2022-11-10

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7 Maritime Transport in bulk according to IMO instruments

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 Other hazards.
- 2 Further information.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 5 5.2. Special hazards arising from the substance or mixture.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 Acute toxicity.
- 11 Repeated or prolonged exposure.
- 11 11.2 Information on other hazards.
- 12 12.1. Toxicity.
- 12 12.6 Endocrine disrupting properties.
- 12 12.7. Other adverse effects.
- 15 Regulations.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Powered by

Revision 20 Revision date 2022-11-10

Other information		
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	