

according to Regulation (EU) 2020/878

Page 1/9

Supagard Concentrated Wheel Cleaner

 Revision
 2

 Revision date
 2022-12-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	Supagard Concentrated Wheel Cleaner		
1.2. Relevant identified uses of t	he substance or mixture and uses advised against		
Product Use	SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);		
Description	Vehicle Wheel Cleaner.		
1.3. Details of the supplier of the	e safety data sheet		
Company	SUPAGARD LIMITED		
Address	19-27 Gavinton Street Muirend Glasgow		
	G44 3EF		
Web	www.supagard.com		
Telephone	0141 633 5933		
Fax Email	01416377219		
Email address of the	James.Smyth@supagard.com James.Smyth@supagard.com		
competent person	James.onyth@supagard.com		
1.4. Emergency telephone numb	ber		
Emergency telephone number	01416335933		
	8.30am to 5.00pm		
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org		
SECTION 2: Hazards identif			
2.1. Classification of the substar			
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314;		
2.2. Label elements			
Hazard pictograms	Le		
Signal Word	Danger		
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.		



2.2. Label elements	
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:. Sodium Hydroxide, 5 - 15% Amphoteric Surfactants.
	Contains - 1-Propanaminium, 3-amino-N-(carboxymethyl)-N-N-dimethyl-N-C8-C18 (even numbered) acyl derivs, hydroxides, inner salts, sodium hydroxide, 2-butoxyethanol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
1-Propanaminium, 3-amino-N- (carboxymethyl) -N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	1 - 10%	Skin Corr. 1A: H314;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed



4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary. Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	g
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	Vehicle Wheel Cleaner.



 Revision
 2

 Revision date
 2022-12-02

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values		
2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
sodium hydroxide	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit ppm: -	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Worke	ers	
2-butoxyethanol	Acute inhalation - Systemic 1091 mg/m ³ effects	
	Acute inhalation - Local effects 246 mg/m ³	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic 98 mg/m ³	Long-term - dermal - Systemic 125 mg/kg
	effects	effects
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m ³
		effects

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects	0		
	Acute dermal - Systemic effects		Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic	0	Long-term - inhalation - Local	147 mg/m³
	effects Long-term - dermal - Systemic	75 mg/kg	effects Long-term - oral - Systemic effects	6.3 mg/kg
sodium hydroxide	effects Long-term - inhalation - Local			
· · · · · · · · · · · · · · · · · · ·	effects	•		

8.2. Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.



8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	No data available
Odour threshold	No data available
pH	> 11.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	Not applicable.
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics



9.2.2. Other safety characteristics

	No data is available on this product.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous re	10.3. Possibility of hazardous reactions	
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid		
	Protect from frost. Avoid storing in direct Sun Light.	
10.5. Incompatible materials		
	Strong acids. Strong oxidising agents.	
10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly.	
SECTION 11: Toxicological information		

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been
	calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = $>10,000 \text{ mg/kg}$.
	Inhalation - Dust/Mist ATE = 275 mg/l.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - \geq 11.5.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	n
2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg Oral Rat LD50: 1300 mg/kg
	Inhalation Rat LC50/4 h: 11.0 mg/l
sodium hydroxide	Oral Rat LD50: >500 mg/kg

11.2 Information on other hazards



 Revision
 2

 Revision date
 2022-12-02

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1.	Toxicity
-------	----------

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l	Algae EC50/72h: 1840 mg/
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
guide lines.

12.3. Bioaccumulative potential

	The product is not bioaccumulating.	
Partition coefficient		
	Supagard Concentrated Wheel No data available Cleaner 2-butoxyethanol 0.8 log P	sodium hydroxide No data available

12.4. Mobility in soil

	This product is soluble in water.
12.5. Results of PBT and vPvB assessment	
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting properties	
	No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms





 Revision
 2

 Revision date
 2022-12-02

14.1. UN number

	UN1760	
14.2. UN proper shipping name		
	CORROSIVE LIQUID, N.O.S. (Contains Sodium Hydroxide)	
14.3. Transport hazard class(es)		
ADR/RID	8	
Subsidiary risk	-	
IMDG	8	
Subsidiary risk	-	
ΙΑΤΑ	8	
Subsidiary risk	-	
14.4. Packing group		
Packing group	11	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for use	er	
	No additional special precautions.	
14.7 Maritime Transport in bulk	according to IMO instruments	
	Not applicable.	
ADR/RID		
Hazard ID	80	
Tunnel Category	(E)	
IMDG		
EmS Code	F-A S-B	
ΙΑΤΑ		
Packing Instruction (Cargo)	855	
Maximum quantity	30 L	
Packing Instruction	851	
(Passenger)		
Maximum quantity	1L	
SECTION 15: Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	8 - Skin protection - Other.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	10 - 10.2. Chemical stability.
	10 - 10.1. Reactivity.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - \geq 11.5.
Text of Hazard Statements in	Eye Dam. 1: H318 - Causes serious eye damage.
Section 3	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

