



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

SUPAGARD RAIN AWAY

Revision 13
Revision date 2022-11-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	SUPAGARD RAIN AWAY
--------------	--------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A clear visibility windscreen barrier. Creates a polymetric barrier that makes water droplets bead and run off. Allowing your windscreen to be clear all year round.

1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number	01416335933 8.30am to 5.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
--------------------------------------	--

2.2. Label elements

Precautionary Statement: Prevention	P102 - Keep out of reach of children.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SUPAGARD RAIN AWAY

Revision 13

Revision date 2022-11-16

2.2. Label elements

Hazard Statement SUPPLEMENTAL HAZARD INFORMATION	P337+P313 - If eye irritation persists: Get medical advice/attention.
	No Significant Hazard
	Ingredients - Less than 5% Non-ionic Surfactants.
	Contains - Propan-2-ol, methanol.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
---------------	--

Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
methanol	603-001-00-X	67-56-1	200-659-6	01-2119433307-44	0 - 0.5%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation Eye contact Skin contact Ingestion	TREAT SYMPTOMATICALLY.
	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
--	---

5.2. Special hazards arising from the substance or mixture

SUPAGARD RAIN AWAY

Revision 13
Revision date 2022-11-16**5.2. Special hazards arising from the substance or mixture**

None known.

5.3. Advice for firefighters

Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear suitable protective equipment.

6.2. Environmental precautions

Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up

For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush down the drain with plenty of water.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

7.3. Specific end use(s)

A clear visibility windscreen barrier. Creates a polymetric barrier that makes water droplets bead and run off. Allowing your windscreen to be clear all year round.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Occupational exposure controls.

8.1.1. Exposure Limit Values

SUPAGARD RAIN AWAY

Revision 13
Revision date 2022-11-16

8.1.1. Exposure Limit Values

methanol	WEL 8-hr limit ppm: 200 WEL 15 min limit ppm: 250 WEL 8-hr limit mg/m ³ total inhalable dust: - WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 8-hr limit mg/m ³ : 266 WEL 15 min limit mg/m ³ : 333 WEL 15 min limit mg/m ³ total inhalable dust: - WEL 15 min limit mg/m ³ total respirable dust: -
propan-2-ol	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m ³ total inhalable dust: - WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 8-hr limit mg/m ³ : 999 WEL 15 min limit mg/m ³ : 1250 WEL 15 min limit mg/m ³ total inhalable dust: - WEL 15 min limit mg/m ³ total respirable dust: -

DNEL: Derived no-effect level.


Exposure Pattern - Workers

methanol	Acute inhalation - Systemic effects 130 mg/m ³ Acute inhalation - Local effects 130 mg/m ³ Long-term - inhalation - Systemic effects 130 mg/m ³ Long-term - dermal - Systemic effects 20 mg/kg	Acute dermal - Systemic effects 20 mg/kg Long-term - inhalation - Local effects 130 mg/m ³
propan-2-ol	Long-term - inhalation - Systemic effects 500 mg/m ³ Long-term - dermal - Systemic effects 888 mg/kg	

Exposure Pattern - General population

methanol	Acute inhalation - Systemic effects 26 mg/m ³ Acute inhalation - Local effects 26 mg/m ³ Acute oral - Systemic effects 5 mg/kg Long-term - inhalation - Local effects 26 mg/m ³ Long-term - oral - Systemic effects 5 mg/kg	Acute dermal - Systemic effects 5 mg/kg Long-term - inhalation - Systemic effects 26 mg/m ³ Long-term - dermal - Systemic effects 5 mg/kg
propan-2-ol	Long-term - inhalation - Systemic effects 89 mg/m ³ Long-term - dermal - Systemic effects 319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg

8.2. Exposure controls

	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

SUPAGARD RAIN AWAY

Revision 13

Revision date 2022-11-16

8.2. Exposure controls

Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aqueous solution
Colour	Colourless
Odour	Slight
Odour threshold	No data available
pH	5.1 - 7.8
Melting point	No data available
Initial boiling point	No data available
Flash point	70 °C
Evaporation rate	Not applicable.
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.985 - 1.005 g/cm ³
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

9.2.1. Information with regard to physical hazard classes

	No data is available on this product.
--	---------------------------------------

9.2.2. Other safety characteristics

	No data is available on this product.
--	---------------------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

--	--

SUPAGARD RAIN AWAY

Revision 13

Revision date 2022-11-16

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	No data is available on this product.

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

No data available

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

No data is available on this product.

SUPAGARD RAIN AWAY

Revision 13

Revision date 2022-11-16

Partition coefficient

	SUPAGARD RAIN AWAY Not applicable. methanol -0.74 Log Pow	propan-2-ol 0.05 log P
--	--	------------------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	This substance/mixture is not classified as PBT or vPvB according to current criteria.
--	--

12.6 Endocrine disrupting properties

	No data is available on this product.
--	---------------------------------------

12.7. Other adverse effects

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

SECTION 14: Transport information

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

14.7 Maritime Transport in bulk according to IMO instruments

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	---

SUPAGARD RAIN AWAY

Revision 13

Revision date 2022-11-16

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 5 - 5.2. Special hazards arising from the substance or mixture. 5 - 5.3. Advice for firefighters. 7 - 7.3. Specific end use(s). 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 10 - 10.2. Chemical stability. 10 - 10.6. Hazardous decomposition products. 10 - 10.1. Reactivity. 11 - Acute toxicity. 11 - Repeated or prolonged exposure. 11 - 11.2 Information on other hazards. 12 - 12.1. Toxicity. 12 - 12.5. Results of PBT and vPvB assessment. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs .</p>

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.