

## SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

### Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Nissan Hand Sanitiser
--------------	-----------------------

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A carefully formulated hand sanitising gel, especially useful when there is no water available.

##### 1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com

##### 1.4. Emergency telephone number

Emergency telephone number	01416335933 8.30am to 5.00pm  For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)  If you are a healthcare professional with an enquiry please visit <a href="http://www.TOXBASE.org">www.TOXBASE.org</a>
----------------------------	---

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319;
--------------------------------------	---

##### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning

## Nissan Hand Sanitiser

Revision 28  
Revision date 2022-11-09

## 2.2. Label elements

<b>Hazard Statement</b>	EUH208 - Contains (R)-p-menth-1,8-diene. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
<b>Precautionary Statement: Prevention</b>	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>Precautionary Statement: Response</b>	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
<b>Precautionary Statement: Storage</b>	P403+P235 - Store in a well-ventilated place. Keep cool.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
<b>SUPPLEMENTAL HAZARD INFORMATION</b>	Ingredients - Denatured Alcohol, Aqua, Glycerin, Carbomer, Triethanolamine, Parfum, Limonene, Citral (Neral & Geranial), Linalool.  Contains - Glycerol, Denatured Ethanol, D-Limonene.

## 2.3. Other hazards

<b>Other hazards</b>	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
----------------------	--

## Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycerol (Glycerol, mist)		56-81-5	200-289-5		1 - 10%	
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

D-Limonene (CAS No. 5989-27-5) - M Factor (Chronic/Acute) = 1.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water. Contact lenses should be removed.
<b>Skin contact</b>	Remove contaminated clothing. Wash with water and soap as a precaution.
<b>Ingestion</b>	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
<b>Eye contact</b>	Irritating to eyes.
<b>Skin contact</b>	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
<b>Ingestion</b>	May cause irritation to mucous membranes.

# Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	TREAT SYMPTOMATICALLY. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

### General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Flammable liquid and vapour.
--	------------------------------

### 5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

### Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
--	---

### 6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
--	--

### 6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
--	---

### 7.3. Specific end use(s)

	A carefully formulated hand sanitising gel, especially useful when there is no water available.
--	---

### Suitable packaging

	Plastic containers.
--	---------------------

## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Occupational exposure controls.

## 8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 140 WEL 15 min limit mg/m3: 300 WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
cyclohexane	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 300 WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 350 WEL 15 min limit mg/m3: 1050 WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
Glycerol (Glycerol, mist)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:

DNEL: Derived no-effect level.

## Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects 5.98 mg/m <sup>3</sup>	
cyclohexane	Acute inhalation - Systemic effects 1400 mg/m <sup>3</sup>	
	Acute inhalation - Local effects 1400 mg/m <sup>3</sup>	Long-term - inhalation - Systemic effects 700 mg/m <sup>3</sup>
	Long-term - inhalation - Local effects 700 mg/m <sup>3</sup>	Long-term - dermal - Systemic effects 2016 mg/kg
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects 950 mg/m <sup>3</sup>	
	Long-term - inhalation - Local effects 1900 mg/m <sup>3</sup>	Long-term - dermal - Systemic effects 343 mg/kg
Glycerol	Long-term - inhalation - Local effects 56 mg/m <sup>3</sup>	

## Exposure Pattern - General population

## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects 1.06 mg/m <sup>3</sup> Long-term - oral - Systemic effects 0.31 mg/kg
cyclohexane	Acute inhalation - Systemic effects 412 mg/m <sup>3</sup> Acute inhalation - Local effects 412 mg/m <sup>3</sup> Long-term - inhalation - Local effects 206 mg/m <sup>3</sup> Long-term - oral - Systemic effects 59.4 mg/kg Long-term - inhalation - Systemic effects 206 mg/m <sup>3</sup> Long-term - dermal - Systemic effects 1186 mg/kg
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects 114 mg/m <sup>3</sup> Long-term - inhalation - Local effects 950 mg/m <sup>3</sup> Long-term - oral - Systemic effects 87 mg/kg Long-term - dermal - Systemic effects 206 mg/kg
Glycerol	Long-term - inhalation - Local effects 33 mg/m <sup>3</sup> Long-term - oral - Systemic effects 229 mg/kg

## 8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Not normally required.
Skin protection - Handprotection	Not normally required.
Respiratory protection	Not normally required.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## 9.1. Information on basic physical and chemical properties

Appearance	Gel
Colour	Clear
Odour	Alcoholic
Odour threshold	No data available
pH	6.5 - 7.9
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.85 - 0.9 g/cm <sup>3</sup>
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50000 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	No data available

## Water solubility

	soluble.
--	----------

## 9.2.1. Information with regard to physical hazard classes

	No data is available on this product.
--	---------------------------------------

## 9.2.2. Other safety characteristics

	No data is available on this product.
--	---------------------------------------

**SECTION 10: Stability and reactivity**

## 10.1. Reactivity

	Flammable liquid. Stable under normal conditions.
--	---

## 10.2. Chemical stability

	Flammable liquid. Stable under normal conditions.
--	---

## 10.3. Possibility of hazardous reactions

	Oxidising agents. Combustible materials.
--	--

## 10.4. Conditions to avoid

	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
--	--

## 10.5. Incompatible materials

	Oxidising agents.
--	-------------------

## 10.6. Hazardous decomposition products

## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.

## 11.1.2. Mixtures

No data available.

## 11.1.3. Hazard Information

No data available.

## 11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Oral Rat LD50: 3500 mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Inhalation Rat LC50/4 h: 20 mg/l Dermal Rabbit LD50: 15800.0 mg/kg
Glycerol	Oral Rat LD50: 27,200.0 mg/kg

## 11.2 Information on other hazards

No data is available on this product.

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data available
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or freshwater organisms 9.6000 mg/l

## 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

## 12.3. Bioaccumulative potential

The product is not bioaccumulating.

## Partition coefficient

## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## Partition coefficient

	Nissan Hand Sanitiser No data available Ethanol: Ethyl Alcohol -0.35 log P	Glycerol -1.76 Log Pow
--	---	------------------------

## 12.4. Mobility in soil

	This product is soluble in water.
--	-----------------------------------

## 12.5. Results of PBT and vPvB assessment

	This substance/mixture is not classified as PBT or vPvB according to current criteria.
--	--

## 12.6 Endocrine disrupting properties

	No data is available on this product.
--	---------------------------------------

## 12.7. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

## General information


	Dispose of in compliance with all local and national requirements.
--	--

## Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

## SECTION 14: Transport information

## Hazard pictograms

	
--	---

## 14.1. UN number

	UN1170
--	--------

## 14.2. UN proper shipping name

	ETHYL ALCOHOL SOLUTION
--	------------------------

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group	III
---------------	-----

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## 14.6. Special precautions for user



## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## 14.6. Special precautions for user

No additional special precautions.

## 14.7 Maritime Transport in bulk according to IMO instruments

Not applicable.

## ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

## IMDG

EmS Code	F-E S-D
----------	---------

## IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p>
-------------	--

## 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

## Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>2 - Other hazards.</li> <li>2 - Further information.</li> <li>2 - SUPPLEMENTAL HAZARD INFORMATION.</li> <li>3 - 3.2. Mixtures.</li> <li>9 - 9.2.2. Other safety characteristics.</li> <li>9 - 9.2.1. Information with regard to physical hazard classes.</li> <li>11 - Repeated or prolonged exposure.</li> <li>11 - 11.2 Information on other hazards.</li> <li>12 - 12.1. Toxicity.</li> <li>12 - 12.6 Endocrine disrupting properties.</li> <li>12 - 12.7. Other adverse effects.</li> </ul>
----------	--

## Nissan Hand Sanitiser

Revision 28

Revision date 2022-11-09

## Other information

	15 - Regulations.
<b>Data sources</b>	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 3: H226 - Flammable liquid and vapour. - Flash Point - 23 degC. Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.
<b>Text of Hazard Statements in Section 3</b>	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--