

according to Regulation (EU) 2020/878

Universal Cleaner

Page 1/9

Revision 13 Revision date 2022-11-04

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Universal Cleaner
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
_ <i>u</i>	craftsmen);
Description	Multi-purpose alkaline cleaner.
1.3. Details of the supplier of the	
Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street
	Muirend Glasgow
	G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the	James.Smyth@supagard.com
competent person	
1.4. Emergency telephone numb	
Emergency telephone number	01416335933
	8.30am to 5.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in
	Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Dam. 1: H318;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.

Copyright © 2023 ChemSoft. All rights reserved.



2.2. Label elements	
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	 P302+P352 - IF ON SKIN: Wash with plenty of water/. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. 3.8% Phosphates by weight, 5 - 15% Anionic Surfactants, Less than 5% Non-Ionic Surfactants, CI 45350. Contains - C9-11 Alcohol, ethoxylated, sodium (xylenes and 4-ethylbenzene) sulfonate, Tetrapotassium pyrophosphate, Sodium Metasilicate Pentahydrate, 2-butoxyethanol.
2.3. Other hazards	·
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)
C9-11 Alcohol, ethoxylated		68439-45-2			1 - 10% Acute Tox. 4: H302; Eye Dam. 1: H318;
sodium (xylenes and 4-ethylbenzene) sulfonate			701-037-1	01-2119513350-56	1 - 10% Eye Irrit. 2: H319;
Tetrapotassium pyrophosphate		7320-34-5	230-785-7	01-2119489369-18	1 - 10% Eye Irrit. 2: H319;
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10% Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10% Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Inhalation	May cause irritation to respiratory system.	
Eye contact	Causes serious eye damage.	
Skin contact	Causes skin irritation.	
Ingestion	May cause irritation to mucous membranes.	
4.3. Indication of any immediate	medical attention and special treatment needed	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.	



Revision 13

Revision date 2022-11-04

4.3. Indication of any immediate	medical attention and special treatment needed
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protection	ctive equipment and emergency procedures
	Wear suitable protective equipment. Avoid contact with eyes and skin. Provide adequate ventilation.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Provide adequate ventilation.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	Multi-purpose alkaline cleaner.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	



8.1. Control parameters

	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers	Asuta inhelation Ovatamia	4004	
2-butoxyethanol	Acute inhalation - Systemic effects	•	
	Acute inhalation - Local effects		Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic 125 mg/kg
	effects		effects
sodium (xylenes and	Long-term - inhalation - Systemic	26.9 mg/m ³	
4-ethylbenzene) sulfonate	effects		
	Long-term - dermal - Systemic	136.25 mg/kg	
	effects		
Sodium Metasilicate	Long-term - inhalation - Systemic	6.22 mg/m ³	
Pentahydrate	effects		
	Long-term - dermal - Systemic	1.49 mg/kg	
	effects		

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects	426 mg/m ³	
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic effects	59 mg/m³	Long-term - inhalation - Local 147 mg/m ³ effects
	Long-term - dermal - Systemic effects	75 mg/kg	Long-term - oral - Systemic effects 6.3 mg/kg
sodium (xylenes and	Long-term - inhalation - Systemic	6.6 mg/m ³	
4-ethylbenzene) sulfonate	effects		
	Long-term - dermal - Systemic effects	68.1 mg/kg	Long-term - dermal - Local effects 0.048 mg/cm ³
	Long-term - oral - Systemic	3.8 mg/kg	
	effects		
Sodium Metasilicate	Long-term - inhalation - Systemic	1.55 mg/m³	
Pentahydrate	effects		
	Long-term - dermal - Systemic effects	0.74 mg/kg	Long-term - oral - Systemic effects 0.74 mg/kg

8.2. Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.



8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
рH	< 11
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.068 - 1.075 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

Revision date 2022-11-04

SECTION 10: Stability and reactivity				
10.1. Reactivity	10.1. Reactivity			
	Stable under normal conditions.			
10.2. Chemical stability				
	Stable under normal conditions.			
10.3. Possibility of hazardous re	actions			
	None known.			
10.4. Conditions to avoid	·			
	Protect from frost.			
10.5. Incompatible materials				
	Strong acids. Strong oxidising agents.			
10.6. Hazardous decomposition	products			
	No Hazardous decomposition products when stored and handled correctly.			
SECTION 11: Toxicological				
11.1 Information on hazard class				
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).			
Acute toxicity	based on available data the classification criteria are not met.			
	Oral ATE = >10,000 mg/kg.			
	Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >20 mg/l.			
Skin corrosion/irritation	Skin Irrit. 2: H315 - Causes skin irritation.			
Serious eye damage/irritation	Eye Dam. 1: H318 - Causes serious eye damage.			
Respiratory or skin	based on available data the classification criteria are not met.			
sensitisation				
Germ cell mutagenicity	based on available data the classification criteria are not met.			
Carcinogenicity	based on available data the classification criteria are not met.			
Reproductive toxicity	based on available data the classification criteria are not met.			
STOT-single exposure	based on available data the classification criteria are not met.			
STOT-repeated exposure	based on available data the classification criteria are not met.			
Aspiration hazard	based on available data the classification criteria are not met.			
Repeated or prolonged exposure	based on available data the classification criteria are not met.			
11.1.2. Mixtures				
	No data available.			
11.1.3. Hazard Information				
-				
	No data available.			



Revision 13

Revision date 2022-11-04

11.1.4. Toxicological Information

2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg	Oral Rat LD50: 2	1300 mg/kg
	Inhalation Rat LC50/4 h: 11.0 mg/l		
C9-11 Alcohol, ethoxylated	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50 = >300 - <= 2000	
		mg/kg:	
sodium (xylenes and	Oral Rat LD50: > 7200 mg/kg	Dermal Rabbit LD50: >	> 2000 mg/kg
4-ethylbenzene) sulfonate			
	Inhalation Rat LC50/4 h: >6.41 mg/l		
Sodium Metasilicate	Dermal Rat LD50: >5,000 mg/kg		
Pentahydrate			

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l	Algae EC50/72h: 1840 mg/
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l organisms	LC50 for marine or freshwater >100.0000 mg/l organisms
sodium (xylenes and 4-ethylbenzene) sulfonate	Daphnia EC50/48h: 1000.0000 mg/l	Green algae EC50/96h: 230 mg/l
. ,	Rainbow trout LC50/96h: >1000 mg/l	
Sodium Metasilicate Pentahydrate	Daphnia EC50/48h: 1700.0000 mg/l	Algae EC50/72h: 207 mg/l
· ····································	Brachydanio Rerio LC50/96h: 210 mg/l	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

	The product is readily biodegradable.	
Partition coefficient		
	Universal Cleaner No data available 2-butoxyethanol 0.8 log P	
12.4. Mobility in soil		
	The product is dilutable in water.	
12.5. Results of PBT and vPvB assessment		
	This substance/mixture is not classified as PBT or vPvB according to current criteria.	
12.6 Endocrine disrupting properties		
	No data is available on this product.	
12.7. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		

Dispose of in compliance with all local and national requirements.



Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for use	
	The product is not classified as dangerous for carriage.
14.7 Maritime Transport in bulk a	according to IMO instruments
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory infe	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessme	COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
10.2. Onemical salety assessine	

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	10 - 10.2. Chemical stability.



Other information	
	10 - 10.6. Hazardous decomposition products.
	10 - 10.1. Reactivity.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Skin Irrit. 2: H315 - Causes skin irritation Calculation Method.
	Eye Dam. 1: H318 - Causes serious eye damage Calculation Method.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

