according to Regulation (EU) 2020/878

Page 1/9

# **LEVC Glass Cleaner**

20 Revision

Revision date 2022-11-09

### 1.1. Product identifier

**Product Use** 

Product name	LEVC Glass Cleaner
--------------	--------------------

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and

cleaning products (including solvent based products);

[SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and

mirrors, leaving a sparkling streak free finish.

### 1.3. Details of the supplier of the safety data sheet

Company	SUPAGARD LIMITED

Address 19-27 Gavinton Street

> Muirend Glasgow G44 3EF

Web www.supagard.com

0141 633 5933 Telephone Fax 01416377219

**Email** James.Smyth@supagard.com Email address of the

competent person

James.Smyth@supagard.com

### 1.4. Emergency telephone number

### **Emergency telephone number**

01416335933

8.30am to 5.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

# SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 3: H226; Eye Irrit. 2: H319;

2.2. Label elements

Revision 20 Revision date 2022-11-09

### 2.2. Label elements

z.z. Labei elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.  Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 - Wash hands and other contacted skin thoroughly after handling.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. Isopropyl Alcohol, Butylene Glycol, Less than 5% Non-ionic Surfactants.
	Contains - Propan-2-ol, 2-butoxyethanol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

# 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.

Revision 20 Revision date 2022-11-09

4.2. Most important sympton	oms and effects, both acute and delayed
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any imme	ediate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the
	surrounding environment.
5.2. Special hazards arisin	g from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
0.0. / tavioc for incligitions	Fire fighters about warmacht and marking process has thing arranged (CCDA) and full
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.
	Use extinguishing measures that are appropriate to local circumstances and the surrounding
	environment.
SECTION 6: Accidental	release measures
6.1. Personal precautions,	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of
	ignition.
6.2. Environmental precaut	tions
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material	for containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for
	disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sec	ctions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling a	and storage
7.1. Precautions for safe ha	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe sto	orage, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun
	Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly
	closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	This powerful cleaner breaks through even the toughest dirt and grime on screens, windows and

Copyright @ 2023 ChemSoft. All rights reserved.

Revision 20 Revision date 2022-11-09

7.3. Specific end use(s)

mirrors, leaving a sparkling streak free finish.

Suitable packaging

Plastic containers.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Occupational exposure controls.

## 8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

## **Exposure Pattern - Workers**

2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
propan-2-ol	Long-term - inhalation - Systemic	500 mg/m³		
	effects			
	Long-term - dermal - Systemic	888 mg/kg		
	effects			

# **Exposure Pattern - General population**

2-butoxyethanol	Acute inhalation - Systemic effects	•	
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic effects	59 mg/m³	Long-term - inhalation - Local 147 mg/m³ effects
	Long-term - dermal - Systemic effects	75 mg/kg	Long-term - oral - Systemic effects 6.3 mg/kg
propan-2-ol	Long-term - inhalation - Systemic effects	89 mg/m³	
	Long-term - dermal - Systemic effects	319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg

## 8.2. Exposure controls





Revision 20 Revision date 2022-11-09

## 8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of
controls	vapours below there respective threshold limit value. Ensure eyewash stations and safety
	showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection -	Rubber gloves.
Handprotection	
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation
	wear suitable respiratory equipment.
8.2.3. Environmental exposure	Prevent further leakage or spillage if safe to do so.
controls	

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear/Blue
Odour	Alcoholic
pH	6 - 9
Melting point	No data available
Initial boiling point	No data available
Flash point	40 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour Flammability	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

# 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.98 - 0.99 g/cm³
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	No data available
compounds)	

# Water solubility

	Soluble.
9.2.1. Information with regard to physical hazard classes	
	No data is available on this product.

20 Revision Revision date 2022-11-09

1	Revision date 2022-11-0
9.2.2. Other safety characteristics	
	No data is available on this product.
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous reactions	
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition products	
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological information	

## 11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = >20mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	1

2-butoxyethanol	Inhalation Rat LC50/1 h: >3.1 mg/l	Dermal Rat LD50: >2000 mg/kg
	Oral Rat LD50: 1200 mg/kg	Inhalation Rat LC50/4 h: 11.0 mg/l
		(vapours)
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm	Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 12800 mg/kg	

Revision 20 Revision date 2022-11-09

### 11.2 Information on other hazards

No data is available on this product.

# SECTION 12: Ecological information

### 12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/	
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l	Fathead minnows LC50/96h: 9640 mg/l

## 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD quide lines.

## 12.3. Bioaccumulative potential

The product is not bioaccumulating.

### Partition coefficient

LEVC Glass Cleaner No data available	propan-2-ol 0.05 log P
<b>2-butoxyethanol</b> 0.81 log P	

## 12.4. Mobility in soil

This product is soluble in water.

# 12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

### 12.6 Endocrine disrupting properties

No data is available on this product.

### 12.7. Other adverse effects

No data is available on this product.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

### General information

Dispose of in compliance with all local and national requirements.

### Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

# SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN1993

Revision 20 Revision date 2022-11-09

	Revision date 2022-11-03
14.2. UN proper shipping name	
	FLAMMABLE LIQUID, N.O.S. (contains Isopropanol)
14.3. Transport hazard class(es	3)
ADR/RID	3
Subsidiary risk	Ţ <sub>-</sub>
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	] -
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for us	ser
	No additional special precautions.
14.7 Maritime Transport in bulk	according to IMO instruments
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L
SECTION 15: Regulatory in	formation

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Revision 20 Revision date 2022-11-09

## 15.2. Chemical safety assessment

No information available.

# SECTION 16: Other information

### Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 40 degC.
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.