

according to Regulation (EU) 2020/878

Page 1/9

Harry Fairbairn Bird & Bug Remover

 Revision
 21

 Revision date
 2024-05-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Harry Fairbairn Bird & Bug Remover 1.2. Relevant identified uses of the substance or mixture and uses advised against Product Use [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); Description A combination of surfactants which neutralise the acid in bird lime. 1.3. Details of the supplier of the safety data sheet SUPAGARD LIMITED Company Address 19-27 Gavinton Street Muirend Glasgow G44 3EF Web www.supagard.com Telephone 0141 633 5933 Fax 01416377219 Email James.Smyth@supagard.com Email address of the James.Smyth@supagard.com competent person 1.4. Emergency telephone number **Emergency telephone number** 01416335933 8.30am to 5.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
2.2. Label elements	
Precautionary Statement: Prevention	P102 - Keep out of reach of children.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



 Revision
 21

 Revision date
 2024-05-13

2.2. Label elements				
Hazard Statement	No Significant Hazard			
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.			
INFORMATION	Less than 5% Non-ionic surfactants.			
	Contains - 2,2',2"-Nitrilotriethanol, Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Denatured Ethanol, 2-butoxyethanol.			
2.3. Other hazards				
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.			

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2',2"-Nitrilotriethanol		102-71-6	203-049-8	01-2119486482-31	1 - 10%	
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Diethanolamine		111-42-2	203-868-0	01-2119488930-28	0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Repr. 2: H361fd; STOT RE 2: H373;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		
4.2. Most important symptoms a	and effects, both acute and delayed		
Inhalation	May cause irritation to respiratory system.		
Eye contact	May cause irritation to eyes.		
Skin contact	May cause skin dryness and irritation.		
Ingestion	May cause irritation to mucous membranes.		
4.3. Indication of any immediate medical attention and special treatment needed			
	TREAT SYMPTOMATICALLY.		
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.		



Revision date 2024-05-13

4.3. Indication of any immediate	medical attention and special treatment needed
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	n the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	lorage
7.1. Precautions for safe handlin	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	A combination of surfactants which neutralise the acid in bird lime.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.



8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Local	5 mg/m³		
	effects			
	Long-term - dermal - Systemic	6.3 mg/kg		
	effects			
2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
	effects		effects	

Exposure Pattern - General population

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Local 1	.25 mg/m³		
	effects	4	Lange to many sources Or setup of the star	10
	Long-term - dermal - Systemic 3 effects	.1 mg/kg	Long-term - oral - Systemic effects	13 mg/kg
2-butoxyethanol	Acute inhalation - Systemic 4	26 mg/m ³		
-	effects			
	Acute dermal - Systemic effects 8	9 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic 5	9 mg/m³	Long-term - inhalation - Local	147 mg/m³
	effects		effects	
	Long-term - dermal - Systemic 8	9 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
	effects			
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 1	14 mg/m³		
	effects			
	Long-term - inhalation - Local 9	50 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic 8	7 mg/kg		
	effects			

8.2. Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use



Revision date 2024-05-13

8.2. Exposure controls	
	appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Viscosity	< 50 centipoise
Density / Relative Density	No data available
Partition coefficient	No data available
Explosive properties	No data available
Oxidising properties	Not applicable.
Autoignition temperature	No data available
Odour threshold	No data available
рН	8 - 10
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	Not applicable.
Surface tension	No data available
Specific gravity	1 - 1.01 g/cm³
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.



		Revision date 2024-05-13		
10.2. Chemical stability				
	Stable under normal conditions. No particular stability concern	IS.		
10.3. Possibility of hazardous re	actions			
	Strong acids. Strong oxidising agents.			
10.4. Conditions to avoid				
	Protect from frost.			
10.5. Incompatible materials				
	No incompatible groups noted.			
10.6. Hazardous decomposition				
	-	llad correctly		
	No Hazardous decomposition products when stored and hand			
SECTION 11: Toxicological i	nformation			
11.1 Information on hazard class	56S			
	This mixture has not been tested as a whole for health effects calculated from raw material supplier LD50 and Acute Toxicity Regulation (EC) No. 1272/2008 (CLP) as amended by UK law	Estimates (ATE) as outlined in the		
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >20 mg/l.			
Skin corrosion/irritation	based on available data the classification criteria are not met.			
Serious eye damage/irritation	based on available data the classification criteria are not met.			
Respiratory or skin sensitisation	based on available data the classification criteria are not met.			
Germ cell mutagenicity	based on available data the classification criteria are not met.			
Carcinogenicity	based on available data the classification criteria are not met.			
Reproductive toxicity	based on available data the classification criteria are not met.			
STOT-single exposure	based on available data the classification criteria are not met.			
STOT-repeated exposure	based on available data the classification criteria are not met.			
Aspiration hazard	based on available data the classification criteria are not met.			
Repeated or prolonged exposure	based on available data the classification criteria are not met.			
11.1.2. Mixtures				
	No data available.			
11.1.3. Hazard Information				
	No data available.			
11.1.4. Toxicological Information	1			
2,2',2"-Nitrilotriethanol	Oral Rat LD50: 4190 mg/kg	Dermal Rabbit LD50: >20,000 mg/kg		
2-butoxyethanol	Oral Rat LD50: 1200 mg/kg	Dermal Rabbit LD50: >2000 mg/kg		
	Inhalation Rat LC50/4 h: 2.2 mg/l			
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Inhalation Rat LC50/4 h: >20 mg/l	Dermal Rabbit LD50: 15800.0 mg/kg		
11.2 Information on other hazard				

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity



Revision date 2024-05-13

12.1. Toxicity				
2,2',2"-Nitrilotriethanol	Green algae EC50/96h:	169 mg/l	Algae EC50/72h:	216 mg/l
	Fathead minnows LC50/96h:	10600 - 13000 mg/l	Lepomis_Macrochirus LC50/96h:	450 - 1000 mg/l
2-butoxyethanol	Daphnia EC50/48h:	1550.0000 mg/l	Algae EC50/72h:	911 mg/l (Pseudokirchnerie lla subcapitata)
	Lepomis_Macrochirus LC50/96h:	1490 - 2950 mg/l		
	EC50 for marine or freshwater organisms	>100.0000 mg/l	LC50 for marine or freshwater organisms	>100.0000 mg/l
Ethanol: Ethyl Alcohol	Daphnia EC50/48h:	12340.0000 mg/l	Algae EC50/72h:	275 mg/l
	Green Algae EC50/48h:	>100mg/l	Fathead minnows LC50/96h:	
	Rainbow trout LC50/96h:	13000 mg/l	Golden orfe LC50/48h:	>100 mg/l
	NOEC / EC10 for marine or freshwater organisms	9.6000 mg/l		
	iresriwater organisms			
2.2. Persistence and degradat	bility			
	Substance biodegrades at a m guide lines.	oderate rate and in	herently biodegradable accordir	ng to the OECD
12.3. Bioaccumulative potential	·			
	The product is not bioaccumul	ating.		
Partition coefficient				
	Harry Fairbairn Bird & Bug Remover	No data available	2,2',2"-Nitrilotriethanol	-2.53 Log Pow
	Ethanol: Ethyl Alcohol	-0.35 log P	2-butoxyethanol	0.81 log P
12.4. Mobility in soil				
	This product is soluble in wate	r.		
12.5. Results of PBT and vPvB	assessment			
	This substance/mixture is not of	classified as PBT or	vPvB according to current crite	ria.
12.6 Endocrine disrupting prope	erties			
	No data is available on this pro	oduct.		
12.7. Other adverse effects				
		-		

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport information		
14.1. UN number		

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name



Revision date 2024-05-13

14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for user		
	The product is not classified as dangerous for carriage.	
14.7 Maritime Transport in bulk according to IMO instruments		
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,	

93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). As retained and amended in UK law.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 12 - 12.1. Toxicity.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Repr. 2: H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled



 Revision
 21

 Revision date
 2024-05-13

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

