according to Regulation (EU) 2020/878

Page 1/9

Volvo Bird & Bug Remover

Revision 21 Revision date 2024-05-13

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Volvo Bird & Bug Remover
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	A combination of surfactants which neutralise the acid in bird lime.
1.3. Details of the supplier of the	safety data sheet
Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street Muirend Glasgow G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com
1.4. Emergency telephone numb	per
Emergency telephone number	01416335933
	8.30am to 5.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identifi	ication

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
2.2. Label elements	

Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.

Revision 21 **Revision date** 2024-05-13

2.2. Label elements

Hazard Statement	No Significant Hazard			
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.			
INFORMATION	Less than 5% Non-ionic surfactants.			
	Contains - 2,2',2"-Nitrilotriethanol, Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Denatured Ethanol, 2-butoxyethanol.			
2.3. Other hazards				
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.			
Further information				
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.			

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2',2"-Nitrilotriethanol		102-71-6	203-049-8	01-2119486482-31	1 - 10%	
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Diethanolamine		111-42-2	203-868-0	01-2119488930-28	0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Repr. 2: H361fd; STOT RE 2: H373;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (CAS No. 308062-28-4) - M Factor (Acute) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	contact May cause skin dryness and irritation.	
Ingestion	May cause irritation to mucous membranes.	

4.3. Indication of any immediate medical attention and special treatment needed			
	TREAT SYMPTOMATICALLY.		
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.		

Revision 21
Revision date 2024-05-13

	Revision date 2024-05
4.3. Indication of any immed	diate medical attention and special treatment needed
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	measures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding material
5.2. Special hazards arising	from the substance or mixture
орозина	None known.
5.3. Advice for firefighters	Total Missin.
or a mongriture	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
	·
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental	release measures
6.1. Personal precautions, p	protective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precauti	
	Advise local authorities if large spills cannot be contained.
3.3 Methods and material f	for containment and cleaning up
o.o. Motilodo and material i	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled
	containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water.
6.4. Reference to other sec	tions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling a	nd storage
7.1. Precautions for safe ha	
7.1.1 recautions for sale na	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for acts ato	rage, including any incompatibilities
7.2. Conditions for sale stor	
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	A combination of surfactants which neutralise the acid in bird lime.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure of	controls/personal protection
8.1. Control parameters	
	Occupational exposure controls.

Revision 21
Revision date 2024-05-13

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2.2'.2"-Nitrilotriethanol	Long-term - inhalation - Local	5 mg/m³		
, ,_	effects	g		
	Long-term - dermal - Systemic	6.3 mg/kg		
	effects			
2-butoxyethanol	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
	effects		effects	

Exposure Pattern - General population

2,2',2"-Nitrilotriethanol	Long-term - inhalation - Local	1.25 mg/m³		
	effects			
	Long-term - dermal - Systemic	3.1 mg/kg	Long-term - oral - Systemic effects	13 mg/kg
	effects			
2-butoxyethanol	Acute inhalation - Systemic	426 mg/m³		
	effects			
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic	59 mg/m³	Long-term - inhalation - Local	147 mg/m³
	effects		effects	
	Long-term - dermal - Systemic	89 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
	effects			
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use



Revision 21 Revision date 2024-05-13

8.2. Exposure controls

appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour

Odour

Characteristic

Initial boiling point

No data available

Odour threshold

No data available

pН

8 - 10

Melting point Not applicable.

Flash point

Evaporation rate

62 °C

Flammability (solid, gas)

No data available No data available

Vapour pressure

No data available

Relative Vapour Density

No data available

Density / Relative Density Partition coefficient

No data available No data available

Autoignition temperature

No data available

Viscosity

< 50 centipoise

Explosive properties

No data available Not applicable.

Oxidising properties

Soluble in water

9.2. Other information

Conductivity Not applicable

Surface tension 1 - 1.01 a/cm³

Solubility

No data available

Specific gravity Gas group

No data available

Benzene Content

Not applicable.

Lead content Not applicable.

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

Revision 21 **Revision date** 2024-05-13

10.2. Chemical stability			
	Stable under normal conditions. No particular stability concerns.		
10.3. Possibility of hazardous re	10.3. Possibility of hazardous reactions		
	Strong acids. Strong oxidising agents.		
10.4. Conditions to avoid	10.4. Conditions to avoid		
	Protect from frost.		
10.5. Incompatible materials			
	No incompatible groups noted.		
10.6. Hazardous decomposition	10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly.		
SECTION 11: Toxicological information			

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been
	calculated from raw material supplier LD50 and Acute Toxicity Estimates (ATE) as outlined in the Regulation (EC) No. 1272/2008 (CLP) as amended by UK law.
Acute toxicity	based on available data the classification criteria are not met.
· ·	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = >20 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,2',2"-Nitrilotriethanol	Oral Rat LD50: 4190 mg/kg	Dermal Rabbit LD50: >20,000 mg/kg
2-butoxyethanol	Oral Rat LD50: 1200 mg/kg Dermal Rabbit LD50: >2000 n	
	Inhalation Rat LC50/4 h: 2.2 mg/l	
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: >20 mg/l	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

Revision 21
Revision date 2024-05-13

12.1.	Toxicity
-------	-----------------

2,2',2"-Nitrilotriethanol	Green algae EC50/96h:	169 mg/l	Algae EC50/72h:	216 mg/l
	Fathead minnows LC50/96h:	10600 - 13000	Lepomis_Macrochirus LC50/96h:	450 - 1000 mg/l
		mg/l		
2-butoxyethanol	Daphnia EC50/48h:	1550.0000 mg/l	Algae EC50/72h:	911 mg/l
				(Pseudokirchnerie
				lla subcapitata)
	Lepomis_Macrochirus LC50/96h:	1490 - 2950 mg/l		
	EC50 for marine or freshwater	>100.0000 mg/l	LC50 for marine or freshwater	>100.0000 mg/l
	organisms		organisms	
Ethanol: Ethyl Alcohol	Daphnia EC50/48h:	12340.0000 mg/l	Algae EC50/72h:	275 mg/l
	Green Algae EC50/48h:	>100mg/l	Fathead minnows LC50/96h:	14200 mg/l
	Rainbow trout LC50/96h:	13000 mg/l	Golden orfe LC50/48h:	>100 mg/l
	NOEC / EC10 for marine or	9.6000 mg/l		
	freshwater organisms			

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

Volvo Bird & Bug Remover No data available	2,2',2"-Nitrilotriethanol -2.53 Log Pow
Ethanol: Ethyl Alcohol -0.35 log P	2-butoxyethanol 0.81 log P

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

Revision 21
Revision date 2024-05-13

14.3.	Transport	hazard	С	ass(es))

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7 Maritime Transport in bulk according to IMO instruments

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). As retained and amended in UK law

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

12 - 12.1. Toxicity.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Repr. 2: H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and

Revision 21
Revision date 2024-05-13

Further information	
	belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

