

according to Regulation (EU) 2020/878

Stoneacre Snow Foam

Revision

Page

1/9

	Revision 4
	Revision date 2024-05-30
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Stoneacre Snow Foam
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Snow Foam.
1.3. Details of the supplier of the	e safety data sheet
Company	SUPAGARD LIMITED
Address	19-27 Gavinton Street
	Muirend Glasgow
	G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the	James.Smyth@supagard.com
competent person	
1.4. Emergency telephone numb	
Emergency telephone number	01416335933
	8.30am to 5.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identifi	cation
2.1. Classification of the substan	ice or mixture
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314;
2.2. Label elements	
Hazard pictograms	



Revision 4

Revision date 2024-05-30

2.2.	Label	elements	
------	-------	----------	--

Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P264 - Wash hands and other contacted skin thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P350 - IF ON SKIN: Gently wash with plenty of soap and water.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	5 - 15% Anionic Surfactants, Less than 5% Amphoteric Surfactants, Less than 5% Non-ionic
	Surfactants, EDTA and salts thereof, Parfum, Vanillin, CI 74190.
	Contains - Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Alcohols, C12-14,
	ethoxylated, sulfates, sodium salts, 2-butoxyethanol, Ethyl Methylphenylglycidate, Sodium
	Hydroxide.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The

substance/mixture does not contain substances with endocrine disrupting properties.

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
ethyl 3-methyl-3-phenyloxirane-2-carbox ylate		77-83-8	201-061-8		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	0.5 - 1%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS		68891-38-3			1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Butyl Glycol Ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Irrit. 2: H319;

= 1.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, CAS No. 308062-28-4 - M Factor Acute

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	May cause irritation to respiratory system.	
Eye contact	Causes serious eye damage.	

Copyright © 2024 ChemSoft. All rights reserved.



Revision 4

Revision date 2024-05-30

4.2. Most important symptoms a	nd effects, both acute and delayed
Skin contact	Causes severe burns.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	n the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlin	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	Snow Foam.
Suitable packaging	



Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

~

Occupational exposure controls.

Butyl Glycol Ether	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
(2-Butoxyethanol)		
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Sodium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Worke	rs	
Butyl Glycol Ether	Acute inhalation - Systemic 1091 mg/m ³ effects Acute inhalation - Local effects 246 mg/m ³	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic 98 mg/m ³ effects	Long-term - dermal - Systemic 125 mg/kg effects
Sodium Hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/m ³	Long-term - inhalation - Local 1 mg/m ³ effects

Exposure Pattern - General population

Butyl Glycol Ether	Acute inhalation - Systemic effects	426 mg/m ³		
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic	59 mg/m³	Long-term - inhalation - Local	147 mg/m³
	effects		effects	
	Long-term - dermal - Systemic	75 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
	effects			
Sodium Hydroxide	Long-term - inhalation - Local	1 mg/m³		
	effects			

8.2. Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.



8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance Liquid Colour Blue Odour Characteristic Odour threshold No data available pН > 12 Melting point No data available Initial boiling point No data available Flammability (solid, gas) No data available Vapour pressure No data available **Relative Vapour Density** No data available Density / Relative Density 1.04 - 1.05 g/cm3 Partition coefficient No data available Autoignition temperature No data available Viscosity < 200 centipoise Explosive properties No data available Oxidising properties No data available Evaporation rate No data available Solubility Soluble in water

9.2. Other information

Lead content	No data available
VOC (Volatile organic	No data available
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.



Revision date 2024-05-30

SECTION 10: Stability and reactivity		
10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous re	actions	
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid	•	
	Protect from frost.	
10.5. Incompatible materials	·	
	No incompatible groups noted.	
10.6. Hazardous decomposition		
	No Hazardous decomposition products when stored and handled correctly.	
SECTION 11: Toxicological		
11.1 Information on hazard class	ses	
	This mixture has not been tested as a whole for health effects. The health effects have been calculated from raw material supplier LD50 and Acute Toxicity Estimates (ATE) as outlined in the Regulation (EC) No. 1272/2008 (CLP) as amended by UK law.	
Acute toxicity	based on available data the classification criteria are not met.	
	Oral ATE = >10,000 mg/kg. ATE Dust/Mist = >20 mg/l.	
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - \geq 11.5.	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitisation	based on available data the classification criteria are not met.	
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
Repeated or prolonged exposure	based on available data the classification criteria are not met.	
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	ו	
	No data available	
11.2 Information on other hazard	ds	
	No data is available on this product.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
	No data available	
	-	



12.2. Persistence and degradability		
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	Stoneacre Snow Foam No data available Butyl Glycol Ether 0.81 Log Pow Sodium Hydroxide No data available	
12.4. Mobility in soil		
	This product is soluble in water.	
12.5. Results of PBT and vPvB a	assessment	
	This substance/mixture is not classified as PBT or vPvB according to current criteria.	
12.6 Endocrine disrupting prope	rties	
	No data is available on this product.	
12.7. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport info	rmation	
Hazard pictograms		
14.1. UN number		
	UN1760	
14.2. UN proper shipping name		
	CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide and EDTA)	
14.3. Transport hazard class(es)		
ADR/RID	8	
Subsidiary risk	-	
	8	
-		
14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID	CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide and EDTA) 8 -	

Subsidiary risk

| -



Revision 4 **Revision date** 2024-05-30

14.4. Packing group	I.4. Packing group		
Packing group			
14.5. Environmental hazards	4.5. Environmental hazards		
Environmental hazards	No		
Marine pollutant	No		
ADR/RID			
Hazard ID	80		
Tunnel Category	(E)		
IMDG			
EmS Code	F-A S-B		
ΙΑΤΑ			
Packing Instruction (Cargo)	856		
Maximum quantity	60 L		
Packing Instruction (Passenger)	852		
Maximum quantity	5 L		
SECTION 15: Regulatory information			
15.1. Safety, health and environ	nmental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,		

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). As retained and amended in UK law.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information Other information

_		
	Revision	This document differs from the previous version in the following areas:.
		2 - 2.1.2. Classification - EC 1272/2008.
		2 - SUPPLEMENTAL HAZARD INFORMATION.
		12 - 12.1. Toxicity.
	Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
		(EC) No. 1272/2008, as retained and amended in UK law.
		Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - \ge 11.5.
	Text of Hazard Statements in	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Section 3	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.



Other information		
	 Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Eye Irrit. 2: H319 - Causes serious eye irritation. 	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

