according to Regulation (EU) 2020/878

Page 1/9

Stoneacre Snow Foam

Revision 3
Revision date 2023-01-17

1.1. Product identifier

Product name	Stoneacre Snow Foam
i ioductilanic	Ctoricacic Criow i Carri

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and

cleaning products (including solvent based products);

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description Snow Foam.

1.3. Details of the supplier of the safety data sheet

Company SUPAGARD LIMITED

Address 19-27 Gavinton Street

Muirend Glasgow G44 3EF

Web www.supagard.com

Telephone 0141 633 5933 **Fax** 01416377219

Email James.Smyth@supagard.com

Email address of the competent person

James.Smyth@supagard.com

1.4. Emergency telephone number

Emergency telephone number

01416335933

8.30am to 5.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms



Revision 3 Revision date 2023-01-17

2.2. Label elements

Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P264 - Wash hands and other contacted skin thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P350 - IF ON SKIN: Gently wash with plenty of soap and water.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	5 - 15% Anionic Surfactants, Less than 5% Amphoteric Surfactants, Less than 5% Non-ionic
	Surfactants, EDTA and salts thereof, Parfum, CI 74190.
	Contains - Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Alcohols, C12-14,
	ethoxylated, sulfates, sodium salts, 2-butoxyethanol, Ethyl Methylphenylglycidate, Sodium
	Hydroxide.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.
Further information	

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
ethyl 3-methyl-3-phenyloxirane-2-carbox ylate		77-83-8	201-061-8		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	0.5 - 1%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3	500-234-8	01-2119488639-16	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Butyl Glycol Ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		1 - 10%	Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Sodium Hydroxide		1310-73-2	215-185-5	01-2119457892-27	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1A: H314;

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, CAS No. 308062-28-4 - M Factor Acute = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Revision 3
Revision date 2023-01-17

	Revision date 2023-01-1
4.2. Most important symptom	s and effects, both acute and delayed
Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Causes severe burns.
Ingestion	May cause irritation to mucous membranes.
_	ate medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
Lyo comact	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	•
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
OFOTION 5 F' 5 L'	
SECTION 5: Firefighting r	measures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising t	from the substance or mixture
	None known.
5.3. Advice for firefighters	
O.O. 7 tavioo ioi iliongritoro	Fire fighters should was self-contained monitive processing broathing apparatus (CCDA) and full
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	tarrout gour
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental re	elease measures
	rotective equipment and emergency procedures
o. r. r ersonar precautions, pr	
0.0 For incorporate language.	Wear suitable protective equipment.
6.2. Environmental precautio	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for	r containment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other section	ons
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling on	
SECTION 7: Handling and	
7.1. Precautions for safe han	i a a a a a a a a a a a a a a a a a a a
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
1.2. Conditions for safe stora	ge, including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	Snow Foam.

Revision 3 Revision date 2023-01-17

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Alcohols, C12-14, ethoxylated,	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
sulfates, sodium salts		
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Butyl Glycol Ether	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
(2-Butoxyethanol)		
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Sodium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Alcohols, C12-14, ethoxylated,	Long-term - inhalation - Systemic	175 mg/m³		
sulfates, sodium salts	effects			
	Long-term - dermal - Systemic	2750 mg/kg		
	effects			
Butyl Glycol Ether	Acute inhalation - Systemic	1091 mg/m³		
	effects			
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects	89 mg/kg
	Long-term - inhalation - Systemic	98 mg/m³	Long-term - dermal - Systemic	125 mg/kg
	effects		effects	
Sodium Hydroxide	Acute inhalation - Local effects	2 mg/m³		
	Acute dermal - Local effects	2 mg/m³	Long-term - inhalation - Local	1 mg/m³
			effects	


Exposure Pattern - General population

Revision 3
Revision date 2023-01-17

Exposure Pattern - General population

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Long-term - inhalation - Systemic effects	52 mg/m³	
	Long-term - dermal - Systemic effects	1650 mg/kg	Long-term - oral - Systemic effects 15 mg/kg
Butyl Glycol Ether	Acute inhalation - Systemic effects	426 mg/m³	
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic effects	59 mg/m³	Long-term - inhalation - Local 147 mg/m³ effects
	Long-term - dermal - Systemic effects	75 mg/kg	Long-term - oral - Systemic effects 6.3 mg/kg
Sodium Hydroxide	Long-term - inhalation - Local effects	1 mg/m³	

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

controls

Revision 3 Revision date 2023-01-17

9.1. Information on basic physical and chemical properties

_	
Appearance	Liquid
Colour	Blue
Odour	Characteristic
Odour threshold	No data available
pH	> 12
Melting point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.04 - 1.05 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 200 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

Revision 3 Revision date 2023-01-17

11.1 Information on hazard classes

11.1 Information on hazard clas	ses				
Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.				
	ATE Dust/Mist = >20 mg/l.				
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5.				
Serious eye damage/irritation	Causes serious eye damage.				
Respiratory or skin sensitisation	based on available data the classification criteria are not met.				
Germ cell mutagenicity	based on available data the classification criteria are not met.				
Carcinogenicity	based on available data the classification criteria are not met.				
Reproductive toxicity	based on available data the classification criteria are not met.				
STOT-single exposure	based on available data the classification criteria are not met.				
STOT-repeated exposure	based on available data the classification criteria are not met.				
Aspiration hazard	based on available data the classification criteria are not met.				
Repeated or prolonged	based on available data the classification criteria are not met.				
exposure					
11.1.2. Mixtures					
	No data available.				
11.1.3. Hazard Information	The data distance.				
11.1.3. Hazaru iniormation	T				
	No data available.				
11.1.4. Toxicological Information	n				
	No data available				
11.2 Information on other hazar	ds				
	No data is available on this product.				
	·				
SECTION 12: Ecological info	ormation				
12.1. Toxicity					
	No data available				
12.2. Persistence and degradab	· oility				
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.				
12.3. Bioaccumulative potential	<u> </u>				
	The product is not his postmulating				
	The product is not bioaccumulating.				
Partition coefficient					
	Stoneacre Snow Foam No data available Alcohols, C12-14, ethoxylated, 0.3 Log Pow sulfates, sodium salts				
	Butyl Glycol Ether 0.81 Log Pow Sodium Hydroxide No data available				
12.4. Mobility in soil					
12.7. WODING III 30II	This was dust in policible in contain				
	This product is soluble in water.				
12.5. Results of PBT and vPvB	assessment				
	This substance/mixture is not classified as PBT or vPvB according to current criteria.				
12.6 Endocrine disrupting prope	erties				
	No data is available on this product.				
	1				

Revision 3

	Revision date 2023-01-17
12.7. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	Propose of waste and rootates in association with rootal authority roquirements.
- Conoral Information	Dispose of in compliance with all local and national requirements.
Disposal of packaging	Bispose of in compliance with all local and national requirements.
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.
SECTION 14: Transport info	ormation
Hazard pictograms	
	8
14.1. UN number	
	UN1760
14.2. UN proper shipping name	
	CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide and EDTA)
14.3. Transport hazard class(es	;)
ADR/RID	8
Subsidiary risk	<u> </u>
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	<u> </u> -
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No No
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

Revision 3
Revision date 2023-01-17

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 2.1. Classification of the substance or mixture.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 15 Labelling.
- 15 Hazard Statement.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - \geq 11.5.

Text of Hazard Statements in Section 3

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

Eye Irrit. 2: H319 - Causes serious eye irritation. Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.