

according to Regulation (EU) 2020/878

Page 1/8

Supagard Motorcycle Visor Spray

 Revision
 0

 Revision date
 2021-09-06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	Supagard Motorcycle Visor Spray	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	 [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [SU22] Professional uses: Public domain (administration, education, entertainment, services, useful to the products); 	
Description	craftsmen); [PC35] Washing and cleaning products (including solvent based products); Motorcycle Visor Demisting/Cleaning Spray.	
1.3. Details of the supplier of the	e safety data sheet	
Company Address	SUPAGARD LIMITED 19-27 Gavinton Street Muirend Glasgow G44 3EF	
Web	www.supagard.com	
Telephone -	0141 633 5933	
Fax	01416377219	
Email Email address of the competent person	James.Smyth@supagard.com James.Smyth@supagard.com	
1.4. Emergency telephone numb	ber	
Emergency telephone number	01416335933 8.30am to 5.00pm	

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substar	nce or mixture	
2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.	
2.2. Label elements		
Precautionary Statement: Prevention	P102 - Keep out of reach of children.	
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	



2.2. Label elements		
	P337+P313 - If eye irritation persists: Get medical advice/attention.	
Hazard Statement	No Significant Hazard	
2.3. Other hazards		
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10% Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10% Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

•	
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important sympto	oms and effects, both acute and delayed
Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any imme	ediate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising	g from the substance or mixture
	None known.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.
Copyright © 2023 ChemSoft. All rights	reserved. Print data 2023_04_0



Further information			
	Use extinguishing measures that are appropriate to local circumstances and the surrounding		
	environment.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Wear suitable protective equipment.		
6.2. Environmental precautions			
	Advise local authorities if large spills cannot be contained.		
6.3. Methods and material for containment and cleaning up			
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.		
6.4. Reference to other sections			
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and st	torage		
7.1. Precautions for safe handlin	g		
	Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage, including any incompatibilities			
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	Motorcycle Visor Demisting/Cleaning Spray.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure control	ols/personal protection		
8.1. Control parameters			

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

Occupational exposure controls.

DNEL: Derived no-effect level.

Exposure Pattern - Workers



 Revision
 0

 Revision date
 2021-09-06

Exposure Pattern - Workers 2-butoxyethanol Acute inhalation - Systemic 1091 mg/m³ effects Acute inhalation - Local effects 246 mg/m³ Acute dermal - Systemic effects 89 mg/kg Long-term - inhalation - Systemic 98 mg/m³ Long-term - dermal - Systemic 125 mg/kg propan-2-ol Long-term - inhalation - Systemic 500 mg/m³ effects Long-term - dermal - Systemic 888 mg/kg effects

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic 426 mg/m ³ effects Acute dermal - Systemic effects 89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic 59 mg/m ³ effects Long-term - dermal - Systemic 75 mg/kg	Long-term - inhalation - Local 147 mg/m³ effects Long-term - oral - Systemic effects 6.3 mg/kg
propan-2-ol	effects Long-term - inhalation - Systemic 89 mg/m ³ effects Long-term - dermal - Systemic 319 mg/kg effects	Long-term - oral - Systemic effects 26 mg/kg

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Nitrile rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Characteristic
Odour threshold	No data available
pH	3 - 4
Melting point	No data available
Initial boiling point	No data available
Flash point	> 62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.986 - 0.995
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	
SECTION 10: Stobility and reactivity	

SECTION 10: Stability and reactivity

10.1.	Reactivity
-------	------------

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous re	actions
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	
	No incompatible groups noted.
10.6. Hazardous decomposition products	
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological information	
11.1 Information on hazard classes	
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.

Oral ATE = >10,000 mg/kg



0

Revision date 2021-09-06

Revision

11.1 Information on hazard classes

	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = >10,000 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg	Oral Rat LD50: 1300 mg/kg
	Inhalation Rat LC50/4 h: 11.0 mg/l	
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm	Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg	

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l	Algae EC50/72h: 1840 mg/
	Rainbow trout LC50/96h: 1474 mg/l	
	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
guide lines.

12.3. Bioaccumulative potential

	The product is not bioaccumulating.	
Partition coefficient		
	Supagard Motorcycle Visor Spray No data available	propan-2-ol 0.05 log P
	2-butoxyethanol 0.8 log P	
12.4. Mobility in soil		
	This product is soluble in water.	

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.



 Revision
 0

 Revision date
 2021-09-06

12.6 Endocrine disrupting properties		
	No data available.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging	1	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name	1	
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es))	
	The product is not classified as dangerous for carriage.	
14.4. Packing group	Г	
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for use		
	The product is not classified as dangerous for carriage.	
14.7 Maritime Transport in bulk a		
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory inf		
	mental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
15.2. Chemical safety assessme	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	

No information available.

SECTION 16: Other information

Other information



 Revision
 0

 Revision date
 2021-09-06

Other information	
Text of Hazard Statements in Section 3	 Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Skin Irrit. 2: H315 - Causes skin irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

