

### SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

# **Demister Spray**

Revision 0
Revision date 2021-09-06

	Revision date 2021-09-06
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Demister Spray
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [SU22] Professional uses: Public domain (administration, education, entertainment, services,
Description	craftsmen); [PC35] Washing and cleaning products (including solvent based products);  Motorcycle Visor Demisting/Cleaning Spray.
•	
1.3. Details of the supplier of the	
Company Address	SUPAGARD LIMITED  19-27 Gavinton Street  Muirend  Glasgow  G44 3EF
Web	www.supagard.com
Telephone	0141 633 5933
Fax	01416377219
Email	James.Smyth@supagard.com
Email address of the competent person	James.Smyth@supagard.com
1.4. Emergency telephone numb	per
Emergency telephone number	01416335933 8.30am to 5.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
2.2. Label elements	
Precautionary Statement: Prevention	P102 - Keep out of reach of children.

lenses, if present and easy to do. Continue rinsing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

**Precautionary Statement:** 

Response

Revision 0 Revision date 2021-09-06

2.2. Label elemen	ts
-------------------	----

P337+P313 - If eye irritation persists: Get medical advice/attention.

Hazard Statement No Significant Hazard

2.3. Other hazards

Other hazards This substance/mixture is not classified as PBT or vPvB according to current criteria.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification
				Number	(%w/w)	
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit.
						2: H319; STOT SE 3: H336;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute
						Tox. 4: H312; Acute Tox. 4:
						H302; Eye Irrit. 2: H319; Skin
						Irrit. 2: H315;

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	

#### General Information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 5.2. Special hazards arising from the substance or mixture

None known.

#### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

#### **Further information**

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.

Revision 0
Revision date 2021-09-06

Further information		
	Use extinguishing measures that are approper environment.	priate to local circumstances and the surrounding
SECTION 6: Accidental r	elease measures	
6.1. Personal precautions, p	rotective equipment and emergency procedures	
	Wear suitable protective equipment.	
6.2. Environmental precaution	ons	
	Advise local authorities if large spills cannot	be contained.
6.3. Methods and material fo	or containment and cleaning up	
		nt material. Sweep up. Transfer to suitable, labelled thoroughly with plenty of water. For small spills:. Flus
6.4. Reference to other secti	ons	
	See section 2, 7, 8, 13 for further information	n.
SECTION 7: Handling an	d storage	
7.1. Precautions for safe har	-	
THE TOTAL CONTROL OF THE PARTY	Adopt best Manual Handling considerations	when handling, carrying and dispensing
7.2. Conditions for safe stors	age, including any incompatibilities	when handling, carrying and disperising.
.z. conditions for sale store		htly closed. Keep out of the reach of children. Store in
	original container.	intry closed. Reep out of the reach of children. Store if
7.3. Specific end use(s)		
	Motorcycle Visor Demisting/Cleaning Spray.	
Suitable packaging	,	
	Plastic containers.	
SECTION 8: Exposure of	ontrols/personal protection	
·	ontions/personal protection	
3.1. Control parameters		
	Occupational systems controls	
244 = 11 4341	Occupational exposure controls.	
3.1.1. Exposure Limit Values		
2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3: 101.2 WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	<b>WEL 15 min limit mg/m3:</b> 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ONEL: Derived no-effect leve	el.	

Revision 0
Revision date 2021-09-06

#### **Exposure Pattern - Workers**

2-butoxyethanol	Acute inhalation - Systemic effects Acute inhalation - Local effects Long-term - inhalation - Systemic	246 mg/m³ 98 mg/m³	Acute dermal - Systemic effects Long-term - dermal - Systemic	0 0
propan-2-ol	effects Long-term - inhalation - Systemic effects Long-term - dermal - Systemic effects	500 mg/m³ 888 mg/kg	effects	

#### **Exposure Pattern - General population**

2-butoxyethanol	Acute inhalation - Systemic effects	426 mg/m³		
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects	26.7 mg/kg
	Long-term - inhalation - Systemic effects	59 mg/m³	Long-term - inhalation - Local effects	147 mg/m³
	Long-term - dermal - Systemic effects	75 mg/kg	Long-term - oral - Systemic effects	6.3 mg/kg
propan-2-ol	Long-term - inhalation - Systemic effects	89 mg/m³		
	Long-term - dermal - Systemic effects	319 mg/kg	Long-term - oral - Systemic effects	26 mg/kg

#### 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

# 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

#### Eye / face protection Skin protection -Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Nitrile rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

# 8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Revision 0 Revision date 2021-09-06

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
• •	Colourless
Odour	Characteristic
Odour threshold	No data available
pH	3 - 4
Melting point	No data available
Initial boiling point	No data available
Flash point	> 62 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.986 - 0.995
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

#### SECTION 10: Stability and reactivity

10.1. Read	ctivity
------------	---------

Stable under normal conditions. No specific reactivity hazards associated with this product.

#### 10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

#### 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

#### 10.4. Conditions to avoid

Protect from frost.

#### 10.5. Incompatible materials

No incompatible groups noted.

#### 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

#### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).		
Acute toxicity	based on available data the classification criteria are not met.  Oral ATE = >10 000 mg/kg		

Revision 0 Revision date 2021-09-06

11.1 Information on hazard clas	ses
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = >10,000 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.
11.1.2. Mixtures	·
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	1
2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg Oral Rat LD50: 1300 mg/kg
	Inhalation Rat LC50/4 h: 11.0 mg/l
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg
SECTION 12: Ecological info	ormation
	ormation
SECTION 12: Ecological info 12.1. Toxicity  2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/
12.1. Toxicity	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l
12.1. Toxicity  2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l   Algae EC50/72h: 1840 mg/     Rainbow trout LC50/96h: 1474 mg/l   EC50 for marine or freshwater >100.0000 mg/l   Organisms   O
12.1. Toxicity	Daphnia EC50/48h: 1550.0000 mg/l   Algae EC50/72h: 1840 mg/     Rainbow trout LC50/96h: 1474 mg/l     EC50 for marine or freshwater >100.0000 mg/l   LC50 for marine or freshwater >100.0000 mg/l   organisms   organisms     Daphnia EC50/48h: 10000.0000 mg/l   Fish LC50/96h: 4200.0000 mg/l
12.1. Toxicity  2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l   Algae EC50/72h: 1840 mg/     Rainbow trout LC50/96h: 1474 mg/l   EC50 for marine or freshwater >100.0000 mg/l   Organisms   O
12.1. Toxicity  2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l   Algae EC50/72h: 1840 mg/     Rainbow trout LC50/96h: 1474 mg/l     EC50 for marine or freshwater >100.0000 mg/l   LC50 for marine or freshwater >100.0000 mg/l     organisms   organisms     Daphnia EC50/48h: 10000.0000 mg/l   Fish LC50/96h: 4200.0000 mg/l     Fathead minnows LC50/96h: 9640 mg/l
12.1. Toxicity  2-butoxyethanol  propan-2-ol	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l  EC50 for marine or freshwater >100.0000 mg/l LC50 for marine or freshwater >100.0000 mg/l organisms organisms  Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l  Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
12.1. Toxicity  2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab	Daphnia EC50/48h: 1550.0000 mg/l   Algae EC50/72h: 1840 mg/   Rainbow trout LC50/96h: 1474 mg/l   EC50 for marine or freshwater >100.0000 mg/l   C50 for marine or freshwater >100.0000 mg/l   Organisms   Organisms   Organisms   Organisms   Organisms   Fish LC50/96h: 4200.0000 mg/l   Fathead minnows LC50/96h: 9640 mg/l   Organisms   Organis
12.1. Toxicity  2-butoxyethanol  propan-2-ol	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l  EC50 for marine or freshwater >100.0000 mg/l LC50 for marine or freshwater >100.0000 mg/l organisms organisms  Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l  Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
12.1. Toxicity  2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l  EC50 for marine or freshwater >100.0000 mg/l LC50 for marine or freshwater >100.0000 mg/l organisms organisms  Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l  Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
12.1. Toxicity  2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab  12.3. Bioaccumulative potential	Daphnia EC50/48h: 1550.0000 mg/l Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l organisms Daphnia EC50/48h: 10000.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.1. Toxicity  2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab	Daphnia EC50/48h: 1550.0000 mg/l Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l Organisms Daphnia EC50/48h: 10000.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.  The product is not bioaccumulating.
12.1. Toxicity  2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab  12.3. Bioaccumulative potential	Daphnia EC50/48h: 1550.0000 mg/l Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l organisms Daphnia EC50/48h: 10000.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab  12.3. Bioaccumulative potential  Partition coefficient	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l C50 for marine or freshwater >100.0000 mg/l Organisms  Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.  The product is not bioaccumulating.  Supagard Motorcycle Visor Spray No data available propan-2-ol 0.05 log P
2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab  12.3. Bioaccumulative potential  Partition coefficient	Daphnia EC50/48h: 1550.0000 mg/l Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l organisms Daphnia EC50/48h: 10000.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.  The product is not bioaccumulating.  Supagard Motorcycle Visor Spray No data available propan-2-ol 0.05 log P 2-butoxyethanol 0.8 log P
12.1. Toxicity  2-butoxyethanol  propan-2-ol  12.2. Persistence and degradate  12.3. Bioaccumulative potential  Partition coefficient  12.4. Mobility in soil	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l organisms Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.  The product is not bioaccumulating.  Supagard Motorcycle Visor Spray No data available propan-2-ol 0.05 log P 2-butoxyethanol 0.8 log P  This product is soluble in water.
2-butoxyethanol  propan-2-ol  12.2. Persistence and degradab  12.3. Bioaccumulative potential  Partition coefficient	Daphnia EC50/48h: 1550.0000 mg/l Algae EC50/72h: 1840 mg/ Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater >100.0000 mg/l organisms Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l Fathead minnows LC50/96h: 9640 mg/l  Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.  The product is not bioaccumulating.  Supagard Motorcycle Visor Spray No data available propan-2-ol 0.05 log P 2-butoxyethanol 0.8 log P  This product is soluble in water.

Revision 0 Revision date 2021-09-06

12.6 Endocrine disrupting properties				
	No data available.			
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
	Dispose of waste and residues in accordance with local authority requirements.			
General information				
	Dispose of in compliance with all local and national requirements.			
Disposal of packaging				
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.			
SECTION 14: Transport info	rmation			
14.1. UN number				
	The product is not classified as dangerous for carriage.			
14.2. UN proper shipping name				
	The product is not classified as dangerous for carriage.			
14.3. Transport hazard class(es)				
	The product is not classified as dangerous for carriage.			
14.4. Packing group				
	The product is not classified as dangerous for carriage.			
14.5. Environmental hazards				
	The product is not classified as dangerous for carriage.			
14.6. Special precautions for user				
	The product is not classified as dangerous for carriage.			
14.7 Maritime Transport in bulk a	according to IMO instruments			
	The product is not classified as dangerous for carriage.			
SECTION 15: Regulatory info	ormation			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL			

of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available

#### **SECTION 16: Other information**

#### Other information

Revision 0 Revision date 2021-09-06

Other information				
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Skin Irrit. 2: H315 - Causes skin irritation.			
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.			