PETROL FUEL ADDITIVE

Page: 1

Compilation date: 24/11/2021

Revision date: 14/05/2024

Revision No: 3

# Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: PETROL FUEL ADDITIVE

**Synonyms:** PD0417 HC1712

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC13: Fuels.

# 1.3. Details of the supplier of the safety data sheet

Company name: SUPAGARD LIMITED

23 Gavinton Street

Muirend
Glasgow
Scotland
G44 3EF

Tel: 0141 633 5933

Email: james@supagard.co.uk

# 1.4. Emergency telephone number

Emergency tel: 0141 633 5933

(office hours only)

### Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Asp. Tox. 1: H304; Skin Irrit. 2: H315; Aquatic Chronic 3: H412

Most important adverse effects: May be fatal if swallowed and enters airways. Causes skin irritation. Harmful to aquatic

life with long lasting effects.

# 2.2. Label elements

Label elements:

Hazard statements: H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS08: Health hazard

GHS07: Exclamation mark





#### PETROL FUEL ADDITIVE

Page: 2

Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

P273: Avoid release to the environment.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Haz. ingredients (label): Contains:

HYDROCARBONS, C11-C14, ISOALKANES, LOW AROMATICS; HYDROCARBONS, C9

-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# Hazardous ingredients:

HYDROCARBONS, C11-C14, ISOALKANES, LOW AROMATICS - REACH registered number(s): 01-2119456620-43-XXXX

	EINECS	CAS	PBT / WEL	CLP Classification	Percent
9	26-141-6	64742-47-8	-	Asp. Tox. 1: H304; -: EUH066	>90%

HYDROCARBONS, C9-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS - REACH registered number(s): 01-2119463258-33-XXXX

919-857-5	1174522-20	-	Flam. Liq. 3: H226; STOT SE 3: H336;	1-10%
	-3		Asp. Tox. 1: H304; -: EUH066	

# 1-PROPENE, 2-METHYL-HOMOPOLYMER, AMMONIUM SALT - REACH registered number(s): 1-2119475608-26-XXXX

-	337367-30-3	-	Skin Irrit. 2: H315; Aquatic Chronic 3:	1-10%
			H412	

# Section 4: First aid measures

# 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to

fresh air in case of accidental inhalation of vapours. Consult a doctor.

PETROL FUEL ADDITIVE

Page: 3

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

### 4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel. Turn leaking containers

leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the ground with an appropriate self-

emulsifying solvent.

# 6.4. Reference to other sections

# Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

PETROL FUEL ADDITIVE

Page: 4

# 7.3. Specific end use(s)

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Hazardous ingredients:

# HYDROCARBONS, C11-C14, ISOALKANES, LOW AROMATICS

# Workplace exposure limits:

# Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1200 mg/cm3	-	-	-

# HYDROCARBONS, C9-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

	UK	100 ppm	150 ppm	-	-
--	----	---------	---------	---	---

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Paraffinic

**Evaporation rate:** Slow

Solubility in water: Insoluble

Viscosity: Non-viscous

Boiling point/range°C: >100 Melting point/range°C: -30

Flammability limits %: lower: 0.9 upper: 4.0

Flash point°C: 60 - 93 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: >200 Vapour pressure: No data available.

**Relative density:** 0.815 **pH:** No data available.

VOC g/I: No data available.

### 9.2. Other information

Other information: No data available.

PETROL FUEL ADDITIVE

Page: 5

# Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

### **Hazardous ingredients:**

# HYDROCARBONS, C11-C14, ISOALKANES, LOW AROMATICS

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5000	mg/kg

# HYDROCARBONS, C9-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5000	mg/l

### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

PETROL FUEL ADDITIVE

Page: 6

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

# Section 12: Ecological information

### 12.1. Toxicity

# **Hazardous ingredients:**

# HYDROCARBONS, C11-C14, ISOALKANES, LOW AROMATICS

Daphnia magna	48H EC50	>250	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>1000	mg/l

# HYDROCARBONS, C9-C11, ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

ALGAE	72H IC50	>1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>1000	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Insoluble in water. Floats on water. Vapour is heavier

than air.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Recovery operations:** Solvent reclamation/regeneration.

Waste code number: 20 01 13

Disposal of packaging: Dispose of as normal industrial waste. Arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

#### PETROL FUEL ADDITIVE

Page: 7

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

**IMPORTANT NOTE:** 

Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the

formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels

in the mixed product.

See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.