according to Regulation (EU) 2020/878

Page 1/10

Supagard Wheel Cleaner

Revision 12 Revision date 2025-04-08

| SECTION 1: Identification of | the substance/mixture and of the company/undertaking |
|---------------------------------------|---|
| 1.1. Product identifier | |
| Product name | Supagard Wheel Cleaner |
| 1.2. Relevant identified uses of t | the substance or mixture and uses advised against |
| Product Use | [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); |
| | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); |
| Description | Removes stubborn marks left be brake dust and road grime without damaging coatings, lacquers or tyres. |
| 1.3. Details of the supplier of the | e safety data sheet |
| Company | SUPAGARD LIMITED |
| Address | 19-27 Gavinton Street |
| | Muirend |
| | Glasgow |
| VA/ -1- | G44 3EF |
| Web | www.supagard.com |
| Telephone _ | 0141 633 5933 |
| Fax | 01416377219 |
| Email | James.Smyth@supagard.com |
| Email address of the competent person | James.Smyth@supagard.com |
| 1.4. Emergency telephone numb | per |
| Emergency telephone number | 01416335933 |
| | 8.30am to 5.00pm |
| | For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314; Eye Dam. 1: H318;

2.2. Label elements

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

Revision 12 Revision date 2025-04-08

2.2. Label elements

| Hazard pictograms | |
|-------------------|--|
|-------------------|--|

Signal Word

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Precautionary Statement:

Prevention

P102 - Keep out of reach of children.

 ${\tt P260-Do\ not\ breathe\ dust/fume/gas/mist/vapours/spray}.$

P264 - Wash hands and other contacted skin thoroughly after handling.

Precautionary Statement:

Response

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

Danger

regulations.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Precautionary Statement: Disposal

SUPPLEMENTAL HAZARD INFORMATION

Ingredients as required by Regulation (EC) No 648/2004:.

3.8% Phosphates by weight, 5 - 15% Anionic Surfactants, Less than 5% Non-ionic surfactants,

P501 - Dispose of contents/container to an approved disposal site, in accordance with local

Sodium Metasilicate Pentahydrate.

Contains - C9-11 Alcohol, ethoxylated, sodium (xylene and 4-ethylbenzene) sulfonate, Tetrapotassium pyrophosphate, 2-butoxyethanol, sodium metasilicate pentahydrate.

2.3. Other hazards

Other hazards

This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|--|--------------|------------|-----------|------------------------------|-----------------|---|
| C9-11 Alcohol, ethoxylated | | 68439-46-3 | 931-514-1 | | 1 - 10% | Acute Tox. 4: H302; Eye Dam. 1: H318; |
| sodium (xylenes and 4-ethylbenzene) sulfonate | | | 701-037-1 | 01-2119513350-56 | 1 - 10% | Eye Irrit. 2: H319; |
| Tetrapotassium pyrophosphate | | 7320-34-5 | 230-785-7 | 01-2119489369-18 | 1 - 10% | Eye Irrit. 2: H319; |
| 2-butoxyethanol | 603-014-00-0 | 111-76-2 | 203-905-0 | 01-2119475108-36 | 1 - 10% | Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315; |
| Sodium Metasilicate Pentahydrate | | 6834-92-0 | 229-912-9 | 01-2119449811-37 | 1 - 10% | Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. |
|--------------|--|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses |
| | should be removed. |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested |
| | |

Revision 12 Revision date 2025-04-08

| 4.1. Description of first aid meas | sures |
|--|--|
| | product. |
| 4.2. Most important symptoms a | nd effects, both acute and delayed |
| Inhalation | May cause irritation to respiratory system. |
| Eye contact | Risk of serious damage to eyes. Causes serious eye damage. |
| Skin contact | Causes severe burns. |
| Ingestion | May cause irritation to mucous membranes. |
| 4.3. Indication of any immediate | medical attention and special treatment needed |
| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. |
| SECTION 5: Firefighting mea | asures |
| 5.1. Extinguishing media | |
| | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. |
| 5.2. Special hazards arising from | ' |
| | Burning produces irritating, toxic and obnoxious fumes. |
| 5.3. Advice for firefighters | · · · · · · · · · · · · · · · · · · · |
| | Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental relea | ase measures |
| | ctive equipment and emergency procedures |
| The state of the s | Wear suitable protective equipment. |
| 6.2. Environmental precautions | 1 |
| OZI ZIVII OTIII OTIII PI OGGGGGTO | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for co | |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other sections | |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and s | torage |

7.1. Precautions for safe handling

Revision 12 Revision date 2025-04-08

| 7.1. Precautions for safe handling | ng | |
|------------------------------------|--|--|
| | Avoid contact with eyes and skin. Do not b Handling considerations when handling, ca | reathe vapours or spray mist. Adopt best Manual arrying and dispensing. |
| 7.2. Conditions for safe storage, | including any incompatibilities | |
| | Store in a cool, dry area. Keep container tigoriginal container. | ghtly closed. Keep out of the reach of children. Store in |
| 7.3. Specific end use(s) | | |
| | Removes stubborn marks left be brake dus or tyres. | st and road grime without damaging coatings, lacquers |
| Suitable packaging | | |
| | Plastic containers. | |
| SECTION 8: Exposure contr | ols/personal protection | |
| 8.1. Control parameters | | |
| | | |
| | Occupational exposure controls. | |
| 8.1.1. Exposure Limit Values | | |
| 2-butoxyethanol | WEL 8-hr limit ppm: 25 | WEL 8-hr limit mg/m3: 123 |
| | WEL 15 min limit ppm: 50 | WEL 15 min limit mg/m3: 101.2 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |
| | ioopiiasio aaoti | i copii abio adoti |

DNEL: Derived no-effect level.

Exposure Pattern - Workers

| 2-butoxyethanol | Acute inhalation - Systemic effects | · · | |
|------------------------------|-------------------------------------|--------------|--|
| | Acute inhalation - Local effects | 246 mg/m³ | Acute dermal - Systemic effects 89 mg/kg |
| | Long-term - inhalation - Systemic | 98 mg/m³ | Long-term - dermal - Systemic 125 mg/kg |
| | effects | | effects |
| sodium (xylenes and | Long-term - inhalation - Systemic | 26.9 mg/m³ | |
| 4-ethylbenzene) sulfonate | effects | | |
| | Long-term - dermal - Systemic | 136.25 mg/kg | |
| | effects | | |
| Sodium Metasilicate | Long-term - inhalation - Systemic | 6.22 mg/m³ | |
| Pentahydrate | effects | | |
| | Long-term - dermal - Systemic | 1.49 mg/kg | |
| | effects | | |
| Tetrapotassium pyrophosphate | Long-term - inhalation - Systemic | 44.08 mg/m³ | |
| | effects | | |

Exposure Pattern - General population

Revision 12 Revision date 2025-04-08

Exposure Pattern - General population

| 2-butoxyethanol | Acute inhalation - Systemic effects | ŭ | | |
|------------------------------|--|-------------|--|--------------------------|
| | Acute dermal - Systemic effects | | Acute oral - Systemic effects | 26.7 mg/kg |
| | Long-term - inhalation - Systemic effects | • | Long-term - inhalation - Local effects | 147 mg/m³ |
| | Long-term - dermal - Systemic effects | 89 mg/kg | Long-term - oral - Systemic effects | 6.3 mg/kg |
| sodium (xylenes and | Long-term - inhalation - Systemic | 6.6 mg/m³ | | |
| 4-ethylbenzene) sulfonate | effects | | | |
| | Long-term - dermal - Systemic | 68.1 mg/kg | Long-term - dermal - Local effects | 0.048 mg/cm ³ |
| | effects | | | |
| | Long-term - oral - Systemic | 3.8 mg/kg | | |
| | effects | | | |
| Sodium Metasilicate | Long-term - inhalation - Systemic | 1.55 mg/m³ | | |
| Pentahydrate | effects | | | |
| | Long-term - dermal - Systemic | 0.74 mg/kg | Long-term - oral - Systemic effects | 0.74 mg/kg |
| | effects | | | |
| Tetrapotassium pyrophosphate | Long-term - inhalation - Systemic | 10.87 mg/m³ | | |
| | effects | | | |

8.2. Exposure controls



protection





8.2.1. Appropriate engineering Provontrols

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face

Eye / face protection Skin protection -Handprotection Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 12 Revision date 2025-04-08

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Clear Odour Characteristic No data available **Explosive properties** Odour threshold No data available pН Melting point No data available Initial boiling point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available Vapour pressure No data available **Relative Vapour Density** No data available **Density / Relative Density** 1.068 - 1.075 g/cm3 Partition coefficient No data available Autoignition temperature No data available Viscosity < 50 centipoise No data available Oxidising properties Solubility Soluble in water

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

Revision 12 Revision date 2025-04-08

11.1 Information on hazard classes

| 11.1 IIIIOIIIIatioii oii ilazaid cias | 300 |
|---------------------------------------|---|
| | This mixture has not been tested as a whole for health effects. The health effects have been calculated from raw material supplier LD50 and Acute Toxicity Estimates (ATE) as outlined in the Regulation (EC) No. 1272/2008 (CLP) as amended by UK law. |
| Acute toxicity | based on available data the classification criteria are not met. |
| · | Oral ATE = >10,000 mg/kg. |
| | Dermal ATE = >10,000 mg/kg. |
| | Inhalation - Dust/Mist ATE = >20 mg/l. |
| Skin corrosion/irritation | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5. |
| Serious eye damage/irritation | Causes serious eye damage. |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. |
| Germ cell mutagenicity | based on available data the classification criteria are not met. |
| Carcinogenicity | based on available data the classification criteria are not met. |
| Reproductive toxicity | based on available data the classification criteria are not met. |
| STOT-single exposure | based on available data the classification criteria are not met. |
| STOT-repeated exposure | based on available data the classification criteria are not met. |
| Aspiration hazard | based on available data the classification criteria are not met. |
| Repeated or prolonged | based on available data the classification criteria are not met. |
| exposure | |
| 11.1.2. Mixtures | |
| | No data available. |
| 11.1.3. Hazard Information | |
| | No data available. |
| | |

11.1.4. Toxicological Information

| 2-butoxyethanol | Oral Rat LD50: 1200 mg/kg | Dermal Rabbit LD50: >2000 mg/kg |
|------------------------------|-------------------------------------|----------------------------------|
| | Inhalation Rat LC50/4 h: 2.2 mg/l | |
| C9-11 Alcohol, ethoxylated | Dermal Rat LD50: > 2000 mg/kg | Oral Rat LD50 = >300 - <= 2000 |
| | | mg/kg: |
| sodium (xylenes and | Oral Rat LD50: > 7200 mg/kg | Dermal Rabbit LD50: > 2000 mg/kg |
| 4-ethylbenzene) sulfonate | | |
| | Inhalation Rat LC50/4 h: >6.41 mg/l | |
| Sodium Metasilicate | Dermal Rat LD50: >5,000 mg/kg | |
| Pentahydrate | | |
| Tetrapotassium pyrophosphate | Oral Rat LD50: 2440 mg/kg | Dermal Rabbit LD50: >2000 mg/kg |

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

Revision 12 Revision date 2025-04-08

| 2-butoxyethanol | Daphnia EC50/48h: 155 | 50.0000 mg/l | Algae EC50/72h: | - |
|--|---|---|---------------------------------|----------------------------------|
| | | | | (Pseudokirchner lla subcapitata) |
| | Lepomis_Macrochirus LC50/96h: 149 | 90 - 2950 mg/l | | iia Subcapitata) |
| | EC50 for marine or freshwater >10 | | LC50 for marine or freshwater | >100.0000 mg/l |
| | organisms | | organisms | |
| sodium (xylenes and | Daphnia EC50/48h: 100 | 00.0000 mg/l | Green algae EC50/96h: | 230 mg/l |
| 4-ethylbenzene) sulfonate | Rainbow trout LC50/96h: 100 | 00 ma/l | | |
| Sodium Metasilicate | Daphnia EC50/48h: 170 | | Algae EC50/72h: | 207 mg/l |
| Pentahydrate | · | _ | • | Ū |
| | Brachydanio Rerio LC50/96h: 210 | | | |
| Tetrapotassium pyrophosphate | Daphnia EC50/48h : 100 | - | Algae EC50/72h: | >100 mg/l |
| | Rainbow trout LC50/96h: >10 | 00 mg/l | | |
| 12.2. Persistence and degradat | pility | | | |
| • | • | erate rate and inhe | erently biodegradable according | ng to the OECD |
| | | | | |
| | guide lines. | | , | .g to the 0_02 |
| 12.3 Rioaccumulative potential | guide lines. | | | .9 to the old |
| 12.3. Bioaccumulative potential | guide lines. | | , , | |
| 12.3. Bioaccumulative potential | guide lines. | | , , | |
| 12.3. Bioaccumulative potential | guide lines. | | , , | |
| | guide lines. | | , , | |
| 12.3. Bioaccumulative potential Partition coefficient | guide lines. | ng. | Tetrapotassium pyrophosphate | |
| | guide lines. The product is not bioaccumulating | ng. o data available | | |
| Partition coefficient | The product is not bioaccumulating | ng. o data available | | |
| Partition coefficient | The product is not bioaccumulating | ng. o data available | | |
| Partition coefficient 12.4. Mobility in soil | guide lines. The product is not bioaccumulating Supagard Wheel Cleaner No 2-butoxyethanol 0.8 This product is soluble in water. | ng. o data available | | |
| Partition coefficient 12.4. Mobility in soil | guide lines. The product is not bioaccumulating Supagard Wheel Cleaner No 2-butoxyethanol 0.8 This product is soluble in water. | ng. o data available B1 log P | Tetrapotassium pyrophosphate | No data available |
| | The product is not bioaccumulating Supagard Wheel Cleaner No 2-butoxyethanol 0.8 This product is soluble in water. assessment This substance/mixture is not class | ng. o data available B1 log P | Tetrapotassium pyrophosphate | No data available |
| Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB | The product is not bioaccumulating Supagard Wheel Cleaner No 2-butoxyethanol 0.8 This product is soluble in water. assessment This substance/mixture is not class | o data available 81 log P ssified as PBT or v | Tetrapotassium pyrophosphate | No data available |
| Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB | The product is not bioaccumulating Supagard Wheel Cleaner No 2-butoxyethanol 0.8 This product is soluble in water. assessment This substance/mixture is not classerties | o data available 81 log P ssified as PBT or v | Tetrapotassium pyrophosphate | No data available |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms

Revision 12 Revision date 2025-04-08

| Hazard pictograms | | |
|--|--|--|
| | 8 | |
| 14.1. UN number | | |
| | UN3266 | |
| 14.2. UN proper shipping name | | |
| | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Contains Sodium Metasilicate Pentahydrate) | |
| 14.3. Transport hazard class(es |) | |
| ADR/RID | 8 | |
| Subsidiary risk | - | |
| IMDG | 8 | |
| Subsidiary risk | - | |
| IATA | 8 | |
| Subsidiary risk | <u> - </u> | |
| 14.4. Packing group | Ι | |
| Packing group | | |
| 14.5. Environmental hazards | | |
| Environmental hazards | No No | |
| Marine pollutant | No | |
| 14.6. Special precautions for user | | |
| 44784 10 7 41 1 11 | No additional special precautions. | |
| 14.7 Maritime Transport in bulk according to IMO instruments | | |
| 4 D D (D ID | Not applicable. | |
| ADR/RID | Т | |
| Hazard ID | 80 | |
| Tunnel Category | (E) | |
| IMDG | T | |
| EmS Code | F-A S-B | |
| IATA | | |
| Packing Instruction (Cargo) | 856 | |
| Maximum quantity | 60 L 852 | |
| Packing Instruction (Passenger) | 002 | |
| Maximum quantity | 5 L | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of |
|-------------|--|
| | Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC |
| | and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 |
| | as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, |
| | 93/105/EC and 2000/21/EC. As retained and amended in UK law. |
| | |

Revision 12 Revision date 2025-04-08

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). As retained and amended in UK law

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

| Revision | This document differs from the previous version in the following areas:. |
|------------------------------|--|
| | 12 - 12.1. Toxicity. |
| | 14 - ADR/RID. |
| | 14 - IMDG. |
| | 14 - IATA. |
| Data sources | Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. |
| | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≥ 11.5. |
| Text of Hazard Statements in | Acute Tox. 4: H302 - Harmful if swallowed. |
| Section 3 | Eye Dam. 1: H318 - Causes serious eye damage. |
| | Eye Irrit. 2: H319 - Causes serious eye irritation. |
| | Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled |
| | Skin Irrit. 2: H315 - Causes skin irritation. |
| | Met. Corr. 1: H290 - May be corrosive to metals. |
| | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. |
| | STOT SE 3: H335 - May cause respiratory irritation. |

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.