

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixture
Product name	: (SUPAGARD) LEGACY AIR FRESHENER
Product code	: HC8499
Vaporizer	: Aerosol
Synonyms	: HC8499 / SUP / PD0694

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Intended for general public	
Main use category	: Professional use, Consumer use
Use of the substance/mixture	: Aerosol air freshener.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SUPAGARD
19-29 Gavinton Street,
Muirend Glasgow, G44 3EF
Scotland
T 0141 633 5933
info@supagard.com

1.4. Emergency telephone number

Emergency number : 0141 633 5933

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to GB CLP (SI 2019:720 as amended)**

Aerosol, Category 1	H222;H229
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Harmful to aquatic life with long lasting effects.

2.2. Label elements**Labelling according to GB CLP (SI 2019:720 as amended)**

Hazard pictograms (GB CLP) :



GHS02

Signal word (GB CLP)	: Danger
Contains	: PERFUME (CONTAINING: LINALYL ACETATE, LIMONENE, ISO SUPER E, LINALOOL); ETHANOL; LIQUEFIED PETROLEUM GAS PROPELLANT
Hazard statements (GB CLP)	: H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (GB CLP)	: P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.
P260 - Do not breathe spray.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
EUH208 - Contains Perfume (containing: linalyl acetate, limonene, iso super e, linalool). May produce an allergic reaction.
Not applicable
Not applicable

EUH-statements (GB CLP)

Child-resistant fastening

Tactile warning

2.3. Other hazards

Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	ETHANOL (64-17-5), MONO PROPYLENE GLYCOL (57-55-6), AMMONIA SOLUTION (1336-21-6), PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE) (68476-85-7), LINALYL ACETATE (115-95-7), LIMONENE (5989-27-5), OCTAHYDRO TETRAMETHYL ACETONAPHTONE (54464-57-2), LINALOOL (78-70-6)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	ETHANOL (64-17-5), MONO PROPYLENE GLYCOL (57-55-6), AMMONIA SOLUTION (1336-21-6), PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE) (68476-85-7), LINALYL ACETATE (115-95-7), LIMONENE (5989-27-5), OCTAHYDRO TETRAMETHYL ACETONAPHTONE (54464-57-2), LINALOOL (78-70-6)

Results of Endocrine Disruptor assessment

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE)(68476-85-7), ETHANOL(64-17-5), MONO PROPYLENE GLYCOL(57-55-6), LINALYL ACETATE(115-95-7), LIMONENE(5989-27-5), OCTAHYDRO TETRAMETHYL ACETONAPHTONE(54464-57-2), LINALOOL(78-70-6), AMMONIA SOLUTION(1336-21-6)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE) (Propellant gas (Aerosol)) substance with workplace exposure limit(s)	CAS-No.: 68476-85-7 EC-No.: 270-704-2 UK Index-No.: 649-202-00-6	70 – 80	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
ETHANOL substance with workplace exposure limit(s)	CAS-No.: 64-17-5 EC-No.: 200-578-6 UK Index-No.: 603-002-00-5	20 – 30	Flam. Liq. 2, H225
MONO PROPYLENE GLYCOL substance with workplace exposure limit(s)	CAS-No.: 57-55-6 EC-No.: 200-338-0	1 – 10	Not classified

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
LINALYL ACETATE	CAS-No.: 115-95-7 EC-No.: 204-116-4	< 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
LIMONENE	CAS-No.: 5989-27-5 EC-No.: 227-813-5	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
OCTAHYDRO TETRAMETHYL ACETONAPHTONE	CAS-No.: 54464-57-2 EC-No.: 259-174-3	< 0.05	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4	< 0.05	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
AMMONIA SOLUTION substance with workplace exposure limit(s)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 UK Index-No.: 007-001-01-2	< 0.01	Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 EUH071

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
ETHANOL	CAS-No.: 64-17-5 EC-No.: 200-578-6 UK Index-No.: 603-002-00-5	(50 ≤ C < 100) Eye Irrit. 2; H319

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	: Wash immediately with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.
Self protection of the first-aider	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: There may be irritation of the throat with a feeling of tightness in the chest. . Shortness of breath.
Symptoms/effects after skin contact	: There may be irritation and redness at the sight of contact.
Symptoms/effects after eye contact	: There may be irritation and redness. The eyes may water profusely.
Symptoms/effects after ingestion	: There may be irritation of the throat.

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.
Explosion hazard : Pressurised container: May burst if heated.
Reactivity in case of fire : Toxic fumes may be released.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe spray.
Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Absorb spillage to prevent material damage.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe spray. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong acids. Oxidizers.
Storage area	: Store away from heat. Store in a well-ventilated place.
Special rules on packaging	: Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ETHANOL (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA)	1920 mg/m ³
	1000 ppm
WEL STEL (OEL STEL)*	5760 mg/m ³
	3000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
	*STEL value is calculated based on the TWA limit
MONO PROPYLENE GLYCOL (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA)	10 mg/m ³ particulates
	474 mg/m ³ total vapour and particulates
WEL STEL (OEL STEL)*	150 ppm total vapour and particulates
	30 mg/m ³
	450 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
	*STEL value is calculated based on the TWA limit
AMMONIA SOLUTION (1336-21-6)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	18 mg/m ³
	25 ppm
WEL STEL (OEL STEL)	25 mg/m ³

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

AMMONIA SOLUTION (1336-21-6)	
	35 ppm
PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE) (68476-85-7)	
United Kingdom - Occupational Exposure Limits	
Local name	Liquefied petroleum gas
WEL TWA (OEL TWA)	1750 mg/m ³ 1000 ppm
WEL STEL (OEL STEL)	2180 mg/m ³ 1250 ppm
Remark	Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene))
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

ETHANOL (64-17-5)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1900 mg/m ³
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	950 mg/m ³
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m ³
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC aqua (intermittent, freshwater)	2.75 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.63 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.72 g/kg food
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

MONO PROPYLENE GLYCOL (57-55-6)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	168 mg/m ³
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	50 mg/m ³
Long-term - local effects, inhalation	10 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	260 mg/l
PNEC aqua (marine water)	26 mg/l
PNEC aqua (intermittent, freshwater)	183 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	572 mg/kg dwt
PNEC sediment (marine water)	57.2 mg/kg dwt
PNEC (Soil)	
PNEC soil	50 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	20000 mg/l
AMMONIA SOLUTION (1336-21-6)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	6.8 mg/m ³
Acute - systemic effects, inhalation	47.6 mg/m ³
Acute - local effects, inhalation	36 mg/m ³
Long-term - systemic effects, dermal	6.8 mg/kg bw/day
Long-term - systemic effects, inhalation	47.6 mg/m ³
Long-term - local effects, inhalation	14 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.0013 mg/l
PNEC aqua (marine water)	0.0013 mg/l
PNEC (Soil)	
PNEC soil	0.0221 mg/kg dwt
LINALYL ACETATE (115-95-7)	
DNEL/DMEL (Workers)	
Acute - local effects, dermal	236.2 µg/cm ²
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day
Long-term - local effects, dermal	236.2 µg/cm ²
Long-term - systemic effects, inhalation	2.75 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, dermal	236.2 µg/cm ²

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

LINALYL ACETATE (115-95-7)	
Long-term - systemic effects, oral	0.2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.68 mg/m ³
Long-term - systemic effects, dermal	1.25 mg/kg bodyweight/day
Long-term - local effects, dermal	236.2 µg/cm ²
PNEC (Water)	
PNEC aqua (freshwater)	0.011 mg/l
PNEC aqua (marine water)	0.0011 mg/l
PNEC aqua (intermittent, freshwater)	0.11 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.609 mg/kg dwt
PNEC sediment (marine water)	0.0609 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.115 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1 mg/l
LIMONENE (5989-27-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	9.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	66.7 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	4.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	16.6 mg/m ³
Long-term - systemic effects, dermal	4.8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	14 µg/l
PNEC aqua (marine water)	1.4 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.85 mg/kg dwt
PNEC sediment (marine water)	0.385 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.763 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	133 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	1.8 mg/l
LINALOOL (78-70-6)	
DNEL/DMEL (Workers)	
Acute - local effects, dermal	3 mg/cm ²

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According to REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

LINALOOL (78-70-6)	
Long-term - systemic effects, dermal	3.5 mg/kg bodyweight/day
Long-term - local effects, dermal	3 mg/cm ²
Long-term - systemic effects, inhalation	24.58 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, dermal	1.5 mg/cm ²
Long-term - systemic effects, oral	2.49 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	4.33 mg/m ³
Long-term - systemic effects, dermal	1.25 mg/kg bodyweight/day
Long-term - local effects, dermal	1.5 mg/cm ²
PNEC (Water)	
PNEC aqua (freshwater)	0.2 mg/l
PNEC aqua (marine water)	0.02 mg/l
PNEC aqua (intermittent, freshwater)	2 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2.22 mg/kg dwt
PNEC sediment (marine water)	0.222 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.327 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	7.8 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	0.4		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol. Colourless.
Odour	: Perfumed.
Odour threshold	: Not available
pH	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flash point	: -40 °C
Flammability	: Upper limits: 14.0%; Lower limits: 0.9% Extremely flammable aerosol.
Explosive limits	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: Not available
Density	: Not available
Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: > 230 °C
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Viscosity, dynamic	: Non-viscous
Explosive properties	: Pressurised container: May burst if heated.

9.2. Other information

Particle characteristics : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. Direct sunlight. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

ETHANOL (64-17-5)

LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse

MONO PROPYLENE GLYCOL (57-55-6)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	> 44.9 mg/l air Animal: rat, Guideline: other:

AMMONIA SOLUTION (1336-21-6)

LC50 Inhalation - Rat [ppm]	3285 ppm (4 h; gas)
-----------------------------	---------------------

LINALYL ACETATE (115-95-7)

LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit

LIMONENE (5989-27-5)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
---------------	---

LINALOOL (78-70-6)

LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

LIMONENE (5989-27-5)	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

AMMONIA SOLUTION (1336-21-6)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

ETHANOL (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

MONO PROPYLENE GLYCOL (57-55-6)	
NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight Animal: cat, Animal sex: male

LINALYL ACETATE (115-95-7)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

LINALOOL (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

(SUPAGARD) LEGACY AIR FRESHENER	
Vaporizer	Aerosol

MONO PROPYLENE GLYCOL (57-55-6)	
Viscosity, kinematic	43 mm ² /s

Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

ETHANOL (64-17-5)	
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

MONO PROPYLENE GLYCOL (57-55-6)	
LC50 - Fish [1]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	51400 mg/l Test organisms (species): Pimephales promelas

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

MONO PROPYLENE GLYCOL (57-55-6)	
EC50 72h - Algae [1]	24200 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [1]	19000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	19100 mg/l Test organisms (species): Skeletonema costatum

AMMONIA SOLUTION (1336-21-6)	
LC50 - Fish [1]	0.89 mg/l Oncorhynchus mykiss (rainbow trout)
EC50 - Crustacea [1]	101 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	3283.2 mg/l
NOEC chronic fish	0.0135 (60 d)
NOEC chronic crustacea	0.961 mg/l Daphnia magna (Water flea)

LINALYL ACETATE (115-95-7)	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

LINALOOL (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

(SUPAGARD) LEGACY AIR FRESHENER	
Persistence and degradability	Not established.

ETHANOL (64-17-5)	
Persistence and degradability	Not rapidly degradable

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

MONO PROPYLENE GLYCOL (57-55-6)	
Persistence and degradability	Not rapidly degradable
AMMONIA SOLUTION (1336-21-6)	
Persistence and degradability	Not rapidly degradable
PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE) (68476-85-7)	
Persistence and degradability	Not rapidly degradable
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Not rapidly degradable
LIMONENE (5989-27-5)	
Persistence and degradability	Not rapidly degradable
OCTAHYDRO TETRAMETHYL ACETONAPHTONE (54464-57-2)	
Persistence and degradability	Not rapidly degradable
LINALOOL (78-70-6)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
ETHANOL (64-17-5)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
MONO PROPYLENE GLYCOL (57-55-6)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
AMMONIA SOLUTION (1336-21-6)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
PETROLEUM GASES, LIQUEFIED (<0.1% BUTA-1,3-DIENE) (68476-85-7)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
LINALYL ACETATE (115-95-7)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
LIMONENE (5989-27-5)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
OCTAHYDRO TETRAMETHYL ACETONAPHTONE (54464-57-2)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
LINALOOL (78-70-6)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Recycle where permissible.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP200
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According to REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

Inland waterway transport

Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC).

GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes (UK):

All Sections reviewed and updated. SDS updated to the new layout.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
BS EN	British Standard
CAS-No.	Chemical Abstracts Service number
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Abbreviations and acronyms:	
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended. GB CLP Regulation (The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, as amended). GB Mandatory Classification and Labelling List (GB MCL List). Supplier's safety documents.

Other information : Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

(SUPAGARD) LEGACY AIR FRESHENER

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Full text of H- and EUH-statements:

H410	Very toxic to aquatic life with long lasting effects.
------	---

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.