

# LEATHER BARRIER

PROTECTOR CREAM

300ml e



## SAFETY DATA SHEET

### Leather Barrier Cream

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

**PRODUCT NAME** Leather Barrier Protector Cream, 300ml  
**PRODUCT NO.** MZBC  
**SUPPLIER:** SUPAGARD LIMITED  
 19-29 Gavinton St.  
 Muirend  
 Glasgow, G44 3EF  
**TEL:** 0141 633 5933  
**FAX:** 0141 637 7219  
**EMERGENCY TELEPHONE:** (+00 44) (0)161 620 5400 NOTE! TO BE USED FOR CHEMICAL EMERGENCIES ONLY!!!

#### 2 COMPOSITION/INFORMATION ON INGREDIENTS

| Name            | EC No.    | CAS-No.    | Content | Classification                 |
|-----------------|-----------|------------|---------|--------------------------------|
| DIETHANOLAMINE  | 203-868-0 | 111-42-2   | < 1%    | Xn;R22,R48/22 Xi;R38,R41       |
| ORANGE TERPENES | 232-433-8 | 8028-48-6  | < 1%    | Xn;R65. Xi;R38. N;R50/53. R10. |
| WHITE SPIRIT    | 265-185-4 | 64742-82-1 | 10-30%  | Xn;R65. N;R51/53. R10,R66.     |

The Full Text for all R-Phrases are Displayed in Section 16

#### 3 HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION R52/53.

#### 4 FIRST-AID MEASURES

##### INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

##### INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

##### SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

##### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 5 FIRE-FIGHTING MEASURES

##### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### 6 ACCIDENTAL RELEASE MEASURES

##### SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

#### 7 HANDLING AND STORAGE

##### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

##### STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place. Keep in original container.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

## StarGard Leather Barrier Cream

| Name            | Std | LT - ppm | LT - mg/m3 | ST - ppm | ST - mg/m3 |
|-----------------|-----|----------|------------|----------|------------|
| DIETHANOLAMINE  | OES | 3 ppm    | 13 mg/m3   |          |            |
| WHITE SPIRIT    |     |          | 600 mg/m3  |          |            |
| ORANGE TERPENES |     | 100 ppm  |            |          |            |

**INGREDIENT COMMENTS**

OES = Occupational Exposure Standard. MEL = Maximum Exposure Limit.

**PROTECTIVE EQUIPMENT**



**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

If risk of splashing, wear safety goggles or face shield.

**OTHER PROTECTION**

Wear appropriate clothing to prevent any possibility of skin contact.

**HYGIENE MEASURES**

**DO NOT SMOKE IN WORK AREA!** Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

---

**9 PHYSICAL AND CHEMICAL PROPERTIES**

---

|                               |                            |
|-------------------------------|----------------------------|
| APPEARANCE                    | Liquid                     |
| COLOUR                        | Beige.                     |
| ODOUR                         | Characteristic             |
| SOLUBILITY                    | Slightly soluble in water. |
| FLAMMABILITY LIMIT - LOWER(%) | 0.6                        |
| FLAMMABILITY LIMIT - UPPER(%) | 8.0                        |

---

**10 STABILITY AND REACTIVITY**

---

**STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Avoid excessive heat for prolonged periods of time.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

---

**11 TOXICOLOGICAL INFORMATION**

---

**INHALATION**

May cause irritation to the respiratory system.

**INGESTION**

May cause discomfort if swallowed.

**SKIN CONTACT**

May cause skin irritation/eczema

**EYE CONTACT**

Irritating to eyes.

**ROUTE OF ENTRY**

Inhalation. Ingestion. Skin and/or eye contact.

---

**12 ECOLOGICAL INFORMATION**

---

**ECOTOXICITY**

Dangerous for the environment if discharged into watercourses.

## StarGard Leather Barrier Cream

---

### 13 DISPOSAL CONSIDERATIONS

---

**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

---

### 14 TRANSPORT INFORMATION

---

|                     |   |   |
|---------------------|---|---|
| AIR TRANSPORT NOTES | Not Classified.                                     |   |
| ADR CLASS           | Not classified for transportation. HAZARD NO. (ADR) | 90 Environmentally hazardous substance; miscellaneous dangerous substances. |
| MARINE POLLUTANT    | No.   |   |

---

### 15 REGULATORY INFORMATION

---

**RISK PHRASES**

|        |   |
|--------|---|
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
|--------|---|

**SAFETY PHRASES**

|     |   |
|-----|---|
| S2  | Keep out of the reach of children   |
| S46 | If swallowed, seek medical advice immediately and show this container or label. |
| S60 | This material and its container must be disposed of as hazardous waste.         |

**STATUTORY INSTRUMENTS**

The Control of Substances Hazardous to Health Regulations 2002.  
 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

**APPROVED CODE OF PRACTICE**

Classification and Labelling of Substances and Preparations Dangerous for Supply.  
 Safety Data Sheets for Substances and Preparations.

**GUIDANCE NOTES**

Occupational Exposure Limits EH40.  
 Introduction to Local Exhaust Ventilation HS(G)37.  
 CHIP for everyone HSG(108).

---

### 16 OTHER INFORMATION

---

REVISION DATE 08/03/2005

REV. NO./REPL. SDS GENERATED 1

**RISK PHRASES IN FULL**

|        |  |
|--------|--|
| R10    | Flammable.   |
| R22    | Harmful if swallowed.  |
| R38    | Irritating to skin.  |
| R41    | Risk of serious damage to eyes.  |
| R48/22 | Harmful: danger of serious damage to health by prolonged exposure if swallowed.                  |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.      |
| R65    | Harmful: may cause lung damage if swallowed.   |
| R66    | Repeated exposure may cause skin dryness or cracking.  |